

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ACTDATETIME	ACTDATETIME	TIMESTAMP	8	Y	INDEX		
ACTDATETIME	ACTDATETIMENO	INTEGER	4	N	PRIMARY		GENERATOR: ACTDATETIMENO_GEN
ACTDATETIME	ACTIVITY_LINKNO	INTEGER	4	N	FOREIGN	ACTIVITY.ACTIVITYNO	
ACTDATETIME	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ACTDATETIME	ALARMDATETIME	TIMESTAMP	8	Y	INDEX		
ACTDATETIME	ALARMMINOFFSET	INTEGER	4	Y			
ACTDATETIME	COMPLETEAGENT	VARCHAR	15	Y			
ACTDATETIME	COMPLETIONDATE	TIMESTAMP	8	Y	INDEX		
ACTDATETIME	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ACTDATETIME	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ACTDATETIME	SYNCMODDATETIME	TIMESTAMP	8	Y			
ACTIVITY	ACTIVITYNO	INTEGER	4	N	PRIMARY	ACTDATETIME.ACTIVITY_LINKNO, ACTRECURRULE.ACTIVITY_LINKNO	GENERATOR: ACTIVITYNO_GEN
ACTIVITY	ACTRECUR_LINKNO	INTEGER	4	Y		ACTRECURRULE.ACTRECURNO	
ACTIVITY	ACTTYPE_LINKNO	INTEGER	4	Y	INDEX	ACTIVITYTYPE.ACTTYPENO	
ACTIVITY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ACTIVITY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ACTIVITY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ACTIVITY	CREATEDATE	TIMESTAMP	8	Y	INDEX		
ACTIVITY	CREATEUSER	VARCHAR	20	Y			
ACTIVITY	DURATION	SMALLINT	2	Y			
ACTIVITY	ICALUID	VARCHAR	255	Y			
ACTIVITY	ISRECUR EXCEPTION	VARCHAR	1	Y			
ACTIVITY	ISTODO	CHARNOYES	1	Y	INDEX		Y or N(default)
ACTIVITY	LINKDETAILS	VARCHAR	200	Y			
ACTIVITY	MAILERID	VARCHAR	30	Y	INDEX		
ACTIVITY	PRIORITY	SMALLINT	2	Y			
ACTIVITY	PRIVATE	VARCHAR	1	Y			
ACTIVITY	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
ACTIVITY	REMARKS	BLOB	8	Y			
ACTIVITY	RESCARD_LINKNO	INTEGER	4	Y	FOREIGN	RESCARD.RESCARDNO	
ACTIVITY	STATUS	SMALLINT	2	Y			
ACTIVITY	SUBCATEGORY	VARCHAR	25	Y			
ACTIVITY	SUBJECT	VARCHAR	50	Y			
ACTIVITY	SUBJECTUPPER	VARCHAR	50	Y	INDEX		
ACTIVITY	SYNCMODDATETIME	TIMESTAMP	8	Y			
ACTIVITY	USERNAME	VARCHAR	20	Y	INDEX		
ACTIVITYINVOICE	ACTIVITY_LINKNO	INTEGER		N			
ACTIVITYINVOICE	INVOICE_LINKNO	INTEGER		N			
ACTIVITYINVOICE	AGENCY_LINKNO	INTEGER		N	FOREIGN	AGENCY.AGENCYNO	
ACTIVITYINVOICE	CREATE_DBGUIDNO	INTEGER		Y			
ACTIVITYINVOICE	CREATE_RECNO1	INTEGER		Y			
ACTIVITYINVOICE	CREATE_RECNO2	INTEGER		Y			
ACTIVITYINVOICE	SYNCMODDATETIME	TIMESTAMP		Y			
ACTIVITYPAYMENT	ACTIVITY_LINKNO	INTEGER		N			
ACTIVITYPAYMENT	PAYMENT_LINKNO	INTEGER		N			
ACTIVITYPAYMENT	AGENCY_LINKNO	INTEGER		N	FOREIGN	AGENCY.AGENCYNO	
ACTIVITYPAYMENT	CREATE_DBGUIDNO	INTEGER		Y			
ACTIVITYPAYMENT	CREATE_RECNO1	INTEGER		Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ADDRESS	COUNTRY	VARCHAR	80	Y			
ADDRESS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ADDRESS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ADDRESS	DESCRIPTION	VARCHAR	40	Y			
ADDRESS	ISVALID	CHAR	1	Y			
ADDRESS	PERMITMARKET	CHAR	1	Y			
ADDRESS	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
ADDRESS	SPUNIQUEID	VARCHAR	30	Y			
ADDRESS	STATE	VARCHAR	30	Y	INDEX		
ADDRESS	SYNCMODDATETIME	TIMESTAMP	8	Y			
ADDRESS	ZIP	VARCHAR	12	Y	INDEX		
ADDRINSTANCE	JAN1	VARCHAR	1	Y			
ADDRINSTANCE	FEB2	VARCHAR	1	Y			
ADDRINSTANCE	MAR3	VARCHAR	1	Y			
ADDRINSTANCE	APR4	VARCHAR	1	Y			
ADDRINSTANCE	MAY5	VARCHAR	1	Y			
ADDRINSTANCE	JUN6	VARCHAR	1	Y			
ADDRINSTANCE	JUL7	VARCHAR	1	Y			
ADDRINSTANCE	AUG8	VARCHAR	1	Y			
ADDRINSTANCE	SEP9	VARCHAR	1	Y			
ADDRINSTANCE	OCT10	VARCHAR	1	Y			
ADDRINSTANCE	NOV11	VARCHAR	1	Y			
ADDRINSTANCE	DEC12	VARCHAR	1	Y			
ADDRINSTANCE	ADDRESS_LINKNO	INTEGER	4	N	FOREIGN	ADDRESS.ADDRESSNO	
ADDRINSTANCE	ADDRTYPE_LINKNO	SMALLINT	2	N	PRIMARY		1, 2, 3, 4, 5
ADDRINSTANCE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ADDRINSTANCE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ADDRINSTANCE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ADDRINSTANCE	CREATE_RECNO2	INTEGER	4	Y	INDEX		
ADDRINSTANCE	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
ADDRINSTANCE	SPUNIQUEID	VARCHAR	30	Y			
ADDRINSTANCE	SYNCMODDATETIME	TIMESTAMP	8	Y			
ADDRTYPE	ADDRTYPENO	SMALLINT	2	N	PRIMARY		1, 2, 3, 4, 5
ADDRTYPE	DESCRIPTION	VARCHAR	40	Y			Bill To, Business, Primary, Secondary, Ship To
AGENCY	AGENCYNO	INTEGER	4	N	PRIMARY	DASHREPORTS.AGENCY_LINKNO,DASHSETTINGS.AGENCY_LINKNO, GROUPTYPESETTINGS.AGENCY_LINKNO	GENERATOR: AGENCYNO_GEN
AGENCY	CBOSLA	CHAR	1	N			
AGENCY	DESCRIPTION	VARCHAR	128	N			
AGENCY	ISACTIVE	CHAR	1	N			
AGENCY	LOCATOR	VARCHAR	128	N	UNIQUE		
AGENCY	PRIMARYPCC	VARCHAR	4	Y			
AGENCY	PSWDATTEMPTFAILCOUNT	INTEGER	4	N			
AGENCY	PSWDSTRENGTH	INTEGER	4	N			
AGENCY	RESETPSWDDAYS	INTEGER	4	N			
AGENCY_VERSCHEDULE	CBVERSION	VARCHAR	20	Y			
AGENCY_VERSCHEDULE	SYNCDBVERSION	INTEGER	4	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
AGENCY_VERSCHEDULE	TARGETDATE	TIMESTAMP	8	Y			
AGENCY_VERSCHEDULE	TBOVERSION	VARCHAR	20	Y			
AGENTADJUSTMENT	ADJUSTMENTDATE	TIMESTAMP	8	N	INDEX		
AGENTADJUSTMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AGENTADJUSTMENT	AGENTADJGROUP	VARCHAR	128	Y			
AGENTADJUSTMENT	AGENTADJNO	INTEGER	4	N	PRIMARY		GENERATOR: AGENTADJNO_GENERATOR
AGENTADJUSTMENT	AMOUNT	DOUBLE	8	N			
AGENTADJUSTMENT	DATEPAID	TIMESTAMP	8	Y			
AGENTADJUSTMENT	HOME_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	
AGENTADJUSTMENT	HOST_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	
AGENTADJUSTMENT	PAYMENT_LINKNO	INTEGER	4	Y	FOREIGN	PAYMENT.PAYMENTNO	
AGENTADJUSTMENT	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
AGENTADJUSTMENT	REMARKS	VARCHAR	512	Y			
AGENTBKG	ACTION_LINKCODE	CHAR	1	Y			B, T , <Null>
AGENTBKG	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AGENTBKG	AGENT_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
AGENTBKG	AGENTBKGNO	INTEGER	4	N	PRIMARY		GENERATOR: AGENTBKGNO_GENERATOR
AGENTBKG	AGENTSTATUS_LINKCODE	CHAR	1	Y		AGENTSTATUS.AGENTSTATUSCODE	I, O
AGENTBKG	AMOUNT	DOUBLE	8	N			
AGENTBKG	BOOKING_LINKNO	INTEGER	4	N	FOREIGN	BOOKINGPSGRVIEW.BOOKINGNO,	
AGENTBKG	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
AGENTBKG	CREATE_RECNO1	INTEGER	4	Y	INDEX		
AGENTBKG	DATEPAID	TIMESTAMP	8	Y	INDEX		
AGENTBKG	INDEXNO	SMALLINT	2	Y			
AGENTBKG	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
AGENTBKG	PAYMENT_LINKNO	INTEGER	4	Y	FOREIGN	PAYMENT.PAYMENTNO	
AGENTBKG	RATE	DOUBLE	8	N			
AGENTBKG	REMARKS	VARCHAR	50	Y			
AGENTBKG	SYNCMODDATETIME	TIMESTAMP	8	Y			
AGENTSTATUS	AGENTSTATUS	VARCHAR	20	N			Inside, Outside
AGENTSTATUS	AGENTSTATUSCODE	CHAR	1	N	PRIMARY		I, O
AIRCRAFTTYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AIRCRAFTTYPE	AIRCRAFTTYPENO	INTEGER	4	N	PRIMARY		GENERATOR: AIRCRAFTTYPENO_GEN
AIRCRAFTTYPE	AIRCRAFTTYPESTR	VARCHAR	15	Y			
AIRCRAFTTYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
AIRCRAFTTYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
AIRCRAFTTYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
AIRMEALS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AIRMEALS	AIRMEAL	VARCHAR	60	Y			Diabetic, Fruit Plate, Hindu, Kosher, Low Calorie, Low Cholesterol, Low Sodium, Muslim, No Preference, Seafood, Vegetarian
AIRMEALS	AIRMEALCODE	VARCHAR	8	Y			
AIRMEALS	AIRMEALNO	INTEGER	4	N	PRIMARY		GENERATOR: AIRMEALNO_GEN
AIRMEALS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
AIRMEALS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
AIRMEALS	SYNCMODDATETIME	TIMESTAMP	8	Y			
AIRSPECIAL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AIRSPECIAL	AIRSPECIALNO	INTEGER	4	N	PRIMARY		GENERATOR: AIRSPECIALNO_GEN
AIRSPECIAL	AIRSPECIALSTR	VARCHAR	30	Y			
AIRSPECIAL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
AIRSPECIAL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
AIRSPECIAL	SYNCMODDATETIME	TIMESTAMP	8	Y			
APPTYPES	APPTYPENO	INTEGER	4	N	PRIMARY	ACTMANDATORY.APPTYPE_LINKNO, BATCH.APPTYPE_LINKNO, DIALOG.APPTYPE_LINKNO, PROFMANDATORY.APPTYPE_LINKNO, REPORTHEADERFOOTER.APPTYPE_LI NKNO, RESMANDATORY.APPTYPE_LINKNO, URLS.APPTYPE_LINKNO, VIEWS.APPTYPE_LINKNO	1, 2000, 2001, 3000, 4000
APPTYPES	DESCRIPTION	VARCHAR	40	Y			ClientBase Plus, ClientBase Plus Browser, CROSSDATAQUERY, SYNC, TRAMS For Windows
ARCADJUSTMENT	ADJUSTMENTDATE	TIMESTAMP	8	N	INDEX		
ARCADJUSTMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ARCADJUSTMENT	AMOUNT	DOUBLE	8	N			
ARCADJUSTMENT	ARCADJNO	INTEGER	4	N	PRIMARY		GENERATOR: ARCADJNO_GENERATOR
ARCADJUSTMENT	BRANCH_LINKNO	SMALLINT	2	N	FOREIGN	BRANCH.BRANCHNO	
ARCADJUSTMENT	CODE	VARCHAR	10	Y			
ARCADJUSTMENT	INSIDEAGENT_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
ARCADJUSTMENT	INSIDERATE	DOUBLE	8	N			
ARCADJUSTMENT	JERECORD_LINKNO	INTEGER	4	Y	FOREIGN	JE.JERECORDNO	
ARCADJUSTMENT	OUTSIDEAGENT_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
ARCADJUSTMENT	OUTSIDERATE	DOUBLE	8	N			
ARCADJUSTMENT	REMARKS	VARCHAR	512	Y			
ARCBRANCH	ADDRESS	VARCHAR	50	Y			
ARCBRANCH	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ARCBRANCH	ARCNO	INTEGER	4	N	PRIMARY	BRANCH.ARCNO, INVOICE.ARC_LINKNO	
ARCBRANCH	CITYSTZIP	VARCHAR	50	Y			
ARCBRANCH	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ARCBRANCH	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ARCBRANCH	ISSTP	CHAR	1	Y			
ARCBRANCH	NAME	VARCHAR	80	Y			
ARCBRANCH	SYNCMODDATETIME	TIMESTAMP	8	Y			
ATTACHMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ATTACHMENT	ATTACHNO	INTEGER	4	N	PRIMARY	ATTACHMENTINVOICE.ATTACHMENT_ LINKNO, ATTACHMENTPAYMENT.ATTACHMENT_ LINKNO	GENERATOR: ATTACHNO_GEN
ATTACHMENT	ATTACHTYPE	INTEGER	4	N			1, 2
ATTACHMENT	BROCH_LINKNO	INTEGER	4	Y	FOREIGN	BROCHURE.BROCHNO	
ATTACHMENT	COMPRESSED SIZE	INTEGER	4	Y			
ATTACHMENT	COMPUTERNAME	VARCHAR	20	Y			
ATTACHMENT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ATTACHMENT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ATTACHMENT	DATA	BLOB	8	Y			
ATTACHMENT	DESCRIPTION	VARCHAR	255	Y			
ATTACHMENT	DIRECTORYNAME	VARCHAR	255	Y			
ATTACHMENT	FILEDATETIME	TIMESTAMP	8	N			
ATTACHMENT	FILENAME	VARCHAR	128	Y			
ATTACHMENT	ISCOMPRESSED	VARCHAR	1	N			
ATTACHMENT	MODIFIEDBY	VARCHAR	10	N			
ATTACHMENT	MODIFIEDDATETIME	TIMESTAMP	8	N			
ATTACHMENT	ORIGINALSIZE	INTEGER	4	N			
ATTACHMENT	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
ATTACHMENT	RESCARD_LINKNO	INTEGER	4	Y	FOREIGN	RESCARD.RESCARDNO	
ATTACHMENT	SYNCMODDATETIME	TIMESTAMP	8	Y			
ATTACHMENT	APPTYPE_OWNER	INTEGER		Y			
ATTACHMENTINVOICE	AGENCY_LINKNO	INTEGER	4	N			
ATTACHMENTINVOICE	ATTACHMENT_LINKNO	INTEGER	4	N	PRIMARY	ATTACHMENT.ATTACHNO	
ATTACHMENTINVOICE	CREATE_DBGUIDNO	INTEGER	4	N			
ATTACHMENTINVOICE	CREATE_RECNO1	INTEGER	4	N			
ATTACHMENTINVOICE	CREATE_RECNO2	INTEGER	4	N			
ATTACHMENTINVOICE	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INVOICE.INVOICENO	
ATTACHMENTINVOICE	SYNCMODDATETIME	TIMESTAMP	8	Y			
ATTACHMENTPAYMENT	AGENCY_LINKNO	INTEGER	4	N			
ATTACHMENTPAYMENT	ATTACHMENT_LINKNO	INTEGER	4	N	PRIMARY	ATTACHMENT.ATTACHNO	
ATTACHMENTPAYMENT	CREATE_DBGUIDNO	INTEGER	4	N			
ATTACHMENTPAYMENT	CREATE_RECNO1	INTEGER	4	N			
ATTACHMENTPAYMENT	CREATE_RECNO2	INTEGER	4	N			
ATTACHMENTPAYMENT	PAYMENT_LINKNO	INTEGER	4	N	FOREIGN	PAYMENT.PAYMENTNO	
ATTACHMENTPAYMENT	SYNCMODDATETIME	TIMESTAMP	8	Y			
ATTACHMENTPROFILE	ATTACHMENT_LINKNO	INTEGER		N			
ATTACHMENTPROFILE	PROFILE_LINKNO	INTEGER		N			
ATTACHMENTPROFILE	AGENCY_LINKNO	INTEGER		N	FOREIGN	AGENCY.AGENCYNO	
ATTACHMENTPROFILE	CREATE_DBGUIDNO	INTEGER		Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ATTACHMENTPROFILE	CREATE_RECNO1	INTEGER		Y			
ATTACHMENTPROFILE	CREATE_RECNO2	INTEGER		Y			
ATTACHMENTPROFILE	SYNCMODDATETIME	TIMESTAMP		Y			
ATTACHMENTRESCARD	ATTACHMENT_LINKNO	INTEGER		N			
ATTACHMENTRESCARD	RESCARD_LINKNO	INTEGER		N			
ATTACHMENTRESCARD	AGENCY_LINKNO	INTEGER		N	FOREIGN	AGENCY.AGENCYNO	
ATTACHMENTRESCARD	CREATE_DBGUIDNO	INTEGER		Y			
ATTACHMENTRESCARD	CREATE_RECNO1	INTEGER		Y			
ATTACHMENTRESCARD	CREATE_RECNO2	INTEGER		Y			
ATTACHMENTRESCARD	SYNCMODDATETIME	TIMESTAMP		Y			
AUTOCASECONV	ADDRCITY	CHAR	1	Y			
AUTOCASECONV	ADDRCOUNTRY	CHAR	1	Y			
AUTOCASECONV	ADDRLINE1	CHAR	1	Y			
AUTOCASECONV	ADDRLINE2	CHAR	1	Y			
AUTOCASECONV	ADDRSUITE	CHAR	1	Y			
AUTOCASECONV	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
AUTOCASECONV	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
AUTOCASECONV	PASSCTITLE	CHAR	1	Y			
AUTOCASECONV	PASSFNAME	CHAR	1	Y			
AUTOCASECONV	PASSLNAME	CHAR	1	Y			
AUTOCASECONV	PASSMNAME	CHAR	1	Y			
AUTOCASECONV	PASSRELATION	CHAR	1	Y			
AUTOCASECONV	PROFADDITIONALNAME	CHAR	1	Y			
AUTOCASECONV	PROFCOMPNAME	CHAR	1	Y			
AUTOCASECONV	PROFCTITLE	CHAR	1	Y			
AUTOCASECONV	PROFFNAME	CHAR	1	Y			
AUTOCASECONV	PROFLNAME	CHAR	1	Y			
AUTOCASECONV	SYNCMODDATETIME	TIMESTAMP	8	Y			
BANK	ACCOUNTNO	VARCHAR	25	Y			
BANK	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BANK	BALANCE	DOUBLE	8	N			
						BANKGROUPS.BANK_LINKNO, BRANCH.BANK_LINKNO, BRANCH.BANKCCMERCHANT_LINKNO, BRANCH.BANKEFT_LINKNO, CCPROCESSORCARDS.BANK_LINKNO, CCPROCESSORS.BANK_LINKNO, PAYMENT.BANK_LINKNO, PAYMENTRECONHEADER.BANK_LINKNO	
BANK	BANKNO	SMALLINT	2	N	PRIMARY		
BANK	CONVRATE	DOUBLE	8	N			
BANK	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
BANK	CREATE_RECNO1	INTEGER	4	Y	INDEX		
BANK	CURRCODE	VARCHAR	3	Y			
BANK	GLBRANCH_LINKNO	INTEGER	4	Y	FOREIGN	GLBRANCH.GLBRANCHNO	
BANK	ISACTIVE	CHAR	1	N			Y, N
BANK	NAME	VARCHAR	128	Y			
BANK	REMARKS	VARCHAR	128	Y			
BANK	ROUTINGNO	VARCHAR	9	Y			
BANK	SYNCMODDATETIME	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BANK_CHECKNO	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	DELETED
BANK_CHECKNO	BANKNO	INTEGER	4	N	PRIMARY	BRANCH.BANK_LINKNO, PAYMENT.BANK_LINKNO	
BANK_CHECKNO	CHECKNO	INTEGER	4	Y			
BANK_CHECKNO	AGENCY_LINKNO	INTEGER		N	FOREIGN	AGENCY.AGENCYNO	
BANKGROUPS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BANKGROUPS	BANK_LINKNO	INTEGER	4	N	PRIMARY		
BANKGROUPS	GROUPS_LINKNO	INTEGER	4	N	PRIMARY		
BANKRECREPORTCODE	CHECKREGCODENO	INTEGER	4	N			1, 2, 3
BANKRECREPORTCODE	CODENO	SMALLINT	2	N	PRIMARY		GENERATOR: CODENO_GEN
BANKRECREPORTCODE	PAYMENTCODE	VARCHAR	30	Y			ACH Dep, ACH W/D, Check, Deposit, EFT Dep, EFT W/D, Withdrawl
BANKRECREPORTCODE	PAYMETHOD_LINKNO	SMALLINT	2	Y		PAYMETHOD.PAYMETHODNO	0, 2, 6, 7
BANKRECREPORTCODE	PAYTYPE_LINKNO	SMALLINT	2	Y		PAYTYPE.PAYTYPENO	1, 2, 3, 4
BATCH	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BATCH	APPTYPE_LINKNO	INTEGER	4	Y	FOREIGN	APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
BATCH	BATCHNO	INTEGER	4	N	PRIMARY	DIALOG.BATCH_LINKNO, DIALOG.NESTEDBATCH_LINKNO	GENERATOR: BATCHNO_GENERATOR
BATCH	COMPLETIONDATE	TIMESTAMP	8	Y			
BATCH	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
BATCH	CREATE_RECNO1	INTEGER	4	Y	INDEX		
BATCH	CREATEBY_LINKNO	INTEGER	4	Y	FOREIGN	USERPROFILE.USERPROFILENO	
BATCH	CREATEDATE	TIMESTAMP	8	Y			
BATCH	DESCRIPTION	VARCHAR	80	Y			
BATCH	NAME	VARCHAR	20	Y			
BATCH	STATUS_LINKNO	INTEGER	4	Y			
BATCH	SYNCMODDATETIME	TIMESTAMP	8	Y			
BLOBTYPE	BLOBTYPE	VARCHAR	20	N			text/html, text/plain, text/rf
BLOBTYPE	BLOBTYPENO	INTEGER	4	N	PRIMARY	DOCTEMPLATES.BODYBLOBTYPE_LIN KNO, PROFILE.CBNOTESBLOBTYPE_LINKNO	1, 2, 3
BOOKING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BOOKING	BOOKINGNO	INTEGER	4	N	PRIMARY	AGENTBKG.BOOKING_LINKNO, CITYPAIR.BOOKING_LINKNO, PAYDTL.BOOKING_LINKNO, SEGMENTS.BOOKING_LINKNO, TAXDETAIL.BOOKING_LINKNO, UDIDS.BOOKING_LINKNO	GENERATOR: BOOKINGNO_GENERATOR
BOOKING	CADDESTCODE	INTEGER	4	Y			
BOOKING	CALCBASEFARE	DOUBLE	8	N			
BOOKING	CALCFACEVALUE	DOUBLE	8	N			
BOOKING	CALCFARELOST	DOUBLE	8	N			
BOOKING	CALCFARESAVINGS	DOUBLE	8	N			
BOOKING	CALCHIGHFARE	DOUBLE	8	N			
BOOKING	CALCLOWFARE	DOUBLE	8	N			
BOOKING	CALCNETFARE	DOUBLE	8	N			
BOOKING	CALCNUMOFDAYS	INTEGER	4	N			
BOOKING	CALCNUMOFROOMNTS	INTEGER	4	N			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BOOKING	CALCSEGMENTCOUNT	INTEGER	4	N			
BOOKING	CALCTICKETCONFIRMNO	CHAR	253	N			
BOOKING	CALCTOTALTAXAMT	DOUBLE	8	N			
BOOKING	CALCTRIMCLIENTREMARKS	CHAR	253	N			
BOOKING	CALCTRIMVENDORREMARKS	CHAR	253	N			
BOOKING	CARDESC	VARCHAR	10	Y			
BOOKING	CCDATAMASKED	CHAR	1	N			
BOOKING	CLIENTGSTAMT	DOUBLE	8	N			
BOOKING	CLIENTGSTRATE	DOUBLE	8	N			
BOOKING	CLIENTPAIDBYCC	CHAR	1	N			
BOOKING	CLIENTPAYSTATUS_LINKCODE	CHAR	1	Y	INDEX	PAYSTATUS.PAYSTATUSCODE	C, N, O, V
BOOKING	CLIENTREMARKS	VARCHAR	1024	Y			
BOOKING	COMMAMT	DOUBLE	8	N			
BOOKING	COMMRATE	DOUBLE	8	N			
BOOKING	COMMTRACKCCNO	VARCHAR	35	Y			
BOOKING	COMMTRACKCCNOENCRYPT	BLOB	8	Y			
BOOKING	CONFIRMNO	VARCHAR	40	Y	INDEX		
BOOKING	CONVCLIENTGSTAMT	DOUBLE	8	Y			
BOOKING	CONVCOMMAMT	DOUBLE	8	Y			
BOOKING	CONVCURRCODE	CHAR	3	Y			
BOOKING	CONVFACEVALUE	DOUBLE	8	Y			
BOOKING	CONVGSTAMT	DOUBLE	8	Y			
BOOKING	CONVQSTAMT	DOUBLE	8	Y			
BOOKING	CONVRATE	DOUBLE	8	Y			
BOOKING	CONVREMITAMT	DOUBLE	8	Y			
BOOKING	CONVTAX1AMT	DOUBLE	8	Y			
BOOKING	CONVTAX2AMT	DOUBLE	8	Y			
BOOKING	CONVTAX3AMT	DOUBLE	8	Y			
BOOKING	CONVTAX4AMT	DOUBLE	8	Y			
BOOKING	CONVTOTALFARE	DOUBLE	8	Y			
BOOKING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
BOOKING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
BOOKING	DEPARTDATE	TIMESTAMP	8	Y	INDEX		
BOOKING	ENDINGTICKETNO	VARCHAR	10	Y			
BOOKING	ETICKETIND	CHAR	1	Y			
BOOKING	FACEVALUE	DOUBLE	8	N			
BOOKING	FARECODE	VARCHAR	6	Y			
BOOKING	FINALPAYAMT	DOUBLE	8	N			
BOOKING	FINALPAYCOMMAMT	DOUBLE	8	N			
BOOKING	FINALPAYDATE	TIMESTAMP	8	Y			
BOOKING	FLOWNCARRIER	VARCHAR	85	Y			
BOOKING	GSTAMT	DOUBLE	8	N			
BOOKING	GSTRATE	DOUBLE	8	N			
BOOKING	HIGHFARE	DOUBLE	8	N			
BOOKING	HOMEHOST_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BOOKING	INDEXNO	SMALLINT	2	Y			
BOOKING	INTER_LINKCODE	CHAR	1	Y		INDICATOR.INTERCODE	D, I, T
BOOKING	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
BOOKING	ITINERARY	VARCHAR	85	Y			
BOOKING	LOWFARE	DOUBLE	8	N			
BOOKING	NUMBERINPARTY	SMALLINT	2	Y			
BOOKING	NUMBEROFROOMS	SMALLINT	2	Y			
BOOKING	ORIGTICKETNO	VARCHAR	10	Y	INDEX		
BOOKING	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
BOOKING	PASSENGERDEPT	VARCHAR	40	Y			
BOOKING	PASSENGERDEPTUPPER	VARCHAR	40	Y	INDEX		
BOOKING	PASSENGERNAME	VARCHAR	255	Y			
BOOKING	PASSENGERNAMEUPPER	VARCHAR	50	Y	INDEX		
BOOKING	QSTAMT	DOUBLE	8	N			
BOOKING	QSTRATE	DOUBLE	8	N			
BOOKING	RECORDLOCATOR	VARCHAR	20	Y			
BOOKING	REMITAMOUNT	DOUBLE	8	N			
BOOKING	RESERVATION_LINKNO	INTEGER	4	Y	FOREIGN	RESCARDRESERVATION.RESERVATIO NNO	
BOOKING	RESUBMITDATE	TIMESTAMP	8	Y	INDEX		
BOOKING	RETURNDATE	TIMESTAMP	8	Y	INDEX		
BOOKING	SPLITCOUNT	INTEGER	4	Y			
BOOKING	STARTINGTICKETNO	VARCHAR	10	Y	INDEX		
BOOKING	SUBMITTO_LINKCODE	CHAR	1	Y	INDEX	SUBMITTO.SUBMITTOCODE	A, C, S, V
BOOKING	SYNCMODDATETIME	TIMESTAMP	8	Y			
BOOKING	TAX1AMT	DOUBLE	8	N			
BOOKING	TAX1RATE	DOUBLE	8	N			
BOOKING	TAX2AMT	DOUBLE	8	N			
BOOKING	TAX2RATE	DOUBLE	8	N			
BOOKING	TAX3AMT	DOUBLE	8	N			
BOOKING	TAX3RATE	DOUBLE	8	N			
BOOKING	TAX4AMT	DOUBLE	8	N			
BOOKING	TAX4RATE	DOUBLE	8	N			
BOOKING	TICKETDESIG	VARCHAR	25	Y			
BOOKING	TICKETTYPE_LINKNO	SMALLINT	2	N		TICKETTYPE.TICKETTYPE ENO	1, 2, 3, 4, 5, 6
BOOKING	TOTALFARE	DOUBLE	8	N			
BOOKING	TOURCODE	VARCHAR	25	Y			
BOOKING	TRAVELTYPE_LINKNO	SMALLINT	2	N		TRAVELTYPE.TRAVELTYPE ENO	1 thru 50
BOOKING	VALIDAL	VARCHAR	3	Y			
BOOKING	VENDOR_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
BOOKING	VENDORPAYSTATUS_LINKCODE	CHAR	1	Y	INDEX	PAYSTATUS.PAYSTATUSCODE	C, N, O, V
BOOKING	VENDORREMARKS	VARCHAR	1024	Y			
BOOKINGPSGRVIEW	BOOKINGNO	INTEGER	4	Y			GENERATOR: BOOKINGNO_GENERATO R
BOOKINGPSGRVIEW	CALCBASEFARE	DOUBLE	8	N			
BOOKINGPSGRVIEW	CALCFACEVALUE	DOUBLE	8	N			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BOOKINGPSGRVIEW	CALCFARELOST	DOUBLE	8	N			
BOOKINGPSGRVIEW	CALCHIGHFARE	DOUBLE	8	N			
BOOKINGPSGRVIEW	CALCNETFARE	DOUBLE	8	N			
BOOKINGPSGRVIEW	CALCNUMOFDAYS	INTEGER	4	N			
BOOKINGPSGRVIEW	CALCSEGMENTCOUNT	INTEGER	4	N			
BOOKINGPSGRVIEW	CALCTICKETCONFIRMNO	CHAR	253	N			
BOOKINGPSGRVIEW	CALCTOTALTAXAMT	DOUBLE	8	N			
BOOKINGPSGRVIEW	CALCTRIMCLIENTREMARKS	CHAR	253	N			
BOOKINGPSGRVIEW	CALCTRIMVENDORREMARKS	CHAR	253	N			
BOOKINGPSGRVIEW	CARDESC	VARCHAR	10	Y			
BOOKINGPSGRVIEW	CLIENTPAYSTATUS_LINKCODE	CHAR	1	Y		PAYSTATUS.PAYSTATUSCODE	C, N, O, V
BOOKINGPSGRVIEW	COMMAMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	COMMRATE	DOUBLE	8	Y			
BOOKINGPSGRVIEW	CONFIRMNO	VARCHAR	40	Y			
BOOKINGPSGRVIEW	DEPARTDATE	TIMESTAMP	8	Y			
BOOKINGPSGRVIEW	ETICKETIND	CHAR	1	Y			
BOOKINGPSGRVIEW	FARECODE	VARCHAR	6	Y			
BOOKINGPSGRVIEW	FINALPAYAMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	FINALPAYCOMMAMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	FINALPAYDATE	TIMESTAMP	8	Y			
BOOKINGPSGRVIEW	FLOWNCARRIER	VARCHAR	85	Y			
BOOKINGPSGRVIEW	GSTAMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	INTER_LINKCODE	CHAR	1	Y		INDICATOR.INTERCODE INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	D, I, T
BOOKINGPSGRVIEW	INVOICE_LINKNO	INTEGER	4	Y			
BOOKINGPSGRVIEW	ITINERARY	VARCHAR	85	Y			
BOOKINGPSGRVIEW	NUMBERINPARTY	SMALLINT	2	Y			
BOOKINGPSGRVIEW	NUMBEROFROOMS	SMALLINT	2	Y			
BOOKINGPSGRVIEW	ORIGTICKETNO	VARCHAR	10	Y			
BOOKINGPSGRVIEW	PASSENGERDEPT	CHAR	254	Y			
BOOKINGPSGRVIEW	PASSENGERDEPTUPPER	CHAR	254	Y			
BOOKINGPSGRVIEW	PASSENGERNAME	VARCHAR	255	Y			
BOOKINGPSGRVIEW	PASSENGERNAMEUPPER	VARCHAR	50	Y			
BOOKINGPSGRVIEW	QSTAMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	RETURNDATE	TIMESTAMP	8	Y			
BOOKINGPSGRVIEW	STARTINGTICKETNO	VARCHAR	10	Y			
BOOKINGPSGRVIEW	SUBMITTO_LINKCODE	CHAR	1	Y		SUBMITTO.SUBMITTOCODE	A, C, S, V
BOOKINGPSGRVIEW	TAX1AMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	TAX2AMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	TAX3AMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	TAX4AMT	DOUBLE	8	Y			
BOOKINGPSGRVIEW	TICKETDESIG	VARCHAR	25	Y			
BOOKINGPSGRVIEW	TICKETTYPE_LINKNO	SMALLINT	2	Y		TICKETTYPE.TICKETTYPENO	1, 2, 3, 4, 5, 6
BOOKINGPSGRVIEW	TOTALFARE	DOUBLE	8	Y			
BOOKINGPSGRVIEW	TOURCODE	VARCHAR	25	Y			
BOOKINGPSGRVIEW	TRAVELTYPE_LINKNO	SMALLINT	2	Y		TRAVELTYPE.TRAVELTYPENO	1 thru 50
BOOKINGPSGRVIEW	VALIDAL	VARCHAR	3	Y			
BOOKINGPSGRVIEW	VENDOR_LINKNO	INTEGER	4	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BOOKINGPSGRVIEW	VENDORPAYSTATUS_LINKCODE	CHAR	1	Y		PAYSTATUS.PAYSTATUSCODE	C, N, O, V
BOOKINGVIEW	BASEFARE	DOUBLE	8	N			
BOOKINGVIEW	BOOKINGNO	INTEGER	4	Y			GENERATOR: BOOKINGNO_GENERATOR
BOOKINGVIEW	CARDESC	VARCHAR	10	Y			
BOOKINGVIEW	CLIENTPAYSTATUS_LINKCODE	CHAR	1	Y		PAYSTATUS.PAYSTATUSCODE	C, N, O, V
BOOKINGVIEW	CLIENTREMARKS	VARCHAR	253	Y			
BOOKINGVIEW	COMMAMT	DOUBLE	8	Y			
BOOKINGVIEW	COMMRATE	DOUBLE	8	Y			
BOOKINGVIEW	CONFIRMNO	VARCHAR	40	Y			
BOOKINGVIEW	DAILYRATE	DOUBLE	8	Y			
BOOKINGVIEW	DEPARTDATE	TIMESTAMP	8	Y			
BOOKINGVIEW	ETICKETIND	CHAR	1	Y			
BOOKINGVIEW	FACEVALUE	DOUBLE	8	Y			
BOOKINGVIEW	FARECODE	VARCHAR	6	Y			
BOOKINGVIEW	FAREDISCOUNT	DOUBLE	8	Y			
BOOKINGVIEW	FARELOST	DOUBLE	8	Y			
BOOKINGVIEW	FARESAVINGS	DOUBLE	8	Y			
BOOKINGVIEW	FINALPAYAMT	DOUBLE	8	Y			
BOOKINGVIEW	FINALPAYCOMMAMT	DOUBLE	8	Y			
BOOKINGVIEW	FINALPAYDATE	TIMESTAMP	8	Y			
BOOKINGVIEW	FLOWNCARRIER	VARCHAR	85	Y			
BOOKINGVIEW	GSTAMT	DOUBLE	8	Y			
BOOKINGVIEW	HIGHFARE	DOUBLE	8	Y			
BOOKINGVIEW	INTER_LINKCODE	CHAR	1	Y		INDICATOR.INTERCODE	D, I, T
BOOKINGVIEW	INVOICE_LINKNO	INTEGER	4	Y		INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
BOOKINGVIEW	ITINERARY	VARCHAR	85	Y			
BOOKINGVIEW	LOWFARE	DOUBLE	8	Y			
BOOKINGVIEW	NETFARE	DOUBLE	8	Y			
BOOKINGVIEW	NUMBERINPARTY	SMALLINT	2	Y			
BOOKINGVIEW	NUMBEROFROOMS	SMALLINT	2	Y			
BOOKINGVIEW	NUMOFDAYS	INTEGER	4	Y			
BOOKINGVIEW	ORIGTICKETNO	VARCHAR	10	Y			
BOOKINGVIEW	PASSENGERDEPT	VARCHAR	40	Y			
BOOKINGVIEW	PASSENGERDEPTUPPER	VARCHAR	40	Y			
BOOKINGVIEW	PASSENGERNAME	VARCHAR	255	Y			
BOOKINGVIEW	PASSENGERNAMEUPPER	VARCHAR	50	Y			
BOOKINGVIEW	QSTAMT	DOUBLE	8	Y			
BOOKINGVIEW	RETURNDATE	TIMESTAMP	8	Y			
BOOKINGVIEW	SEGMENTCOUNT	INTEGER	4	Y			
BOOKINGVIEW	STARTINGTICKETNO	VARCHAR	10	Y			
BOOKINGVIEW	SUBMITTO_LINKCODE	CHAR	1	Y		SUBMITTO.SUBMITTOCODE	A, C, S, V
BOOKINGVIEW	TAX1AMT	DOUBLE	8	Y			
BOOKINGVIEW	TAX2AMT	DOUBLE	8	Y			
BOOKINGVIEW	TAX3AMT	DOUBLE	8	Y			
BOOKINGVIEW	TAX4AMT	DOUBLE	8	Y			
BOOKINGVIEW	TICKETDESIG	VARCHAR	25	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BRANCH	DEFAULTINVPREVBEPFRINT	CHAR	1	Y			
BRANCH	DEFAULTINVPRINTSPGRAPHICS	CHAR	1	Y			
BRANCH	DEFAULTITININVTEXTFORMAT	CHAR	1	Y			
BRANCH	DEFAULTPRINTINVONLY	CHAR	1	Y			
BRANCH	EMAIL	VARCHAR	40	Y			
BRANCH	FAX	VARCHAR	40	Y			
BRANCH	GLBRANCH_LINKNO	SMALLINT	2	Y	FOREIGN	GLBRANCH.GLBRANCHNO	
BRANCH	GSTRATE	DOUBLE	8	Y			
BRANCH	ISACTIVE	CHAR	1	N			
BRANCH	MAILMERGEID	VARCHAR	255	Y			
BRANCH	MISC1	VARCHAR	20	Y			
BRANCH	MISC2	VARCHAR	20	Y			
BRANCH	NAME	VARCHAR	40	Y			
BRANCH	PHONE	VARCHAR	40	Y			
BRANCH	PSEUDOCITY	VARCHAR	5	Y			
BRANCH	QSTRATE	DOUBLE	8	Y			
BRANCH	REFUNDINVOICENEXTNO	INTEGER	4	Y			
BRANCH	SALESINVOICEMAXNO	INTEGER	4	Y			
BRANCH	SALESINVOICENEXTNO	INTEGER	4	Y			
BRANCH	SORTNO	INTEGER	4	N			
BRANCH	SPOILEDINVOICENEXTNO	INTEGER	4	Y			
BRANCH	SYNCMODDATETIME	TIMESTAMP	8	Y			
BRANCH	TICKETNO	VARCHAR	10	Y			
BRANCH	VOUCHERINVOICENEXTNO	INTEGER	4	Y			
BRANCH	WEBSITE	VARCHAR	128	Y			
BRANCH	CBISACTIVE	CHARNOYES	1	N			
BRANCHGROUPS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BRANCHGROUPS	BRANCH_LINKNO	INTEGER	4	N	PRIMARY		
BRANCHGROUPS	GROUPS_LINKNO	INTEGER	4	N	PRIMARY		
BROCHITIN	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BROCHITIN	BROCH_LINKNO	INTEGER	4	N	FOREIGN	BROCHURE.BROCHNO	
BROCHITIN	BROCHITINNO	INTEGER	4	N	PRIMARY		GENERATOR: BROCHITINNO_GEN
BROCHITIN	ITIN	VARCHAR	25	Y			
BROCHPRICE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BROCHPRICE	AMOUNT	DOUBLE	8	Y			
BROCHPRICE	BROCH_LINKNO	INTEGER	4	N	FOREIGN	BROCHURE.BROCHNO	
BROCHPRICE	BROCHPRICENO	INTEGER	4	N	PRIMARY		GENERATOR: BROCHPRICENO_GEN
BROCHPRICE	CATEGORY	VARCHAR	30	Y			
BROCHPRICE	DECK	VARCHAR	30	Y			
BROCHPRICE	DESCRIPTION	VARCHAR	30	Y			
BROCHURE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BROCHURE	AGENTCREATED	VARCHAR	10	Y			
BROCHURE	AREA	VARCHAR	40	Y			
BROCHURE	BRANCHCREATED	VARCHAR	10	Y			
BROCHURE	BROCHDEPARTCITY	VARCHAR	25	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
BROCHURE	BROCHENTRYDATE	TIMESTAMP	8	N			
BROCHURE	BROCHNO	INTEGER	4	N	PRIMARY	ATTACHMENT.BROCH_LINKNO, BROCHUREDATE.BROCH_LINKNO, BROCHITIN.BROCH_LINKNO, BROCHPRICE.BROCH_LINKNO	GENERATOR: BROCHNO_GEN
BROCHURE	BROCHTYPE	VARCHAR	1	N			
BROCHURE	COMMISSION	DOUBLE	8	Y			
BROCHURE	CREATEDATE	TIMESTAMP	8	N			
BROCHURE	DATETIMEMODIFIED	TIMESTAMP	8	N			
BROCHURE	DELETED	VARCHAR	1	Y			
BROCHURE	EXPIREDATE	TIMESTAMP	8	N			
BROCHURE	ISSUENO	VARCHAR	20	Y			
BROCHURE	NIGHTS	SMALLINT	2	Y			
BROCHURE	NOTES	BLOB	8	Y			
BROCHURE	PORT	VARCHAR	10	Y			
BROCHURE	PRODUCTPACKET	VARCHAR	200	Y			
BROCHURE	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILEENO	
BROCHURE	PROPERTYNAME	VARCHAR	40	Y			
BROCHURE	REFERENCEID	VARCHAR	20	Y			
BROCHURE	REGION	VARCHAR	25	Y			
BROCHURE	SOURCE	VARCHAR	10	Y			
BROCHURE	SUBREGION	VARCHAR	40	Y			
BROCHURE	SYNCIDNO1	INTEGER	4	Y			
BROCHURE	SYNCIDNO2	INTEGER	4	Y			
BROCHURE	SYNCIDNO3	INTEGER	4	Y			
BROCHURE	TITLE	VARCHAR	100	Y			
BROCHURE	TOPIC	VARCHAR	30	Y			
BROCHURE	TRAVELTYPE	VARCHAR	10	Y			
BROCHURE	VENDORID	VARCHAR	10	Y			
BROCHUREDATE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
BROCHUREDATE	BROCH_LINKNO	INTEGER	4	N	FOREIGN	BROCHURE.BROCHNO	
BROCHUREDATE	BROCHDATENO	INTEGER	4	N	PRIMARY		GENERATOR: BROCHDATENO_GEN
BROCHUREDATE	DEPARTDATE	TIMESTAMP	8	N			
BROCHUREDATE	NOTES	VARCHAR	255	Y			
CARD	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CARD	CARDCODE	VARCHAR	8	Y			
CARD	CARDDESC	VARCHAR	40	Y			
CARD	CARDNO	INTEGER	4	N	PRIMARY		GENERATOR: CARDNO_GEN
CARD	CARDTYPE	VARCHAR	20	Y			
CARD	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CARD	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CARD	SYNCMODDATETIME	TIMESTAMP	8	Y			
CARDTYPE	CARDTYPENO	INTEGER	4	N	PRIMARY	CC.CARDTYPE_LINKNO	GENERATOR: CARDTYPENO_GEN
CARDTYPE	DESCRIPTION	VARCHAR	20	Y			Bank Account, Car Program, Credit Card, Cruise Program, Discount Card, Frequent Flyer, Hotel Program, Other

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CARSPECIAL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CARSPECIAL	CARSPECIALNO	INTEGER	4	N	PRIMARY		GENERATOR: CARSPECIALNO_GEN
CARSPECIAL	CARSPECIALSTR	VARCHAR	30	Y			
CARSPECIAL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CARSPECIAL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CARSPECIAL	SYNCMODDATETIME	TIMESTAMP	8	Y			
CBPLOOKUPCAT	AGENCY_LINKNO	INTEGER	4	N	PRIMARY	AGENCY.AGENCYNO	
CBPLOOKUPCAT	CBPLOOKUPCATNO	INTEGER	4	N	PRIMARY	CBPLOOKUPITEM.CBPLOOKUPCAT_LI NKNO	GENERATOR: CBPLOOKUPCATNO_GEN
CBPLOOKUPCAT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CBPLOOKUPCAT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CBPLOOKUPCAT	DESCRIPTION	VARCHAR	80	N			
CBPLOOKUPCAT	ISFREEFLOW	VARCHAR	1	N			
CBPLOOKUPCAT	MAXLEN	INTEGER	4	N			
CBPLOOKUPCAT	SYNCMODDATETIME	TIMESTAMP	8	Y			
CBPLOOKUPITEM	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CBPLOOKUPITEM	CBPLOOKUPCAT_LINKNO	INTEGER	4	N	FOREIGN	CBPLOOKUPCAT.CBPLOOKUPCATNO	
CBPLOOKUPITEM	CBPLOOKUPITEMNO	INTEGER	4	N	PRIMARY	PROFILE.CBPLOOKUPITEM_LINKNO	GENERATOR: CBPLOOKUPITEMNO_GEN
CBPLOOKUPITEM	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CBPLOOKUPITEM	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CBPLOOKUPITEM	ITEMVALUE	VARCHAR	128	N			
CBPLOOKUPITEM	SYNCMODDATETIME	TIMESTAMP	8	Y			
CBPPROFCROSSREF	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CBPPROFCROSSREF	CROSSREFIDNO	INTEGER	4	N	PRIMARY		
CBPPROFCROSSREF	PASSENGER_LINKNO	INTEGER	4	N	PRIMARY		
CBPPROFCROSSREF	PROFILE_LINKNO	INTEGER	4	N	PRIMARY		
CBPPROFCROSSREF	TYPEID	INTEGER	4	N			
CBPSWDEXCLUSIONS	CBPSWDEXCLUSIONNO	INTEGER	4	N	PRIMARY		GENERATOR: CBPSWDEXCLUSIONNO_ GEN
CBPSWDEXCLUSIONS	LOGINPASSWORD	VARCHAR	128	N			
CC	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CC	CARDCODE	VARCHAR	8	Y			
CC	CARDDESCRIPTION	VARCHAR	25	Y			
CC	CARDDETAILS	VARCHAR	512	Y			
CC	CARDLIMIT	DOUBLE	8	Y			
CC	CARDTYPE_LINKNO	INTEGER	4	Y	FOREIGN	CARDTYPE.CARDTYPENO	0, 1, 2, 3, 4, 5, 6, 7
CC	CCDATAMASKED	CHAR	1	Y			
CC	CCNO	INTEGER	4	N	PRIMARY		GENERATOR: CCNO_GENERATOR
CC	CCNUMBER	VARCHAR	35	N			
CC	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CC	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CC	EXPDATE	TIMESTAMP	8	Y			
CC	FFMILES	INTEGER	4	Y			
CC	FFMILESDATE	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CC	ISSUEDBY	VARCHAR	25	Y			
CC	MERGETOPNR	INTEGER	4	Y			
CC	NAMEONACCT	VARCHAR	40	Y			
CC	NUMBERENCRYPT	BLOB	8	Y			
CC	NUMBERHASH	VARCHAR	128	Y			DELETED
CC	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
CC	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
CC	SECURITYCODE	VARCHAR	10	Y			
CC	SORTNO	INTEGER	4	Y			
CC	SYNCMODDATETIME	TIMESTAMP	8	Y			
CCNO_LOOKUP	CCNO	INTEGER	4	N	PRIMARY		GENERATOR: CCNO_GENERATOR
CCNO_LOOKUP	CCTYPE_LINKNO	INTEGER	4	N	FOREIGN	CCTYPES.TYPENO	0, 1, 2, 3, 4, 5, 9
CCPROCESSORCARDS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CCPROCESSORCARDS	BANK_LINKNO	INTEGER	4	N	FOREIGN	BANK.BANKNO, CCPROCESSORS.BANK_LINKNO, CCPROCESSORS.BRANCH_LINKNO, CCPROCESSORS.CCPROCESSORTYP E_LINKNO	
CCPROCESSORCARDS	BRANCH_LINKNO	INTEGER	4	N	PRIMARY		
CCPROCESSORCARDS	CCPROCESSORTYPE_LINKNO	INTEGER	4	N	FOREIGN	CCPROCESSORS.BANK_LINKNO, CCPROCESSORS.BRANCH_LINKNO, CCPROCESSORS.CCPROCESSORTYP E_LINKNO, CCPROCESSORTYPES.PROCESSORTY PENNO	
CCPROCESSORCARDS	CCTYPE_LINKNO	INTEGER	4	N	FOREIGN	CCTYPES.TYPENO	0, 1, 2, 3, 4, 5, 9
CCPROCESSORCARDS	RATE	DOUBLE	8	Y			
CCPROCESSORCARDS	TRANFEE	DOUBLE	8	Y			
CCPROCESSORS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CCPROCESSORS	BANK_LINKNO	INTEGER	4	N	FOREIGN	BANK.BANKNO	
CCPROCESSORS	BRANCH_LINKNO	INTEGER	4	N	PRIMARY		
CCPROCESSORS	CCPROCESSORTYPE_LINKNO	INTEGER	4	N	FOREIGN	CCPROCESSORCARDS.BANK_LINKNO, CCPROCESSORCARDS.BRANCH_LINK NO, CCPROCESSORCARDS.CCPROCESSO RTYPE_LINKNO	
CCPROCESSORS	PROFILE_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
CCPROCESSORS	PWD	VARCHAR	80	Y			
CCPROCESSORS	TIMEOUT	INTEGER	4	Y			
CCPROCESSORS	TRAMSREFERENCE	INTEGER	4	Y			
CCPROCESSORS	USERNAME	VARCHAR	80	Y			
CCPROCESSORS	USERNAME_ENCRYPT	BLOB		N			
CCPROCESSORS	PASSWORD_ENCRYPT	BLOB		N			
CCPROCESSORTYPES	PROCESSORTYPENAME	VARCHAR	25	Y			Caledon, Card Services Intl, ECHO, None, NTC, Pinnacle, Pinnacle PPS, PRI, Ticketmaster

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CCPROCESSORTYPES	PROCESSORTYPENO	INTEGER	4	N	PRIMARY	CCPROCESSORCARDS.CCPROCESSOR TYPE_LINKNO, CCPROCESSORS.CCPROCESSORTYP E_LINKNO	0, 1, 2, 3, 4, 5, 6, 7, 8
CCPROCESSORTYPES	PROCESSORTYPEURL	VARCHAR	128	Y			
CCTYPES	CODE	CHAR	2	N			AX, DC, DI, MC, OT, UA, VI
CCTYPES	NAME	VARCHAR	40	N			American Express, Diners Club, Discover, Mastercard, Other, UATP, Visa
CCTYPES	TYPENO	INTEGER	4	N	PRIMARY	CCNO_LOOKUP.CCTYPE_LINKNO, CCPROCESSORCARDS.CCTYPE_LINK NO	0, 1, 2, 3, 4, 5, 9
CHANGELOG	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CHANGELOG	DESCRIPTION	VARCHAR	1024	Y			
CHANGELOG	FIELDNAME	VARCHAR	20	Y			
CHANGELOG	LOGACTION	VARCHAR	20	Y	INDEX		
CHANGELOG	NEWVALUE	VARCHAR	1024	Y			
CHANGELOG	OLDVALUE	VARCHAR	1024	Y			
CHANGELOG	RECNO	INTEGER	4	Y	INDEX		
CHANGELOG	TABlename	VARCHAR	20	Y	INDEX		
CHANGELOG	TIME_STAMP	TIMESTAMP	8	N	INDEX		
CHANGELOG	USERID	VARCHAR	20	N			
CHECKWRITERITEM	CWITEM	VARCHAR	40	N			
CHECKWRITERITEM	CWITEMNO	SMALLINT	2	N	PRIMARY	CHECKWRITERITEMLINK.CWITEM_LIN KNO	
CHECKWRITERITEMLINK	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CHECKWRITERITEMLINK	CW_LINKNO	SMALLINT	2	N	FOREIGN	CHECKWRITERSETUP.CWNO	
CHECKWRITERITEMLINK	CWHEIGHT	FLOAT	4	N			
CHECKWRITERITEMLINK	CWINDEX	SMALLINT	2	N	PRIMARY		
CHECKWRITERITEMLINK	CWITEM_LINKNO	SMALLINT	2	N	FOREIGN	CHECKWRITERITEM.CWITEMNO	
CHECKWRITERITEMLINK	CWLEFT	FLOAT	4	N			
CHECKWRITERITEMLINK	CWTOP	FLOAT	4	N			
CHECKWRITERITEMLINK	CWWIDTH	FLOAT	4	N			
CHECKWRITERSETUP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CHECKWRITERSETUP	CHECKLENGTH	FLOAT	4	N			
CHECKWRITERSETUP	CHECKWIDTH	FLOAT	4	N			
CHECKWRITERSETUP	CWLANG	INTEGER	4	Y			
CHECKWRITERSETUP	CWNAME	VARCHAR	30	Y			Check Writer Default Setting
CHECKWRITERSETUP	CWNO	SMALLINT	2	N	PRIMARY	CHECKWRITERITEMLINK.CW_LINKNO	GENERATOR: CWNO_GENERATOR
CHECKWRITERSETUP	CWSECTION	BLOB	8	Y			
CHECKWRITERSETUP	PREFIX	VARCHAR	10	Y			
CHECKWRITERSETUP	SUFFIX	VARCHAR	10	Y			
CITY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CITY	CITY	CHAR	3	N	UNIQUE		
CITY	CITYNAME	VARCHAR	80	N	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CITY	CITYNO	INTEGER	4	N	PRIMARY		GENERATOR: CITYNO_GEN
CITY	CODETYPE	CHAR	1	N	UNIQUE		
CITY	COUNTRYCODE	CHAR	2	Y			
CITY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CITY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CITY	INTER_LINKCODE	CHAR	1	N		INDICATOR.INTERCODE	D, I, T
CITY	LATITUDE	DOUBLE	8	Y			
CITY	LONGITUDE	DOUBLE	8	Y			
CITY	STATECOUNTRY	VARCHAR	80	Y			
CITY	SYNCMODDATETIME	TIMESTAMP	8	Y			
CITYPAIR	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CITYPAIR	ARRIVEAIRLINE	VARCHAR	3	Y	INDEX		
CITYPAIR	ARRIVECITY	VARCHAR	3	Y	INDEX		
CITYPAIR	ARRIVEDATETIME	TIMESTAMP	8	Y	INDEX		
CITYPAIR	ARRIVEFLIGHTNO	VARCHAR	4	Y			
CITYPAIR	BOOKING_LINKNO	INTEGER	4	N	FOREIGN	BOOKING.BOOKINGNO	
CITYPAIR	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CITYPAIR	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CITYPAIR	CREATE_RECNO2	INTEGER	4	Y	INDEX		
CITYPAIR	DEPARTAIRLINE	VARCHAR	3	Y	INDEX		
CITYPAIR	DEPARTCITY	VARCHAR	3	Y	INDEX		
CITYPAIR	DEPARTDATETIME	TIMESTAMP	8	Y	INDEX		
CITYPAIR	DEPARTFLIGHTNO	VARCHAR	4	Y			
CITYPAIR	FARE	DOUBLE	8	Y			
CITYPAIR	FAREBASIS	VARCHAR	15	Y			
CITYPAIR	INDEXNO	SMALLINT	2	N	PRIMARY		
CITYPAIR	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
CITYPAIR	MAXSEGMENTNO	INTEGER	4	Y	FOREIGN	SEGMENTS.SEGMENTNO	
CITYPAIR	MINSEGMENTNO	INTEGER	4	Y	FOREIGN	SEGMENTS.SEGMENTNO	
CITYPAIR	SYNCMODDATETIME	TIMESTAMP	8	Y			
CITYSTATEZIP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CITYSTATEZIP	CITY	VARCHAR	80	Y			
CITYSTATEZIP	CITYSTATEZIPNO	INTEGER	4	N	PRIMARY		GENERATOR: CITYSTATEZIPNO_GEN
CITYSTATEZIP	COUNTRY	VARCHAR	80	Y			
CITYSTATEZIP	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CITYSTATEZIP	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CITYSTATEZIP	STATE	VARCHAR	3	Y			
CITYSTATEZIP	SYNCMODDATETIME	TIMESTAMP	8	Y			
CITYSTATEZIP	ZIP	VARCHAR	12	Y			
CLASSOFSERVICE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CLASSOFSERVICE	CLASSNO	INTEGER	4	N	PRIMARY		GENERATOR: CLASSNO_GEN
CLASSOFSERVICE	CLASSSTR	VARCHAR	20	Y			
CLASSOFSERVICE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CLASSOFSERVICE	CREATE_RECNO1	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CLASSOFSERVICE	SYNCMODDATETIME	TIMESTAMP	8	Y			
CLIENTAGENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CLIENTAGENT	AGENT_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
CLIENTAGENT	AGENTSTATUS_LINKCODE	CHAR	1	Y		AGENTSTATUS.AGENTSTATUSCODE	1, 0
CLIENTAGENT	AMOUNT	DOUBLE	8	Y			
CLIENTAGENT	CLIENT_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
CLIENTAGENT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CLIENTAGENT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CLIENTAGENT	ENDDATE	TIMESTAMP	8	Y			
CLIENTAGENT	RATE	DOUBLE	8	Y			
CLIENTAGENT	RECNO	INTEGER	4	N	PRIMARY		GENERATOR: CLIENTAGENTNO_GENERATOR
CLIENTAGENT	REMARKS	VARCHAR	50	Y			
CLIENTAGENT	STARTDATE	TIMESTAMP	8	Y			
CLIENTAGENT	SYNCMODDATETIME	TIMESTAMP	8	Y			
CLIENTSURVEYMARKETING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CLIENTSURVEYMARKETING	CATEGORY_LINKNO	INTEGER	4	N	PRIMARY	MARKETINGCATEGORY.CATEGORYNO	0, 1, 2, 3, 4, 5, 6
CLIENTSURVEYMARKETING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CLIENTSURVEYMARKETING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CLIENTSURVEYMARKETING	SYNCMODDATETIME	TIMESTAMP	8	Y			
CNTRYOFORIGIN	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CNTRYOFORIGIN	CNTRYOFORIGINNO	INTEGER	4	N	PRIMARY		GENERATOR: CNTRYOFORIGINNO_GEN
CNTRYOFORIGIN	CNTRYOFORIGINSTR	VARCHAR	80	Y			
CNTRYOFORIGIN	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CNTRYOFORIGIN	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CNTRYOFORIGIN	SYNCMODDATETIME	TIMESTAMP	8	Y			
COLUMNFIELD	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
COLUMNFIELD	ALIGNMENT	SMALLINT	2	Y			
COLUMNFIELD	COLUMNFIELDNO	INTEGER	4	N	PRIMARY		GENERATOR: COLUMNFIELDNO_GEN
COLUMNFIELD	COLUMNNGROUP_LINKNO	INTEGER	4	Y	FOREIGN	COLUMNNGROUP.COLUMNNGROUPNO	
COLUMNFIELD	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
COLUMNFIELD	CREATE_RECNO1	INTEGER	4	Y	INDEX		
COLUMNFIELD	DISPLAYTEXT	VARCHAR	40	Y			
COLUMNFIELD	DISPLAYWIDTH	INTEGER	4	Y			
COLUMNFIELD	FIELDNAME	VARCHAR	40	Y			
COLUMNFIELD	SORTNO	INTEGER	4	Y			
COLUMNFIELD	SYNCMODDATETIME	TIMESTAMP	8	Y			
COLUMNFIELD	TABLENAME	VARCHAR	30	Y			
COLUMNFIELD	VISIBLE	VARCHAR	1	Y			
COLUMNNGROUP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
COLUMNNGROUP	ASCENDORDERBY	VARCHAR	1	Y			
COLUMNNGROUP	ASCENDORDERBY2	VARCHAR	1	Y			
COLUMNNGROUP	ASCENDORDERBY3	VARCHAR	1	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
COLUMNNGROUP	COLUMNNGROUPNO	INTEGER	4	N	PRIMARY	COLUMNFIELD.COLUMNNGROUP_LINKNO, VIEWS.COLUMNNGROUP_LINKNO	GENERATOR: COLUMNNGROUPNO_GEN
COLUMNNGROUP	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
COLUMNNGROUP	CREATE_RECNO1	INTEGER	4	Y	INDEX		
COLUMNNGROUP	GROUPNAME	VARCHAR	40	Y			
COLUMNNGROUP	ORDERBYINDEX	INTEGER	4	Y			
COLUMNNGROUP	ORDERBYINDEX2	INTEGER	4	Y			
COLUMNNGROUP	ORDERBYINDEX3	INTEGER	4	Y			
COLUMNNGROUP	SYNCMODDATETIME	TIMESTAMP	8	Y			
COMMTYPE	COMMTYPE	VARCHAR	50	Y			E-MAIL, FAX, PHONE, SOCIAL MEDIA, WEB
COMMTYPE	COMMTYPENO	INTEGER	4	N	PRIMARY		1, 2, 3, 4, 5
COMMUNICATION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
COMMUNICATION	COMMNO	INTEGER	4	N	PRIMARY		GENERATOR: COMMNO_GENERATOR
COMMUNICATION	COMMTYPE_LINKNO	SMALLINT	2	N	INDEX	COMMTYPE.COMMTYPENO	1, 2, 3, 4, 5
COMMUNICATION	COMMVALUE	VARCHAR	200	Y	INDEX		
COMMUNICATION	COMMVALUEUPPER	VARCHAR	200	Y	INDEX		
COMMUNICATION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
COMMUNICATION	CREATE_RECNO1	INTEGER	4	Y	INDEX		
COMMUNICATION	DESCRIPTION	VARCHAR	50	Y			
COMMUNICATION	ISPRIMARY	CHAR	1	N	INDEX		
COMMUNICATION	ISVALID	CHARNOYES	1	Y			
COMMUNICATION	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
COMMUNICATION	PERMITMARKET	CHAR	1	Y			
COMMUNICATION	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
COMMUNICATION	SOCMEDSUBTYPE_LINKNO	INTEGER	4	Y	FOREIGN	SOCMEDSUBTYPE.SOCMEDSUBTYPENO	
COMMUNICATION	SORTNO	INTEGER	4	Y			
COMMUNICATION	SPUNIQUEID	VARCHAR	30	Y			
COMMUNICATION	SYNCMODDATETIME	TIMESTAMP	8	Y			
CONTROL	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
CONTROL	BLOBVALUE	BLOB	8	Y			
CONTROL	CONTROLID	INTEGER	4	Y			
CONTROL	CONTROLNAME	VARCHAR	40	N	UNIQUE		
CONTROL	CONTROLNO	INTEGER	4	N	PRIMARY		GENERATOR: CONTROLNO_GEN
CONTROL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CONTROL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CONTROL	DIALOG_LINKNO	INTEGER	4	N	FOREIGN	DIALOG.DIALOGNO	
CONTROL	NUMERICVALUE	DOUBLE	8	Y			
CONTROL	SYNCMODDATETIME	TIMESTAMP	8	Y			
CONTROL	TEXTVALUE	VARCHAR	1024	Y			
CONVRATE	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
CONVRATE	CONVRATENO	INTEGER	4	N	PRIMARY		GENERATOR: CONVRATENO_GEN
CONVRATE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CONVRATE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CONVRATE	FROMCURR	CHAR	3	N	UNIQUE		
CONVRATE	RATEDATE	TIMESTAMP	8	N	UNIQUE		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
CONVRATE	RATEPERIOD	SMALLINT	2	N	UNIQUE		
CONVRATE	RATEVALUE	DOUBLE	8	Y			
CONVRATE	SYNCMODDATETIME	TIMESTAMP	8	Y			
CONVRATE	TOCURR	CHAR	3	N	UNIQUE		
CRS	CRS	VARCHAR	20	Y			Amadeus, Apollo, SABRE, Worldspan
CRS	CRSNO	INTEGER	4	N	PRIMARY	PNRBRANCHSETTINGS.CRS_LINKNO, PNRUSERSETTINGS.CRS_LINKNO	1, 2, 3, 4
CRUISEDINING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CRUISEDINING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CRUISEDINING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CRUISEDINING	CRUISEDININGNO	INTEGER	4	N	PRIMARY		GENERATOR: CRUISEDININGNO_GEN
CRUISEDINING	CRUISEDININGSTR	VARCHAR	30	Y			
CRUISEDINING	SYNCMODDATETIME	TIMESTAMP	8	Y			
CRUISESIZE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
CRUISESIZE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
CRUISESIZE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
CRUISESIZE	CRUISESIZEZERO	INTEGER	4	N	PRIMARY		GENERATOR: CRUISESIZEZERO_GEN
CRUISESIZE	CRUISESIZESTR	VARCHAR	30	Y			
CRUISESIZE	SYNCMODDATETIME	TIMESTAMP	8	Y			
DASHREPORTS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DASHREPORTS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DASHREPORTS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
DASHREPORTS	DASHREPNO	INTEGER	4	N	PRIMARY		
DASHREPORTS	DESCRIPTION	VARCHAR	80	Y			
DASHREPORTS	ISDEFAULT	CHAR	1	Y			
DASHREPORTS	REPORTPATH	VARCHAR	125	Y			
DASHREPORTS	SYNCMODDATETIME	TIMESTAMP	8	Y			
DASHSETTINGS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DASHSETTINGS	AGENCYBULLETIN	BLOB	8	Y			
DASHSETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DASHSETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
DASHSETTINGS	DASHSETTINGSNO	INTEGER	4	N	PRIMARY		GENERATOR: DASHSETTINGSNO_GEN ERATOR
DASHSETTINGS	MODIFYDATETIME	TIMESTAMP	8	Y			
DASHSETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
DEPOSITDTL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DEPOSITDTL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DEPOSITDTL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
DEPOSITDTL	CREATE_RECNO2	INTEGER	4	Y	INDEX		
DEPOSITDTL	DEPOSIT_LINKNO	INTEGER	4	N	PRIMARY		
DEPOSITDTL	RECEIPT_LINKNO	INTEGER	4	N	UNIQUE		
DEPOSITDTL	SYNCMODDATETIME	TIMESTAMP	8	Y			
DESTBYREGION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DESTBYREGION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DESTBYREGION	CREATE_RECNO1	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
DESTBYREGION	DESTBYREGIONNO	INTEGER	4	N	PRIMARY		GENERATOR: DESTBYREGIONNO_GEN
DESTBYREGION	DESTBYREGIONSTR	VARCHAR	80	Y			
DESTBYREGION	MERGECODE	VARCHAR	10	Y			
DESTBYREGION	REGION_LINKNO	INTEGER	4	Y	FOREIGN	REGION.REGIONNO	
DESTBYREGION	SYNCMODDATETIME	TIMESTAMP	8	Y			
DIALOG	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DIALOG	APPTYPE_LINKNO	INTEGER	4	N		APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
DIALOG	BATCH_LINKNO	INTEGER	4	Y	FOREIGN	BATCH.BATCHNO	
DIALOG	COPIES	INTEGER	4	Y			
DIALOG	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DIALOG	CREATE_RECNO1	INTEGER	4	Y	INDEX		
DIALOG	DESCRIPTION	VARCHAR	80	Y			
DIALOG	DIALOGID	INTEGER	4	Y			
DIALOG	DIALOGNO	INTEGER	4	N	PRIMARY	CONTROL.DIALOG_LINKNO	GENERATOR: DIALOGNO_GENERATOR
DIALOG	FILEDATA	BLOB	8	Y			
DIALOG	FILEFORMAT	INTEGER	4	Y			
DIALOG	INDEXNO	INTEGER	4	Y			
DIALOG	ISDEFAULT	CHAR	1	Y			
DIALOG	LOGINNAME	VARCHAR	20	Y			
DIALOG	MANAGERID	INTEGER	4	Y			
DIALOG	NESTEDBATCH_LINKNO	INTEGER	4	Y	FOREIGN	BATCH.BATCHNO	
DIALOG	PAPERORIENTATION	INTEGER	4	Y			
DIALOG	PAPERTRAY	INTEGER	4	Y			
DIALOG	PRINTERDEVICENAME	VARCHAR	64	Y			
DIALOG	SYNCMODDATETIME	TIMESTAMP	8	Y			
DIALOG	TITLE	VARCHAR	40	Y			
DIALOG	VIEW_LINKNO	INTEGER	4	Y	FOREIGN	VIEWS.VIEWNO	
DOCTEMPLATES	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
DOCTEMPLATES	BODY	BLOB	8	Y			
DOCTEMPLATES	BODYBLOBTYPE_LINKNO	INTEGER	4	N	FOREIGN	BLOBTYPE.BLOBTYPENO	
DOCTEMPLATES	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
DOCTEMPLATES	CREATE_RECNO1	INTEGER	4	Y	INDEX		
DOCTEMPLATES	DOCTEMPLATENO	INTEGER	4	N	PRIMARY	REPORTHEADERFOOTER.DOCTEMP_L INKNO	GENERATOR: DOCTEMPLATENO_GEN
DOCTEMPLATES	INCFOOTER	CHAR	1	Y			
DOCTEMPLATES	INCHEADER	CHAR	1	Y			
DOCTEMPLATES	SYNCMODDATETIME	TIMESTAMP	8	Y			
DOCTEMPLATES	TITLE	VARCHAR	40	Y			
DOCTEMPLATES	USESECONDADDR	CHAR	1	Y			
EMAILATTACHMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
EMAILATTACHMENT	CREATEDATE	TIMESTAMP	8	N			
EMAILATTACHMENT	EMAILATTACHMENTNO	INTEGER	4	N	PRIMARY		GENERATOR: EMAILATTACHMENTNO_G EN
EMAILATTACHMENT	EMAILJOB_LINKNO	INTEGER	4	N	FOREIGN	EMAILJOB.EMAILJOBNO	
EMAILATTACHMENT	FILEDATA	BLOB	8	N			
EMAILATTACHMENT	FILEDATE	TIMESTAMP	8	N			
EMAILATTACHMENT	FILENAME	VARCHAR	255	N			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
EMAILATTACHMENT	FILESIZE	INTEGER	4	N			
EMAILATTACHMENT	MIMETYPE	VARCHAR	80	N			
EMAILJOB	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
EMAILJOB	CREATEBY_LINKNO	INTEGER	4	Y	FOREIGN	USERPROFILE.USERPROFILENO	
EMAILJOB	CREATEDATE	TIMESTAMP	8	N			
EMAILJOB	EMAILJOBNO	INTEGER	4	N	PRIMARY	EMAILATTACHMENT.EMAILJOB_LINKNO, EMAILREQUEST.EMAILJOB_LINKNO	GENERATOR: EMAILJOBNO_GEN
EMAILJOB	ENDDATE	TIMESTAMP	8	Y			
EMAILJOB	JOBSTATUS_LINKNO	INTEGER	4	N	FOREIGN	JOBSTATUS.JOBSTATUSNO	1, 2, 3, 4, 5, 6, 7
EMAILJOB	SERVERMSG	VARCHAR	255	Y			
EMAILJOB	STARTDATE	TIMESTAMP	8	N			
EMAILJOB	TITLE	VARCHAR	80	N			
EMAILREQUEST	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
EMAILREQUEST	BCCADDRESS	VARCHAR	80	Y			
EMAILREQUEST	BODY	BLOB	8	Y			
EMAILREQUEST	CCADDRESS	VARCHAR	80	Y			
EMAILREQUEST	CONTENTTYPE	VARCHAR	80	N			
EMAILREQUEST	CREATEDATE	TIMESTAMP	8	N			
EMAILREQUEST	EMAILJOB_LINKNO	INTEGER	4	N	FOREIGN	EMAILJOB.EMAILJOBNO	
EMAILREQUEST	EMAILREQUESTNO	INTEGER	4	N	PRIMARY		GENERATOR: EMAILREQUESTNO_GEN
EMAILREQUEST	ENCODING	VARCHAR	80	N			
EMAILREQUEST	FROMADDRESS	VARCHAR	80	N			
EMAILREQUEST	LOCATOR	VARCHAR	30	N	UNIQUE		
EMAILREQUEST	PROFILE_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
EMAILREQUEST	REPLYTOADDRESS	VARCHAR	80	Y			
EMAILREQUEST	SENTDATE	TIMESTAMP	8	Y			
EMAILREQUEST	SUBJECT	VARCHAR	80	N			
EMAILREQUEST	TOADDRESS	VARCHAR	80	N			
EMAILSIGNATURES	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
EMAILSIGNATURES	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
EMAILSIGNATURES	CREATE_RECNO1	INTEGER	4	Y	INDEX		
EMAILSIGNATURES	NAME	VARCHAR	80	Y			
EMAILSIGNATURES	SIGNATURE	BLOB	8	Y			
EMAILSIGNATURES	SIGNATURENO	INTEGER	4	N	PRIMARY	USERPROFILE.DEFAULTEMAILSIGNATURE	GENERATOR: SIGNATURENO_GENERATOR
EMAILSIGNATURES	SYNCMODDATETIME	TIMESTAMP	8	Y			
EMPPPOSITION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
EMPPPOSITION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
EMPPPOSITION	CREATE_RECNO1	INTEGER	4	Y	INDEX		
EMPPPOSITION	EMPPPOSITIONNO	INTEGER	4	N	PRIMARY		GENERATOR: EMPPPOSITIONNO_GEN
EMPPPOSITION	EMPPPOSITIONSTR	VARCHAR	50	Y			
EMPPPOSITION	SYNCMODDATETIME	TIMESTAMP	8	Y			
FARECODE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
FARECODE	FARECODE	VARCHAR	2	N	PRIMARY		
FARECODE	FAREDESC	VARCHAR	80	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
FINMODCATEGORY	CATEGORYNO	INTEGER	4	N	PRIMARY		GENERATOR: CATEGORYNO_GENERATOR
FINMODCATEGORY	CATEGORYTYPECODE	CHAR	1	Y			E, R
FINMODCATEGORY	NAME	VARCHAR	40	Y			
GL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GL	BALANCE	DOUBLE	8	N			
GL	CATEGORY_LINKNO	INTEGER	4	Y			
GL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
GL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
GL	EXPTYPE	CHAR	1	Y			
GL	FROMACCT	INTEGER	4	Y	INDEX		
GL	GLACTIVE	CHAR	1	N	INDEX		
GL	GLNAME	VARCHAR	80	N	INDEX		
GL	GLNO	INTEGER	4	N	PRIMARY	GLDETAIL.GL_LINKNO, GLLINK.GL_LINKNO, GLSETUP.GL_LINKNO, JEDTL.GL_LINKNO, PROFILE.GL_LINKNO, PROFILE.GL2_LINKNO	
GL	GLTYPE_LINKCODE	CHAR	1	N	INDEX	GLTYPE.GLTYPECODE	D, G, S
GL	SYNCMODDATETIME	TIMESTAMP	8	Y			
GL	TOACCT	INTEGER	4	Y	INDEX		
GLACCTGROUPS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLACCTGROUPS	GL_LINKNO	INTEGER	4	N	PRIMARY		
GLACCTGROUPS	GROUPS_LINKNO	INTEGER	4	N	PRIMARY		
GLBRANCH	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLBRANCH	ALLOWSTP	CHAR	1	Y			
GLBRANCH	CREATE_DBGUIDNO	INTEGER	4	Y			
GLBRANCH	CREATE_RECNO1	INTEGER	4	Y			
GLBRANCH	GLBRANCHNO	INTEGER	4	N	PRIMARY	BANK.GLBRANCH_LINKNO, BRANCH.GLBRANCH_LINKNO, GLBRANCHGROUPS.GLBRANCH_LINKNO, GLDETAIL.GLBRANCH_LINKNO, JEDTL.BRANCH_LINKNO, PROFILE.GLBRANCH_LINKNO	
GLBRANCH	NAME	VARCHAR	80	Y			
GLBRANCH	SYNCMODDATETIME	TIMESTAMP	8	Y			
GLBRANCHGROUPS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLBRANCHGROUPS	GLBRANCH_LINKNO	INTEGER	4	N	PRIMARY		
GLBRANCHGROUPS	GROUPS_LINKNO	INTEGER	4	N	PRIMARY		
GLCATEGORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLCATEGORY	CAT_TYPE	SMALLINT	2	Y			
GLCATEGORY	MAXGLNO	INTEGER	4	N			
GLCATEGORY	MINGLNO	INTEGER	4	N	PRIMARY		
GLCATEGORY	NAME	VARCHAR	40	N			
GLCATEGORY	POSTRULE	SMALLINT	2	Y			
GLDETAIL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLDETAIL	BALANCE	DOUBLE	8	N			
GLDETAIL	GL_LINKNO	INTEGER	4	N	FOREIGN	GL.GLNO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
GLDETAIL	GLBRANCH_LINKNO	INTEGER	4	Y	FOREIGN	GLBRANCH.GLBRANCHNO	
GLGROUP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLGROUP	GLGROUPNAME	VARCHAR	80	N	INDEX		
GLGROUP	GLGROUPNO	INTEGER	4	N	PRIMARY	GLLINK.GLGROUP_LINKNO	GENERATOR: GLGROUPNO_GENERATOR
GLLINK	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLLINK	GL_LINKNO	INTEGER	4	N	PRIMARY	GL.GLNO	
GLLINK	GLGROUP_LINKNO	INTEGER	4	N	PRIMARY	GLGROUP.GLGROUPNO	
GLOBAL TABLE IS NO LONGER AVAILABLE. Since CBP Version 3.02.01 and TBO Version 3.03.01, the GLOBAL Table is no longer available (see TRAMS_SETTINGS spreadsheet).							
GLSETUP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GLSETUP	GL_LINKNO	INTEGER	4	Y		GL.GLNO	
GLSETUP	GLSETUPNO	INTEGER	4	N	PRIMARY		
GLSETUP	GLSETUPTYPE_LINKNO	INTEGER	4	N	INDEX	GLSETUPTYPE.GLSETUPTYPENO	1, 2, 3, 4, 5, 6, 7, 8, 9
GLSETUP	SETUPNAME	VARCHAR	30	Y	INDEX		
GLSETUP	SETUPNUMBER	INTEGER	4	Y	INDEX		
GLSETUPTYPE	GLSETUPTYPE	VARCHAR	20	Y			Bank, Bank Conv, Commission, Cost of Sales, Cost Of Sales-VAT, Other, Overrides, Sales, Sales- VAT
GLSETUPTYPE	GLSETUPTYPENO	INTEGER	4	N	PRIMARY	GLSETUP.GLSETUPTYPE_LINKNO	1, 2, 3, 4, 5, 6, 7, 8, 9
GLTYPE	GLTYPE	VARCHAR	20	N			Detail, Group, Summary
GLTYPE	GLTYPECODE	CHAR	1	N	PRIMARY	GLTYPE_LINKCODE	D, G, S
GROUPS	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
GROUPS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
GROUPS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
GROUPS	DESCRIPTION	VARCHAR	80	Y			
GROUPS	GROUPNO	INTEGER	4	N	PRIMARY	BANKGROUPS.GROUPS_LINKNO, BRANCHGROUPS.GROUPS_LINKNO, GLACCTGROUPS.GROUPS_LINKNO, GLBRANCHGROUPS.GROUPS_LINKNO, USERPROFILE.ALLOWBANKGROUP, USERPROFILE.ALLOWBRANCHGROUP, USERPROFILE.ALLOWGLBRANCHGRO UP	GENERATOR: GROUPNO_GEN
GROUPS	GROUPS	VARCHAR	128	N	UNIQUE		
GROUPS	GROUPTYPE_LINKNO	SMALLINT	2	N	UNIQUE	GROUPTYPE.GROUPTYPENO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
GROUPS	ISACTIVE	CHAR	1	N			
GROUPS	SORTNO	INTEGER	4	Y			
GROUPS	SYNCMODDATETIME	TIMESTAMP	8	Y			
GROUPSECURITY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GROUPSECURITY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
GROUPSECURITY	CREATE_RECNO1	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
GROUPSECURITY	FLAGS	BLOB	8	Y			
GROUPSECURITY	GROUPSECURITYNO	INTEGER	4	N	PRIMARY	GROUPSECURITYITEM.GROUPSECURITY_LINKNO, USERPROFILE.CBPGROUPSECURITY_LINKNO	GENERATOR: GROUPSECURITYNO_GENERATOR
GROUPSECURITY	NAME	VARCHAR	20	Y			Agent Access, Full Access, Read Only Access
GROUPSECURITY	SYNCMODDATETIME	TIMESTAMP	8	Y			
GROUPSECURITYITEM	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GROUPSECURITYITEM	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
GROUPSECURITYITEM	CREATE_RECNO1	INTEGER	4	Y	INDEX		
GROUPSECURITYITEM	CREATE_RECNO2	INTEGER	4	Y	INDEX		
GROUPSECURITYITEM	CREATE_RECNO3	INTEGER	4	Y	INDEX		
GROUPSECURITYITEM	FIELDINTVALUE	INTEGER	4	Y			
GROUPSECURITYITEM	FIELDNO1	INTEGER	4	N	PRIMARY		
GROUPSECURITYITEM	FIELDNO2	INTEGER	4	N	PRIMARY		
GROUPSECURITYITEM	GROUPSECURITY_LINKNO	INTEGER	4	N	PRIMARY		
GROUPSECURITYITEM	SYNCMODDATETIME	TIMESTAMP	8	Y			
GRUOPTYE	GRUOPTYE	VARCHAR	20	N			Agent, Agent Adjustment, Bank, Branch, Client, G/L Branch, G/L Account, Inventory, Invoice, Invoice/Payment, Journal Entry, Other, Payment, ResCard, Vendor
GRUOPTYE	GRUOPTYENO	SMALLINT	2	N	PRIMARY	GRUOPTYESETTINGS.GRUOPTYE_LINKNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
GRUOPTYESETTINGS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
GRUOPTYESETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
GRUOPTYESETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
GRUOPTYESETTINGS	GRUOPTYE_LINKNO	INTEGER	4	N	PRIMARY	GRUOPTYE.GRUOPTYENO	
GRUOPTYESETTINGS	ISFREEFLOW	VARCHAR	1	N			
GRUOPTYESETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
HOMEHOST	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
HOMEHOST	CODE	VARCHAR	10	N			
HOMEHOST	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
HOMEHOST	CREATE_RECNO1	INTEGER	4	Y	INDEX		
HOMEHOST	DEFAULTBRANCH	INTEGER	4	Y			
HOMEHOST	DESCRIPTION	VARCHAR	128	Y			
HOMEHOST	HOMEHOSTNO	INTEGER	4	N	PRIMARY	AGENTADJUSTMENT.HOME_LINKNO, AGENTADJUSTMENT.HOST_LINKNO, BOOKING.HOMEHOST_LINKNO, INVOICE.HOMEHOST_LINKNO, NEWRESCARDDEFAULT.DEFHOMEST_LINKNO, RESCARDRESERVATION.HOMEHOST_LINKNO	GENERATOR: HOMEHOSTNO_GENERATOR
HOMEHOST	SYNCMODDATETIME	TIMESTAMP	8	Y			
HOMEHOST	TYPENO	SMALLINT	2	N			1, 2

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
HTLBEDDING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
HTLBEDDING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
HTLBEDDING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
HTLBEDDING	HTLBEDDINGNO	INTEGER	4	N	PRIMARY		GENERATOR: HTLBEDDINGNO_GEN
HTLBEDDING	HTLBEDDINGSTR	VARCHAR	30	Y			
HTLBEDDING	SYNCMODDATETIME	TIMESTAMP	8	Y			
HTLRMLOC	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
HTLRMLOC	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
HTLRMLOC	CREATE_RECNO1	INTEGER	4	Y	INDEX		
HTLRMLOC	HTLRMLOCNO	INTEGER	4	N	PRIMARY		GENERATOR: HTLRMLOCNO_GEN
HTLRMLOC	HTLRMLOCSTR	VARCHAR	30	Y			
HTLRMLOC	SYNCMODDATETIME	TIMESTAMP	8	Y			
HTLSPECIAL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
HTLSPECIAL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
HTLSPECIAL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
HTLSPECIAL	HTLSPECIALNO	INTEGER	4	N	PRIMARY		GENERATOR: HTLSPECIALNO_GEN
HTLSPECIAL	HTLSPECIALSTR	VARCHAR	30	Y			
HTLSPECIAL	SYNCMODDATETIME	TIMESTAMP	8	Y			
INDICATOR	INDICATOR	VARCHAR	20	N			Domestic, International, Transborder
INDICATOR	INTERCODE	CHAR	1	N	PRIMARY		D, I, T
INTERFACE_MSG	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INTERFACE_MSG	INTERFACE_LINKNO	INTEGER	4	Y	FOREIGN	INTERFACE_TEXT.RECNO	
INTERFACE_MSG	INVOICENO	INTEGER	4	Y			GENERATOR: INVOICENO_GENERATOR
INTERFACE_MSG	MSG	VARCHAR	255	Y			
INTERFACE_MSG	MSG_CATEGORY	INTEGER	4	N			
INTERFACE_MSG	MSG_SOURCE	INTEGER	4	N			
INTERFACE_MSG	MSG_TYPE	INTEGER	4	N			
INTERFACE_MSG	RECLOC	VARCHAR	6	Y			
INTERFACE_MSG	TIME_STAMP	TIMESTAMP	8	N			
INTERFACE_TEXT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INTERFACE_TEXT	AGENTID	VARCHAR	10	Y			
INTERFACE_TEXT	ARCNO	INTEGER	4	Y			
INTERFACE_TEXT	CRS	INTEGER	4	Y			
INTERFACE_TEXT	GDSSEQNO	VARCHAR	20	Y			
INTERFACE_TEXT	IF_TYPE	INTEGER	4	N	INDEX		
INTERFACE_TEXT	INDEXNO	INTEGER	4	N	INDEX		
INTERFACE_TEXT	INVOICENO	INTEGER	4	Y	INDEX		GENERATOR: INVOICENO_GENERATOR
INTERFACE_TEXT	INVOICETYPE	INTEGER	4	Y			
INTERFACE_TEXT	PROCESS_ERRORMSG	VARCHAR	80	Y			
INTERFACE_TEXT	PROCESS_TIMESTAMP	TIMESTAMP	8	Y			
INTERFACE_TEXT	RECLOC	VARCHAR	6	N	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
INTERFACE_TEXT	RECNO	INTEGER	4	N	PRIMARY	INTERFACE_MSG.INTERFACE_LINKNO	GENERATOR: IFTEXTNO_GENERATOR
INTERFACE_TEXT	SEQNO	INTEGER	4	Y			
INTERFACE_TEXT	SOURCE_RECNO	INTEGER	4	Y			
INTERFACE_TEXT	TEXT2	BLOB	8	Y			
INTERFACE_TEXT	TIME_STAMP	TIMESTAMP	8	N	INDEX		
INTERFACE_TEXT	TEXT_ENCRYPT	BLOB		Y			
INVENTORY	ADDRLINE1	VARCHAR	50	Y			
INVENTORY	ADDRLINE2	VARCHAR	50	Y			
INVENTORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORY	AGENTREMARKS	BLOB	8	Y			
INVENTORY	AIRCRAFTLOCATOR	VARCHAR	12	Y			
INVENTORY	AIRCRAFTTYPE	VARCHAR	15	Y			
INVENTORY	CHECKINTIME	TIMESTAMP	8	Y			
INVENTORY	CITY	VARCHAR	30	Y			
INVENTORY	CONFIRMATIONNUMBER	VARCHAR	20	Y			
INVENTORY	COUNTRY	VARCHAR	20	Y			
INVENTORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORY	DATERESERVED	TIMESTAMP	8	Y	INDEX		
INVENTORY	DEPOSITDUENOOFDAYS	INTEGER	4	Y			
INVENTORY	DEPOSITDUEPLUSMINUS	VARCHAR	1	Y			
INVENTORY	DEPOSITDUEREFERENCE	INTEGER	4	Y			
INVENTORY	DESCRIPTION	VARCHAR	80	Y			
INVENTORY	DURATION	INTEGER	4	Y			
INVENTORY	ENDDATE	TIMESTAMP	8	Y	INDEX		
INVENTORY	EXPIREDATE	TIMESTAMP	8	Y			
INVENTORY	FAX	VARCHAR	40	Y			
INVENTORY	FINALPAYNOOFDAYS	INTEGER	4	Y			
INVENTORY	FINALPAYPLUSMINUS	VARCHAR	1	Y			
INVENTORY	FINALPAYREFERENCE	INTEGER	4	Y			
INVENTORY	FLIGHTLENGTH	VARCHAR	6	Y			
INVENTORY	FLIGHTNO	VARCHAR	10	Y			
INVENTORY	GROUPID	VARCHAR	128	Y			
INVENTORY	GROUPNAME	VARCHAR	128	Y			
INVENTORY	GROUPPULL	CHAR	1	Y			
INVENTORY	INVENTORYID	VARCHAR	20	Y			
INVENTORY	INVENTORYNO	INTEGER	4	N	PRIMARY	INVENTORYITIN.INVENTORY_LINKNO, INVENTORYDETAIL.INVENTORY_LINKNO, INVENTORYDESTINATION.INVENTORY_LINKNO, INVENTORYMARKETING.INVENTORY_LINKNO	GENERATOR: INVENTORYNO_GENERATOR
INVENTORY	INVOICEREMARKS	BLOB	8	Y			
INVENTORY	MEALSERVICE	VARCHAR	20	Y			
INVENTORY	MISCELLANEOUS	VARCHAR	128	Y			
INVENTORY	NOOFSTOPS	INTEGER	4	Y			
INVENTORY	PHONE	VARCHAR	40	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
INVENTORY	REGION	VARCHAR	30	Y			
INVENTORY	REGION_LINKNO	INTEGER	4	Y	FOREIGN	REGION.REGIONNO	
INVENTORY	SEGMENTMILEAGE	INTEGER	4	Y			
INVENTORY	SERVICEPROVIDER_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
INVENTORY	SERVICEPROVIDERCODE	VARCHAR	8	Y			
INVENTORY	SERVICEPROVIDERNAME	VARCHAR	80	Y	INDEX		
INVENTORY	STARTDATE	TIMESTAMP	8	Y	INDEX		
INVENTORY	STATE	VARCHAR	15	Y			
INVENTORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORY	TRAVELCATEGORY_LINKNO	INTEGER	4	N		TRAVELCATEGORY.TRAVELCATEGOR YNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10
INVENTORY	UTILIZATIONDATE	TIMESTAMP	8	Y			
INVENTORY	VENDOR_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
INVENTORY	ZIP	VARCHAR	12	Y			
INVENTORY	VENDEPOSITPAYDATE	TIMESTAMP		Y			
INVENTORY	VENFINALPAYDATE	TIMESTAMP		Y			
INVENTORYDESTINATION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYDESTINATION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYDESTINATION	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYDESTINATION	DESTINATION	VARCHAR	80	Y			
INVENTORYDESTINATION	INVDESTINATIONNO	INTEGER	4	N	PRIMARY		GENERATOR: INVDESTINATIONNO_GEN
INVENTORYDESTINATION	INVENTORY_LINKNO	INTEGER	4	N	FOREIGN	INVENTORY.INVENTORYNO	
INVENTORYDESTINATION	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORYDETAIL	ADULTSUPPBASE	DOUBLE	8	Y			
INVENTORYDETAIL	ADULTSUPPCOMM	DOUBLE	8	Y			
INVENTORYDETAIL	ADULTSUPPTAX	DOUBLE	8	Y			
INVENTORYDETAIL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYDETAIL	AGENTREMARKS	BLOB	8	Y			
INVENTORYDETAIL	CATEGORY	VARCHAR	40	Y			
INVENTORYDETAIL	CHILDSUPPBASE	DOUBLE	8	Y			
INVENTORYDETAIL	CHILDSUPPCOMM	DOUBLE	8	Y			
INVENTORYDETAIL	CHILDSUPPTAX	DOUBLE	8	Y			
INVENTORYDETAIL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYDETAIL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYDETAIL	DECK	VARCHAR	20	Y			
INVENTORYDETAIL	DESCRIPTION	VARCHAR	128	Y			
INVENTORYDETAIL	GROUPRATECODE	VARCHAR	128	Y			
INVENTORYDETAIL	INVENTORY_LINKNO	INTEGER	4	N	FOREIGN	INVENTORY.INVENTORYNO	
INVENTORYDETAIL	INVENTORYDETAILNO	INTEGER	4	N	PRIMARY	INVENTORYITEMIZE.INVENTORYDETAI L_LINKNO, INVENTORYINSTANCE.INVENTORYDET AIL_LINKNO	GENERATOR: INVENTORYDETAILNO_G ENERATOR
INVENTORYDETAIL	INVOICEREMARKS	BLOB	8	Y			
INVENTORYDETAIL	MISC	VARCHAR	80	Y			
INVENTORYDETAIL	PERPERSONBASE	DOUBLE	8	Y			
INVENTORYDETAIL	PERPERSONCOMM	DOUBLE	8	Y			
INVENTORYDETAIL	PERPERSONTAX	DOUBLE	8	Y			
INVENTORYDETAIL	QUANTITY	INTEGER	4	Y			
INVENTORYDETAIL	SINGLESUPPBASE	DOUBLE	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
INVENTORYDETAIL	SINGLESUPPCOMM	DOUBLE	8	Y			
INVENTORYDETAIL	SINGLESUPPTAX	DOUBLE	8	Y			
INVENTORYDETAIL	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORYDETAIL	UNITBASE	DOUBLE	8	Y	INDEX		
INVENTORYDETAIL	UNITCOMM	DOUBLE	8	Y			
INVENTORYDETAIL	UNITTAX	DOUBLE	8	Y			
INVENTORYINSTANCE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYINSTANCE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYINSTANCE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYINSTANCE	INVENTORYDETAIL_LINKNO	INTEGER	4	N	FOREIGN	INVENTORYDETAIL.INVENTORYDETAIL NO	
INVENTORYINSTANCE	INVENTORYINSTANCENO	INTEGER	4	N	PRIMARY	RESRVTPASSENGERS.INVENTORYIN STANCE_LINKNO, RESCARDRESERVATION.INVENTORYI NSTANCE_LINKNO	GENERATOR: INVENTORYINSTANCENO _GENERATOR
INVENTORYINSTANCE	SHAREQTY	INTEGER	4	Y			
INVENTORYINSTANCE	SYNCDBGUID_LINKNO	INTEGER	4	Y	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	
INVENTORYINSTANCE	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORYITEMIZE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYITEMIZE	BASE	DOUBLE	8	Y			
INVENTORYITEMIZE	COMMISSION	DOUBLE	8	Y			
INVENTORYITEMIZE	COMMPERCENT	DOUBLE	8	Y			
INVENTORYITEMIZE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYITEMIZE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYITEMIZE	DESCRIPTION	VARCHAR	40	Y			
INVENTORYITEMIZE	INVENTORYDETAIL_LINKNO	INTEGER	4	N	FOREIGN	INVENTORYDETAIL.INVENTORYDETAIL NO	
INVENTORYITEMIZE	INVENTORYITEMIZENO	INTEGER	4	N	PRIMARY		GENERATOR: INVENTORYITEMIZENO_G ENERATOR
INVENTORYITEMIZE	PLUSMINUS	VARCHAR	1	Y			
INVENTORYITEMIZE	QUANTITY	INTEGER	4	Y			
INVENTORYITEMIZE	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORYITEMIZE	TAX	DOUBLE	8	Y			
INVENTORYITEMIZE	TAXPERCENT	DOUBLE	8	Y			
INVENTORYITEMIZE	SORTNO	INTEGER		Y			
INVENTORYITIN	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYITIN	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYITIN	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYITIN	DESCRIPTION	VARCHAR	256	Y			
INVENTORYITIN	ENDCITYCODE	VARCHAR	3	Y	INDEX		
INVENTORYITIN	ENDCITYNAME	VARCHAR	80	Y	INDEX		
INVENTORYITIN	ENDDATETIME	TIMESTAMP	8	Y	INDEX		
INVENTORYITIN	ENDTERMINAL	VARCHAR	20	Y			
INVENTORYITIN	INVENTORY_LINKNO	INTEGER	4	N	FOREIGN	INVENTORY.INVENTORYNO	
INVENTORYITIN	INVENTORYITINNO	INTEGER	4	N	PRIMARY		GENERATOR: INVENTORYITINNO_GENE RATOR
INVENTORYITIN	SORTNO	INTEGER	4	Y			
INVENTORYITIN	STARTCITYCODE	VARCHAR	3	Y	INDEX		
INVENTORYITIN	STARTCITYNAME	VARCHAR	80	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
INVENTORYITIN	STARTDATETIME	TIMESTAMP	8	Y	INDEX		
INVENTORYITIN	STARTTERMINAL	VARCHAR	20	Y			
INVENTORYITIN	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVENTORYMARKETING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVENTORYMARKETING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVENTORYMARKETING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVENTORYMARKETING	INVENTORY_LINKNO	INTEGER	4	N	FOREIGN	INVENTORY.INVENTORYNO	
INVENTORYMARKETING	INVMARKETINGNO	INTEGER	4	N	PRIMARY		GENERATOR: INVMARKETINGNO_GENE RATOR
INVENTORYMARKETING	MARKETINGTYPE_LINKNO	INTEGER	4	N	INDEX		
INVENTORYMARKETING	MARKETINGVALUE	VARCHAR	128	Y	INDEX		
INVENTORYMARKETING	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVOICE	ACCOUNTINGREMARKS	VARCHAR	1024	Y			
INVOICE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
INVOICE	ALTINVOICENUMBER	INTEGER	4	N	INDEX		
INVOICE	ARC_LINKNO	INTEGER	4	Y	FOREIGN	ARCBRANCH.ARCNO, BRANCH.ARCNO	
INVOICE	BRANCH_LINKNO	SMALLINT	2	N	FOREIGN	BRANCH.BRANCHNO	
INVOICE	CALCINVOICENUMBER	VARCHAR	11	N			
INVOICE	CLIENT_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
INVOICE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
INVOICE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
INVOICE	FACTURANO	INTEGER	4	Y			GENERATOR: FACTURANO_GENERATO R
INVOICE	FIRSTINSIDEAGENTBKG_LINKNO	INTEGER	4	Y			
INVOICE	KNO	INTEGER	4	Y			
INVOICE	HOMEHOST_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	
INVOICE	INVOICEGROUP	VARCHAR	128	Y	INDEX		
INVOICE	INVOICENO	INTEGER	4	N	PRIMARY	AGENTBKG.INVOICE_LINKNO, ATTACHMENTINVOICE.INVOICE_LINKNO, BOOKING.INVOICE_LINKNO, CITYPAIR.INVOICE_LINKNO, PAYDTL.INVOICE_LINKNO, PAYMENT.VOUCHER_LINKNO, SEGMENTS.INVOICE_LINKNO, UDIDS.INVOICE_LINKNO	GENERATOR: INVOICENO_GENERATOR
INVOICE	INVOICENUMBER	INTEGER	4	N	INDEX		Max=2147483647
INVOICE	INVOICETYPE_LINKCODE	CHAR	1	Y	INDEX	INVOICETYPE.INVOICETYPECODE	A, O, R, S, V
INVOICE	ISSUEDATE	TIMESTAMP	8	N	INDEX		
INVOICE	ITININVREMARKS	BLOB	8	Y			
INVOICE	MARKETID	VARCHAR	10	Y			
INVOICE	PARTPAYAMT	DOUBLE	8	N			
INVOICE	PAYSTATUS_LINKCODE	CHAR	1	Y	INDEX	PAYSTATUS.PAYSTATUSCODE	C, N, O, V
INVOICE	PNRCREATIONDATE	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
INVOICE	RECEIVEDBY	VARCHAR	80	Y			
INVOICE	RECORDLOCATOR	VARCHAR	6	Y	INDEX		
INVOICE	REMARKS	BLOB	8	Y			
INVOICE	SERVICIONO	INTEGER	4	Y			GENERATOR: SERVICIONO_GENERATO R
INVOICE	SYNCMODDATETIME	TIMESTAMP	8	Y			
INVOICETYPE	INVOICETYPE	VARCHAR	20	N			Adjustment, Refund, Sale, Spoiled, Voucher
INVOICETYPE	INVOICETYPECODE	CHAR	1	N	PRIMARY		A, O, R, S, V
ITININVDEFAULTS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ITININVDEFAULTS	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
ITININVDEFAULTS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ITININVDEFAULTS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ITININVDEFAULTS	DISPLAYINVZEROBAL	CHAR	1	Y			
ITININVDEFAULTS	INVHIDERESTOTALS	CHAR	1	Y			
ITININVDEFAULTS	INVHIDEVENNAME	CHAR	1	Y			
ITININVDEFAULTS	INVINCLUDESUMM	CHAR	1	Y			
ITININVDEFAULTS	INVLANGUAGE	INTEGER	4	Y			
ITININVDEFAULTS	INVPREVBEOFOREPRINT	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTAIRASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTCARASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTCRUISEASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTGRAPHICS	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTHOTELASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTINSASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTINVONLY	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTMISCASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTRAILASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTSFASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTTOURASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVPRINTTRANSASLINE	CHAR	1	Y			
ITININVDEFAULTS	INVSERVICEFEELABEL	VARCHAR	25	Y			
ITININVDEFAULTS	INVSHOWAGENCYCURR	CHAR	1	N			
ITININVDEFAULTS	INVSHOWCLIENTCURR	CHAR	1	N			
ITININVDEFAULTS	INVSHOWVENDORCURR	CHAR	1	N			
ITININVDEFAULTS	INVUSEGLOBALHEADER	CHAR	1	Y			
ITININVDEFAULTS	INVUSEGLOBALREMARKS	CHAR	1	Y			
ITININVDEFAULTS	INVUSEGLOBALSETTINGS	CHAR	1	Y			
ITININVDEFAULTS	ITINFORMAT	INTEGER	4	Y			
ITININVDEFAULTS	ITINHIDERESTOTALS	CHAR	1	Y			
ITININVDEFAULTS	ITINHIDEVENNAME	CHAR	1	Y			
ITININVDEFAULTS	ITININCREMARKS	CHAR	1	Y			
ITININVDEFAULTS	ITININVDEFNO	INTEGER	4	N	PRIMARY		GENERATOR: ITININVDEFNO_GEN
ITININVDEFAULTS	ITINPRINTAIRASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTCARASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTCRUISEASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTGRAPHICS	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTHOTELASLINE	CHAR	1	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ITININVDEFAULTS	ITINPRINTINSASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTMISCASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTRAILASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTSFASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTTOURASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINPRINTTRANSASLINE	CHAR	1	Y			
ITININVDEFAULTS	ITINSERVICEFEELABEL	VARCHAR	25	Y			
ITININVDEFAULTS	ITINUSEGLOBALHEADER	CHAR	1	Y			
ITININVDEFAULTS	ITINUSEGLOBALREMARKS	CHAR	1	Y			
ITININVDEFAULTS	ITINUSEGLOBALSETTINGS	CHAR	1	Y			
ITININVDEFAULTS	RCPTINCREMINPAYMENT	CHAR	1	Y			
ITININVDEFAULTS	RCPTINCREMINVOUCH	CHAR	1	Y			
ITININVDEFAULTS	RCPTUSEGLOBALHEADER	CHAR	1	Y			
ITININVDEFAULTS	RCPTUSEGLOBALREMARKS	CHAR	1	Y			
ITININVDEFAULTS	RCPTUSEGLOBALSETTINGS	CHAR	1	Y			
ITININVDEFAULTS	SYNCMODDATETIME	TIMESTAMP	8	Y			
ITININVDEFAULTS	TRIPPROPFORMAT	INTEGER	4	Y			
ITININVDEFAULTS	TRIPPROPREMARKS	CHAR	1	Y			
ITININVDEFAULTS	TRIPPROPUSEGLOBALHEADER	CHAR	1	Y			
ITININVDEFAULTS	TRIPPROPUSEGLOBALREMARKS	CHAR	1	Y			
ITININVDEFAULTS	TRIPPROPUSEGLOBALSETTINGS	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTINCREMARKS	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTINCSPDETAILS	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTINCUNAPPBAL	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTINCUNAPPVOUCH	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTUSEGLOBALHEADER	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTUSEGLOBALREMARKS	CHAR	1	Y			
ITININVDEFAULTS	TRIPSTMTUSEGLOBALSETTINGS	CHAR	1	Y			
ITININVREMARKS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ITININVREMARKS	ALWAYSINCLUDE	CHAR	1	Y			
ITININVREMARKS	BRANCH_LINKNO	INTEGER	4	N	FOREIGN	BRANCH.BRANCHNO	
ITININVREMARKS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ITININVREMARKS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ITININVREMARKS	DESCRIPTION	VARCHAR	15	Y			
ITININVREMARKS	ITININVREMARKSNO	INTEGER	4	N	PRIMARY	ITININVREMINSTANCE.ITININVREMARKS_LINKNO	GENERATOR: ITININVREMARKSNO_GENERATOR
ITININVREMARKS	PROFILE_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
ITININVREMARKS	REMARKS	BLOB	8	Y			
ITININVREMARKS	SETUPIND	INTEGER	4	Y			
ITININVREMARKS	SORTNO	INTEGER	4	Y			
ITININVREMARKS	SYNCMODDATETIME	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
ITININVREMINSTANCE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
ITININVREMINSTANCE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
ITININVREMINSTANCE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
ITININVREMINSTANCE	CREATE_RECNO2	INTEGER	4	Y	INDEX		
ITININVREMINSTANCE	ITININVREMARKS_LINKNO	INTEGER	4	N	PRIMARY		
ITININVREMINSTANCE	RESREMARKSTYPE_LINKNO	INTEGER	4	N	PRIMARY		
ITININVREMINSTANCE	SYNCMODDATETIME	TIMESTAMP	8	Y			
JE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
JE	CODE	VARCHAR	10	Y			
JE	CREATE_DBGUIDNO	INTEGER	4	N	INDEX		
JE	CREATE_RECNO1	INTEGER	4	N	INDEX		
JE	CREATIONDATE	TIMESTAMP	8	N	INDEX		
JE	JEGROUP	VARCHAR	128	Y			
JE	JERECORDNO	INTEGER	4	N	PRIMARY	ARCAJUSTMENT.JERECORD_LINKNO, JEDTL.JERECORD_LINKNO, PAYABLE.JERECORD_LINKNO, PAYMENT.JERECORD_LINKNO	GENERATOR: JENO_GENERATOR
JE	JETYPE_LINKNO	SMALLINT	2	N	INDEX	JETYPE.JETYPENO	1, 2, 3, 4, 5
JE	POSTDATE	TIMESTAMP	8	Y	INDEX		
JE	POSTEDBYBRANCH	CHAR	1	Y			
JE	REMARKS	VARCHAR	512	Y			
JE	SYNCMODDATETIME	TIMESTAMP	8	Y			
JEDTL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
JEDTL	AMOUNT	DOUBLE	8	N			
JEDTL	BRANCH_LINKNO	SMALLINT	2	Y	FOREIGN	GLBRANCH.GLBRANCHNO	
JEDTL	CLEARED	CHAR	1	Y			
JEDTL	CREDITAMOUNT	DOUBLE	8	Y			
JEDTL	DEBITAMOUNT	DOUBLE	8	Y			
JEDTL	FC_LINKNO	SMALLINT	2	Y			
JEDTL	GL_LINKNO	INTEGER	4	N	FOREIGN	GL.GLNO	
JEDTL	INDEXNO	SMALLINT	2	N			
JEDTL	JEDETAILNO	INTEGER	4	N	PRIMARY		GENERATOR: JEDTLNO_GENERATOR
JEDTL	JEDTLGROUP	VARCHAR	128	Y			
JEDTL	JERECORD_LINKNO	INTEGER	4	N	FOREIGN	JE.JERECORDNO	
JEDTL	REMARKS	VARCHAR	80	Y			
JETYPE	JETYPE	VARCHAR	20	N			Budget, End-Of-Period, Normal, Reoccurring, Year- End
JETYPE	JETYPENO	SMALLINT	2	N	PRIMARY		1, 2, 3, 4, 5
JOBSTATUS	JOBSTATUS	VARCHAR	80	N			Cancelled, Complete, In Progress, Paused, Pending, Stalled, Stopping
JOBSTATUS	JOBSTATUSNO	INTEGER	4	N	PRIMARY	EMAILJOB.JOBSTATUS_LINKNO	1, 2, 3, 4, 5, 6, 7
LABELS	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
LABELS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
LABELS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
LABELS	DEFAULTLBL	CHAR	1	Y			
LABELS	FONTBOLD	CHAR	1	Y			
LABELS	FONTCOLOR	VARCHAR	15	Y			
LABELS	FONITALIC	CHAR	1	Y			
LABELS	FONTNAME	VARCHAR	30	Y			
LABELS	FONTSIZE	INTEGER	4	Y			
LABELS	FONTUNDERLINE	CHAR	1	Y			
LABELS	HORIZGAP	FLOAT	4	Y			
LABELS	ISLANDSCAPE	CHAR	1	Y			
LABELS	LABELNO	INTEGER	4	N	PRIMARY		GENERATOR: LABELNO_GEN
LABELS	LBLACROSS	INTEGER	4	Y			
LABELS	LBLCUSTOM	CHAR	1	Y			
LABELS	LBLDOWN	INTEGER	4	Y			
LABELS	LBLFIELDS	VARCHAR	256	Y			
LABELS	LBLHEIGHT	FLOAT	4	Y			
LABELS	LBLNAME	VARCHAR	45	N	UNIQUE		
LABELS	LBLRPPNAME	VARCHAR	30	Y			
LABELS	LBLSHAPE	INTEGER	4	Y			
LABELS	LBLWIDTH	FLOAT	4	Y			
LABELS	NOOFCOPIES	INTEGER	4	Y			
LABELS	PRINTBLNKFLDS	CHAR	1	Y			
LABELS	PRINTZIPBC	CHAR	1	Y			
LABELS	SPACINGLEFT	FLOAT	4	Y			
LABELS	SPACINGTOP	FLOAT	4	Y			
LABELS	STARTCOL	INTEGER	4	Y			
LABELS	STARTROW	INTEGER	4	Y			
LABELS	SYNCMODDATETIME	TIMESTAMP	8	Y			
LABELS	TEXTLEFT	FLOAT	4	Y			
LABELS	TEXTTOP	FLOAT	4	Y			
LABELS	USEADDRESS	INTEGER	4	Y			
LABELS	USEUPPER	CHAR	1	Y			
LABELS	VERTGAP	FLOAT	4	Y			
LIVECONNECTPROVIDER	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
LIVECONNECTPROVIDER	AUTHENTICATION	INTEGER	4	Y			
LIVECONNECTPROVIDER	AUTHURL	VARCHAR	128	Y			
LIVECONNECTPROVIDER	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
LIVECONNECTPROVIDER	CREATE_RECNO1	INTEGER	4	Y	INDEX		
LIVECONNECTPROVIDER	INVENTORYIMPORT	CHAR	1	N			
LIVECONNECTPROVIDER	ISACTIVE	CHAR	1	N			
LIVECONNECTPROVIDER	ISGENERIC	CHAR	1	Y			
LIVECONNECTPROVIDER	LIVECONNECTNO	INTEGER	4	N	PRIMARY	RESCARDRESERVATION.LIVECONNECT_LINKNO, USERLIVECONNECT.LIVECONNECT_LINKNO, VENDORLIVECONNECT.LIVECONNECT_LINKNO	GENERATOR: LIVECONNECTPROVIDER_GENERATOR
LIVECONNECTPROVIDER	PROVIDERNAME	VARCHAR	60	Y			
LIVECONNECTPROVIDER	PROVLEVEL	INTEGER	4	Y			
LIVECONNECTPROVIDER	PROVURL	VARCHAR	128	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
LIVECONNECTPROVIDER	SYNCMODDATETIME	TIMESTAMP	8	Y			
LIVECONNECTPROVIDER	TRAVELCAT_LINKNO	INTEGER	4	Y	FOREIGN	TRAVELCATEGORY.TRAVELCATEGOR YNO	
LIVECONNECTPROVIDER	XMLIMPORTIND	INTEGER	4	Y			
MAILERREGARDING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MAILERREGARDING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MAILERREGARDING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MAILERREGARDING	MAILERREGARDINGNO	INTEGER	4	N	PRIMARY		GENERATOR: MAILERREGARDINGNO_G EN
MAILERREGARDING	MAILERREGARDINGSTR	VARCHAR	50	Y			
MAILERREGARDING	SYNCMODDATETIME	TIMESTAMP	8	Y			
MARKETING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MARKETING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MARKETING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MARKETING	MARKETINGNO	INTEGER	4	N	PRIMARY		GENERATOR: MARKETINGNO_GENERA TOR
MARKETING	MARKETINGTYPE_LINKNO	INTEGER	4	N	INDEX	MARKETINGTYPE.MARKETINGTYPENO	1
MARKETING	MARKETINGVALUE	VARCHAR	128	Y	INDEX		
MARKETING	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
MARKETING	SYNCMODDATETIME	TIMESTAMP	8	Y			
MARKETINGCATEGORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MARKETINGCATEGORY	CATEGORYNO	INTEGER	4	N	PRIMARY	CLIENTSURVEYMARKETING.CATEGOR Y_LINKNO, MARKETINGCODE.CATEGORY_LINKNO , MARKMANDATORY.CATEGORY_LINKN O	GENERATOR: CATEGORYNO_GENERAT OR
MARKETINGCATEGORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MARKETINGCATEGORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MARKETINGCATEGORY	DESCRIPTION	VARCHAR	20	Y			Client Status, What Budget?, What Interests?, What Type?, When?, Where?, With Whom?
MARKETINGCATEGORY	SORTNO	INTEGER	4	Y			
MARKETINGCATEGORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
MARKETINGCODE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MARKETINGCODE	CATEGORY_LINKNO	INTEGER	4	Y	FOREIGN	MARKETINGCATEGORY.CATEGORYNO	0, 1, 2, 3, 4, 5, 6
MARKETINGCODE	CODENO	INTEGER	4	N	PRIMARY	PROFILEMARKETING.CODE_LINKNO	GENERATOR: CODENO_GEN
MARKETINGCODE	CODEVALUE	VARCHAR	80	Y			
MARKETINGCODE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MARKETINGCODE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MARKETINGCODE	DBCID	VARCHAR	10	Y			
MARKETINGCODE	MERGECODE	CHAR	5	Y			
MARKETINGCODE	SORTNO	INTEGER	4	Y			
MARKETINGCODE	SYNCMODDATETIME	TIMESTAMP	8	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
MARKETINGTYPE	MARKETINGTYPE	VARCHAR	50	Y			GROUP/BATCH
MARKETINGTYPE	MARKETINGTYPENO	INTEGER	4	N	PRIMARY		1
MARKMANDATORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MARKMANDATORY	CATEGORY_LINKNO	INTEGER	4	N	FOREIGN	MARKETINGCATEGORY.CATEGORYNO	0, 1, 2, 3, 4, 5, 6
MARKMANDATORY	CODECOUNT	INTEGER	4	N			
MARKMANDATORY	CODEVALUE	VARCHAR	1	Y			
MARKMANDATORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MARKMANDATORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MARKMANDATORY	MARKMANDATORYNO	INTEGER	4	N	PRIMARY		GENERATOR: MARKMANDATORYNO_G EN
MARKMANDATORY	PROFMANDATORY_LINKNO	INTEGER	4	N	FOREIGN	PROFMANDATORY.PROFMANDATORY NO	
MARKMANDATORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
MEALSERVICE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MEALSERVICE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MEALSERVICE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MEALSERVICE	MEALSERVICENO	INTEGER	4	N	PRIMARY		GENERATOR: MEALSERVICENO_GEN
MEALSERVICE	MEALSERVICESTR	VARCHAR	20	Y			
MEALSERVICE	SYNCMODDATETIME	TIMESTAMP	8	Y			
MOREFIELDCAT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MOREFIELDCAT	CATEGORY	VARCHAR	20	Y			
MOREFIELDCAT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MOREFIELDCAT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MOREFIELDCAT	FORMATTYPE	INTEGER	4	N			
MOREFIELDCAT	MAXLENGTH	INTEGER	4	N			
MOREFIELDCAT	MOREFIELDCATNO	INTEGER	4	N	PRIMARY	MOREFIELDITEM.MOREFIELDCAT_LINK NO, MOREFIELDMANDATORY.MOREFIELDCA T_LINKNO, PROFMOREFIELD.MOREFIELDCAT_LIN KNO, RESCARDMOREFIELDCAT.PROFMORE FIELDCAT_LINKNO	GENERATOR: MOREFIELDCATNO_GEN
MOREFIELDCAT	SORTNO	INTEGER	4	Y			
MOREFIELDCAT	SYNCMODDATETIME	TIMESTAMP	8	Y			
MOREFIELDCAT	ISACTIVE	CHARNOYES	1	Y			
MOREFIELDITEM	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MOREFIELDITEM	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MOREFIELDITEM	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MOREFIELDITEM	ITEMVALUE	VARCHAR	80	Y			
MOREFIELDITEM	MOREFIELDCAT_LINKNO	INTEGER	4	N	FOREIGN	MOREFIELDCAT.MOREFIELDCATNO	
MOREFIELDITEM	MOREFIELDITEMNO	INTEGER	4	N	PRIMARY		GENERATOR: MOREFIELDITEMNO_GEN
MOREFIELDITEM	SYNCMODDATETIME	TIMESTAMP	8	Y			
MOREFIELDMANDATORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
MOREFIELDMANDATORY	CODEVALUE	VARCHAR	1	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
MOREFIELDMANDATORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
MOREFIELDMANDATORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
MOREFIELDMANDATORY	MOREFIELDCAT_LINKNO	INTEGER	4	N	FOREIGN	MOREFIELDCAT.MOREFIELDCATNO	
MOREFIELDMANDATORY	MOREFIELDMANDATORYNO	INTEGER	4	N	PRIMARY		GENERATOR: MOREFIELDMANDATORY NO_GEN
MOREFIELDMANDATORY	PROFMANDATORY_LINKNO	INTEGER	4	N	FOREIGN	PROFMANDATORY.PROFMANDATORY NO	
MOREFIELDMANDATORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
NEWPROFDEFAULT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
NEWPROFDEFAULT	AGENT_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
NEWPROFDEFAULT	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
NEWPROFDEFAULT	CITY	VARCHAR	80	Y			
NEWPROFDEFAULT	COUNTRY	VARCHAR	80	Y			
NEWPROFDEFAULT	COURTESYTITLE	VARCHAR	15	Y			
NEWPROFDEFAULT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
NEWPROFDEFAULT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
NEWPROFDEFAULT	IFIDFORMATIDX	INTEGER	4	Y			
NEWPROFDEFAULT	NEWPROFDEFNO	INTEGER	4	N	PRIMARY		GENERATOR: NEWPROFDEFNO_GEN
NEWPROFDEFAULT	NFLMASK	VARCHAR	80	Y			
NEWPROFDEFAULT	SALFORMATIDX	INTEGER	4	Y			
NEWPROFDEFAULT	STATE	VARCHAR	15	Y			
NEWPROFDEFAULT	SYNCMODDATETIME	TIMESTAMP	8	Y			
NEWPROFDEFAULT	ZIPCODE	VARCHAR	12	Y			
NEWRESCARDDEFAULT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
NEWRESCARDDEFAULT	AUTOLAUNCHLIVECONNECT	CHAR	1	Y			
NEWRESCARDDEFAULT	BOOKINGSTATUS	INTEGER	4	Y			
NEWRESCARDDEFAULT	CRUISEITINSORTBYDATE	CHAR	1	Y			
NEWRESCARDDEFAULT	DEFALLPROFPASSENGER	CHAR	1	Y			
NEWRESCARDDEFAULT	DEFAULTINVOUTOFCBP	CHAR	1	Y			
NEWRESCARDDEFAULT	DEFAULTSPNAME	CHAR	1	Y			
NEWRESCARDDEFAULT	DEFAULTTAB	INTEGER	4	Y			
NEWRESCARDDEFAULT	DEFHOMEHOST_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	
NEWRESCARDDEFAULT	FILTERPROVPROF	CHAR	1	Y			
NEWRESCARDDEFAULT	FILTERVENDORPROF	CHAR	1	Y			
NEWRESCARDDEFAULT	ITEMIZEPRINTOPTION	INTEGER	4	Y			
NEWRESCARDDEFAULT	NEWRESCARDDEFAULTNO	INTEGER	4	N	PRIMARY		
NEWRESCARDDEFAULT	PRINTITINADDRCAR	CHAR	1	Y			
NEWRESCARDDEFAULT	PRINTITINADDRHOTEL	CHAR	1	Y			
NEWRESCARDDEFAULT	PRINTITINADDRRINS	CHAR	1	Y			
NEWRESCARDDEFAULT	PRINTITINADDRMISC	CHAR	1	Y			
NEWRESCARDDEFAULT	PRINTITINADDRTOUR	CHAR	1	Y			
NEWRESCARDDEFAULT	PRINTITINADDRTRANSP	CHAR	1	Y			
NEWRESCARDDEFAULT	RESCYCLE	VARCHAR	30	Y			
NEWRESCARDDEFAULT	TRAVELCATEGORY	INTEGER	4	Y			
NEWRESCARDDEFAULT	PAYMENTREMINDERTIME	TIMESTAMP		Y			
NEWRESCARDDEFAULT	AUTOREMINDERLC	CHARNOYES	1	N			
NEWRESMOREFIELDDEFAU LT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
NEWRESMOREFIELDDEFAULT	DEFAULTVALUE	VARCHAR	80	Y			
NEWRESMOREFIELDDEFAULT	PRINTONINVOICE	CHAR	1	Y			
NEWRESMOREFIELDDEFAULT	RESCARDMOREFIELDSCAT_LINKNO	INTEGER	4	N	PRIMARY FOREIGN	RESCARDMOREFIELDSCAT.RESCARDMOREFIELDSCATNO	
NEWRESMOREFIELDDEFAULT	RESMOREFILEDDEFAULTNO	INTEGER	4	N	PRIMARY		GENERATOR: RESMOREFILEDDEFAULT NO_GEN
NOTESREGARDING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
NOTESREGARDING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
NOTESREGARDING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
NOTESREGARDING	NOTESREGARDINGNO	INTEGER	4	N	PRIMARY		GENERATOR: NOTESREGARDINGNO_G EN
NOTESREGARDING	NOTESREGARDINGSTR	VARCHAR	50	Y			Client Comment, Client Follow-up, Client Inquiry, Client Question
NOTESREGARDING	SYNCMODDATETIME	TIMESTAMP	8	Y			
PASPREFVENDOR	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PASPREFVENDOR	AIRCLASS	INTEGER	4	Y			
PASPREFVENDOR	AIRCRAFT	VARCHAR	30	Y			
PASPREFVENDOR	AIRMEALPREF	VARCHAR	60	Y			
PASPREFVENDOR	AIRMEALPREFCODE	VARCHAR	8	Y			
PASPREFVENDOR	AIRSEATS	INTEGER	4	Y			
PASPREFVENDOR	CARTYPE	INTEGER	4	Y			
PASPREFVENDOR	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PASPREFVENDOR	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PASPREFVENDOR	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PASPREFVENDOR	CREATE_RECNO3	INTEGER	4	Y	INDEX		
PASPREFVENDOR	CRUISEDINING	VARCHAR	30	Y			
PASPREFVENDOR	CRUISESHIPNAME	VARCHAR	30	Y			
PASPREFVENDOR	CRUISESIZE	VARCHAR	30	Y			
PASPREFVENDOR	DEPARTPORT	VARCHAR	80	Y			
PASPREFVENDOR	DESIRABILITY	INTEGER	4	Y			
PASPREFVENDOR	ESCORTPREFID	INTEGER	4	Y			
PASPREFVENDOR	HTLBEDDING	VARCHAR	30	Y			
PASPREFVENDOR	HTLROOMLOCATION	VARCHAR	30	Y			
PASPREFVENDOR	PASSENGER_LINKNO	INTEGER	4	N	PRIMARY	PASSENGER.PASSENGERNO	
PASPREFVENDOR	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
PASPREFVENDOR	SPECIAL	VARCHAR	30	Y			
PASPREFVENDOR	SPUNIQUEID	VARCHAR	30	Y			
PASPREFVENDOR	SYNCMODDATETIME	TIMESTAMP	8	Y			
PASPREFVENDOR	TRAVELCATEGORY_LINKNO	INTEGER	4	N	PRIMARY	TRAVELCATEGORY.TRAVELCATEGORYNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10
PASPREFVENDOR	VENDOR_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PASSENGER	ADDRESS_LINKNO	INTEGER	4	Y	FOREIGN	ADDRESS.ADDRESSNO	
PASSENGER	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PASSENGER	AIRCLASS	INTEGER	4	Y			
PASSENGER	AIRCRAFT	VARCHAR	30	Y			
PASSENGER	AIRMEALPREF	VARCHAR	60	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PASSENGER	AIRMEALPREFCODE	VARCHAR	8	Y			
PASSENGER	AIRMEALS	INTEGER	4	Y			
PASSENGER	AIRSEATS	INTEGER	4	Y			
PASSENGER	AIRSPECIAL	VARCHAR	30	Y			
PASSENGER	BIRTHMDYDAY	INTEGER	4	Y	INDEX		
PASSENGER	BIRTHMDYMONTH	INTEGER	4	Y	INDEX		
PASSENGER	BIRTHMDYYEAR	INTEGER	4	Y	INDEX		
PASSENGER	CARSPECIAL	VARCHAR	30	Y			
PASSENGER	CARTYPE	INTEGER	4	Y			
PASSENGER	CITIZENSHIP	VARCHAR	80	Y			
PASSENGER	COURTESYTITLE	VARCHAR	15	Y			
PASSENGER	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PASSENGER	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PASSENGER	CRUISEDINING	VARCHAR	30	Y			
PASSENGER	CRUISESHIPNAME	VARCHAR	30	Y			
PASSENGER	CRUISESIZE	VARCHAR	30	Y			
PASSENGER	CRUISESPECIAL	VARCHAR	30	Y			
PASSENGER	DEPARTPORT	VARCHAR	80	Y			
PASSENGER	DEPT	VARCHAR	40	Y			DELETED
PASSENGER	DESCRIPTION	VARCHAR	50	Y			
PASSENGER	EMERGNCMISC	VARCHAR	128	Y			
PASSENGER	EMERGNcname	VARCHAR	50	Y			
PASSENGER	EMERGNCPHONE	VARCHAR	40	Y			
PASSENGER	ESCORTPREFID	INTEGER	4	Y			
PASSENGER	FIRSTNAME	VARCHAR	50	Y			
PASSENGER	FIRSTNAMEUPPER	VARCHAR	50	Y	INDEX		
PASSENGER	GENDER	CHAR	1	Y			
PASSENGER	HTLBEDDING	VARCHAR	30	Y			
PASSENGER	HTLROOMLOCATION	VARCHAR	30	Y			
PASSENGER	HTLSPECIAL	VARCHAR	30	Y			
PASSENGER	ISSUECITY	VARCHAR	40	Y			
PASSENGER	ISSUECITY2	VARCHAR	40	Y			
PASSENGER	ISSUEDATE	TIMESTAMP	8	Y			
PASSENGER	ISSUEDATE2	TIMESTAMP	8	Y			
PASSENGER	KNOWNTRAVNO	VARCHAR	25	Y			
PASSENGER	LASTNAME	VARCHAR	50	Y			
PASSENGER	LASTNAMEUPPER	VARCHAR	50	Y	INDEX		
PASSENGER	MIDDLEINIT	VARCHAR	50	Y			
PASSENGER	NAME	VARCHAR	150	N			
PASSENGER	NAMEUPPER	VARCHAR	150	Y	INDEX		
PASSENGER	NOTES	VARCHAR	512	Y			
PASSENGER	ORIGINCOUNTRY	VARCHAR	20	Y			
PASSENGER	ORIGINCOUNTRY2	VARCHAR	20	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PASSENGER	PASSENGERNO	INTEGER	4	N	PRIMARY	BOOKING.PASSENGER_LINKNO, CC.PASSENGER_LINKNO, COMMUNICATION.PASSENGER_LINKNO, PASPREFVENDOR.PASSENGER_LINKNO, PNREENTRY.PASSENGER_LINKNO, PROFILEPASSENGER.PASSENGER_LINKNO, RECARDPASSENGERS.PASSENGER_LINKNO, SPECIALDATE.PASSENGER_LINKNO	GENERATOR: PASSENGERNO_GENERATOR
PASSENGER	PASSPORTEXPIRE	TIMESTAMP	8	Y	INDEX		
PASSENGER	PASSPORTEXPIRE2	TIMESTAMP	8	Y	INDEX		
PASSENGER	PASSPORTNO	VARCHAR	25	Y	INDEX		
PASSENGER	PASSPORTNO2	VARCHAR	25	Y	INDEX		
PASSENGER	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	DELETED
PASSENGER	REDRESSNO	VARCHAR	13	Y			
PASSENGER	RELATIONSHIP	VARCHAR	50	Y	INDEX		DELETED
PASSENGER	SALUTATION	VARCHAR	80	Y			
PASSENGER	SMOKING	VARCHAR	1	Y			
PASSENGER	SORTNO	INTEGER	4	Y			DELETED
PASSENGER	SPECIALSERVICES	BLOB	8	Y			
PASSENGER	SPUNIQUEID	VARCHAR	30	Y			
PASSENGER	SYNCMODDATETIME	TIMESTAMP	8	Y			
PASSENGER	TOURSPECIAL	VARCHAR	30	Y			
PASSENGER	TRAVELERID	VARCHAR	80	Y	INDEX		
PASSENGER	EMERGNCEMAIL	VARCHAR	200	N			
PASSENGER	EMERGNCRELATIONSHIP	VARCHAR	50	N			
PASSENGER	MERGEDATA	BLOB		N			
PAYABLE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PAYABLE	AMOUNT	DOUBLE	8	N			
PAYABLE	CODE	VARCHAR	10	Y			
PAYABLE	CREATE_DBGUIDNO	INTEGER	4	N	INDEX		
PAYABLE	CREATE_RECNO1	INTEGER	4	N	INDEX		
PAYABLE	CREATIONDATE	TIMESTAMP	8	N	INDEX		
PAYABLE	INVOICEREF	VARCHAR	30	Y			
PAYABLE	JERECORD_LINKNO	INTEGER	4	Y	FOREIGN	JE.JERECORDNO	
PAYABLE	PAYABLEDATE	TIMESTAMP	8	N	INDEX		
PAYABLE	PAYABLEGROUP	VARCHAR	128	Y			
PAYABLE	PAYABLENO	INTEGER	4	N	PRIMARY		GENERATOR: PAYABLENO_GENERATOR
PAYABLE	PAYABLESTATUS_LINKNO	SMALLINT	2	N	INDEX	PAYABLESTATUS.PAYABLESTATUSNO	1, 2, 3
PAYABLE	PAYEENAME	VARCHAR	128	Y			
PAYABLE	PAYMENT_LINKNO	INTEGER	4	Y	FOREIGN	PAYMENT.PAYMENTNO	
PAYABLE	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
PAYABLE	RECURCREATIONDATE	VARCHAR	30	Y			
PAYABLE	RECURPAYABLEDATE	VARCHAR	30	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PAYABLE	REMARKS	VARCHAR	512	Y			
PAYABLE	SYNCMODDATETIME	TIMESTAMP	8	Y			
PAYABLESTATUS	PAYABLESTATUS	VARCHAR	20	N			Paid, Reoccurring, To Be Paid
PAYABLESTATUS	PAYABLESTATUSNO	SMALLINT	2	N	PRIMARY	PAYABLE.PAYABLESTATUS_LINKNO	1, 2, 3
PAYDTL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PAYDTL	AMOUNT	DOUBLE	8	N			
PAYDTL	BOOKING_LINKNO	INTEGER	4	Y	FOREIGN	BOOKING.BOOKINGNO, BOOKINGPSGRVIEW.BOOKINGNO, BOOKINGVIEW.BOOKINGNO	
PAYDTL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PAYDTL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PAYDTL	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
PAYDTL	PAYDETAILNO	INTEGER	4	N	PRIMARY		GENERATOR: PAYDETAILNO_GENERAT OR
PAYDTL	PAYMENT_LINKNO	INTEGER	4	N	FOREIGN	PAYMENT.PAYMENTNO	
PAYDTL	PROFILETYPE_LINKCODE	CHAR	1	N		PROFILETYPE.PROFILETYPECODE	C, I, V
PAYDTL	SYNCMODDATETIME	TIMESTAMP	8	Y			
PAYMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PAYMENT	ALTCHECKNO	DOUBLE	8	N	INDEX		
PAYMENT	AMOUNT	DOUBLE	8	N			
PAYMENT	APEXCR	DOUBLE	8	N			
PAYMENT	BANK_LINKNO	SMALLINT	2	Y	FOREIGN	BANK.BANKNO	
PAYMENT	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
PAYMENT	CALCFIXEDCCNO	VARCHAR	35	N			
PAYMENT	CCDATAMASKED	CHAR	1	Y			
PAYMENT	CHECKNO	DOUBLE	8	Y	INDEX		
PAYMENT	CKCCNO	VARCHAR	35	Y			
PAYMENT	CKCCNOENCRYPT	BLOB	8	Y			
PAYMENT	CKCCNOHASH	VARCHAR	128	Y			DELETED
PAYMENT	CODE	VARCHAR	10	Y	INDEX		
PAYMENT	CONVRATE	DOUBLE	8	N			
PAYMENT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PAYMENT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PAYMENT	CURRENCYCODE	VARCHAR	3	Y			
PAYMENT	DATECleared	TIMESTAMP	8	Y	INDEX		
PAYMENT	EQUIVAMOUNT	DOUBLE	8	N			
PAYMENT	INVOICEREF	VARCHAR	30	Y			
PAYMENT	JERECORD_LINKNO	INTEGER	4	Y	FOREIGN	JE.JERECORDNO	
PAYMENT	PAYEEADDR	VARCHAR	512	Y			
PAYMENT	PAYEENAME	VARCHAR	128	Y			
PAYMENT	PAYMENTDATE	TIMESTAMP	8	Y	INDEX		
PAYMENT	PAYMENTGROUP	VARCHAR	128	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PAYMENT	PAYMENTNO	INTEGER	4	N	PRIMARY	AGENTADJUSTMENT.PAYMENT_LINKNO, AGENTBKG.PAYMENT_LINKNO, ATTACHMENTPAYMENT.PAYMENT_LINKNO, DEPOSITDTL.DEPOSIT_LINKNO, DEPOSITDTL.RECEIPT_LINKNO, PAYABLE.PAYMENT_LINKNO, PAYDTL.PAYMENT_LINKNO	GENERATOR: PAYMENTNO_GENERATOR
PAYMENT	PAYMETHOD_LINKNO	SMALLINT	2	N	INDEX	PAYMETHOD.PAYMETHODNO	1, 2, 3, 4, 5, 6, 7
PAYMENT	PAYTYPE_LINKNO	SMALLINT	2	N		PAYTYPE.PAYTYPENO	1, 2, 3, 4
PAYMENT	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
PAYMENT	REMARKS	VARCHAR	512	Y			
PAYMENT	SUBMITTO_LINKCODE	CHAR	1	Y	INDEX	SUBMITTO.SUBMITTOCODE	A, C, S, V
PAYMENT	SYNCMODDATETIME	TIMESTAMP	8	Y			
PAYMENT	VOIDED	CHAR	1	Y			
PAYMENT	VOUCHER_LINKNO	INTEGER	4	Y	FOREIGN	INVOICE.INVOICENO	
PAYMENTRECON	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PAYMENTRECON	ARCNO	INTEGER	4	Y			
PAYMENTRECON	BOOKING_LINKNO	INTEGER	4	Y	INDEX	BOOKING.BOOKINGNO	
PAYMENTRECON	CHAINCODE	CHAR	2	Y			
PAYMENTRECON	CITYCODE	CHAR	3	Y			
PAYMENTRECON	COMMAMT	DOUBLE	8	Y			
PAYMENTRECON	COMMRATE	INTEGER	4	Y			
PAYMENTRECON	CONFIRMNO	VARCHAR	30	Y			
PAYMENTRECON	CUSTNAME	VARCHAR	80	Y			
PAYMENTRECON	ENDDATE	TIMESTAMP	8	Y			
PAYMENTRECON	GROSS	DOUBLE	8	Y			
PAYMENTRECON	GSTAMT	DOUBLE	8	Y			
PAYMENTRECON	GSTRATE	INTEGER	4	Y			
PAYMENTRECON	INDEXNO	INTEGER	4	N	PRIMARY		
PAYMENTRECON	INVOICE_LINKNO	INTEGER	4	Y		INTERFACE_TEXT.INVOICENO, INVOICE.INVOICENO	
PAYMENTRECON	ISSUEDATE	TIMESTAMP	8	Y			
PAYMENTRECON	NOTES	VARCHAR	80	Y			
PAYMENTRECON	PAYMENTRECON_RECNO	INTEGER	4	N	PRIMARY		GENERATOR: PAYMENTRECONRECNO_ GENERATOR
PAYMENTRECON	RECLOC	CHAR	6	Y			
PAYMENTRECON	RECSTATUS	CHAR	1	Y	INDEX		
PAYMENTRECON	SERVICINGCARRIER	VARCHAR	80	Y			
PAYMENTRECON	SORTGROSS	DOUBLE	8	Y			
PAYMENTRECON	STARTDATE	TIMESTAMP	8	Y			
PAYMENTRECON	TRAVELCATEGORY_LINKNO	INTEGER	4	Y		TRAVELCATEGORY.TRAVELCATEGORYNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10
PAYMENTRECON	VENDORNAME	VARCHAR	80	Y			
PAYMENTRECON	VENDORTYPE	INTEGER	4	Y			
PAYMENTRECON	VOIDBKG	CHAR	1	Y			
PAYMENTRECONHEADER	ACHCHECKNO	VARCHAR	40	Y			
PAYMENTRECONHEADER	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PAYMENTRECONHEADER	BANK_LINKNO	INTEGER	4	Y		BANK.BANKNO	
PAYMENTRECONHEADER	DESCRIPTION	VARCHAR	80	Y			
PAYMENTRECONHEADER	PAYDATE	TIMESTAMP	8	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PAYMENTRECONHEADER	PAYMENTRECON_RECNO	INTEGER	4	N			
PAYMENTRECONHEADER	PAYMETHOD	INTEGER	4	Y			
PAYMENTRECONHEADER	PAYORPROFILE_LINKNO	INTEGER	4	Y		PROFILE.PROFILENO	
PAYMENTRECONHEADER	PROVIDER	INTEGER	4	Y			
PAYMENTRECONHEADER	SERVFEE	DOUBLE	8	Y			
PAYMETHOD	METHOD	VARCHAR	20	N			ACH, CC Merchant, Cash, Check, CreditCard, EFT, N/A, Other
PAYMETHOD	PAYMETHODNO	SMALLINT	2	N	PRIMARY		0, 1, 2, 3, 4, 5, 6, 7
PAYSTATUS	PAYSTATUSCODE	CHAR	1	N	PRIMARY		C, N, O, V
PAYSTATUS	STATUS	VARCHAR	20	N			Closed, N/A, Open, Voided
PAYTYPE	PAYTYPE	VARCHAR	20	N			Deposit, Made, Received, Withdrawal
PAYTYPE	PAYTYPENO	SMALLINT	2	N	PRIMARY		1, 2, 3, 4
PHONEDESC	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PHONEDESC	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PHONEDESC	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PHONEDESC	PHONEDESCNO	INTEGER	4	N	PRIMARY		GENERATOR: PHONEDESCNO_GEN
PHONEDESC	PHONEDESCSTR	VARCHAR	30	Y			
PHONEDESC	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRBRANCHSETTINGS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PNRBRANCHSETTINGS	BRANCH_LINKNO	INTEGER	4	N	PRIMARY	BRANCH.BRANCHNO	
PNRBRANCHSETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PNRBRANCHSETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PNRBRANCHSETTINGS	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PNRBRANCHSETTINGS	CRS_LINKNO	INTEGER	4	N	PRIMARY	CRS.CRSNO	
PNRBRANCHSETTINGS	HOSTNAME	VARCHAR	80	Y			
PNRBRANCHSETTINGS	PSEUDOCITY	VARCHAR	8	Y			
PNRBRANCHSETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRENTY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PNRENTY	ALWAYSMOVE	VARCHAR	1	Y			
PNRENTY	ASSIGNPOSITION	VARCHAR	1	Y			
PNRENTY	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
PNRENTY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PNRENTY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PNRENTY	CRS	VARCHAR	20	Y			
PNRENTY	DESCRIPTION	VARCHAR	40	Y			
PNRENTY	DISPLAYONSCREEN	VARCHAR	1	Y			
PNRENTY	ENTRY	VARCHAR	80	Y			
PNRENTY	ENTRYNO	INTEGER	4	N	PRIMARY		GENERATOR: ENTRYID_GEN
PNRENTY	FIELDGROUP	VARCHAR	20	Y			
PNRENTY	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
PNRENTY	PROFILE_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
PNRENTY	SORTNO	INTEGER	4	Y			
PNRENTY	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRRULE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PNRRULE	ALWAYSMOVE	VARCHAR	1	Y			
PNRRULE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PNRRULE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PNRRULE	CRS	VARCHAR	20	Y			
PNRRULE	DESCRIPTION	VARCHAR	40	Y			
PNRRULE	DISPLAYONSCREEN	VARCHAR	1	Y			
PNRRULE	FIELDGROUP	VARCHAR	30	Y			
PNRRULE	PNRRULENO	INTEGER	4	N	PRIMARY		GENERATOR: RULEID_GEN
PNRRULE	RULE	VARCHAR	1024	Y			
PNRRULE	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRRULE	TRANSLATEFORMAT	CHARNOYES	1	Y			
PNRSETTING	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
PNRSETTING	APOLLOTIMEOUT	INTEGER	4	Y			
PNRSETTING	AUTODETECTCHDINFFORMAT	CHAR	1	Y			
PNRSETTING	CHILDNAMEFORMAT	VARCHAR	1024	Y			
PNRSETTING	COMBINESAMENAMEENTRY	CHAR	1	Y			
PNRSETTING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PNRSETTING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PNRSETTING	CRS	VARCHAR	20	N	PRIMARY		Amadeus, Apollo, Galileo, SABRE, Worldspan
PNRSETTING	CRSCOMMTYPE	INTEGER	4	Y			
PNRSETTING	EMAILSYMBOL	VARCHAR	3	Y			
PNRSETTING	ENTRYSORT	VARCHAR	120	Y			
PNRSETTING	FONTNAME	VARCHAR	30	Y			
PNRSETTING	FONTSIZE	INTEGER	4	Y			
PNRSETTING	INFANTNAMEFORMAT	VARCHAR	1024	Y			
PNRSETTING	ONETRANSMISSION	VARCHAR	1	Y			
PNRSETTING	PASSNAMEFORMAT	VARCHAR	1024	Y			
PNRSETTING	PNRSETTINGNO	INTEGER	4	N	PRIMARY		GENERATOR: PNRSETTINGNO_GEN
PNRSETTING	SPECIALKEYS	VARCHAR	120	Y			
PNRSETTING	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRSETTING	USECLIPBOARD	VARCHAR	1	Y			
PNRUSERSETTINGS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PNRUSERSETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PNRUSERSETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PNRUSERSETTINGS	CRS_LINKNO	INTEGER	4	N	FOREIGN	CRS.CRSNO	
PNRUSERSETTINGS	CRSPASSWORD	VARCHAR	20	Y			
PNRUSERSETTINGS	LOGINNAME	VARCHAR	20	Y			
PNRUSERSETTINGS	PNRUSERSETTINGSNO	INTEGER	4	N	PRIMARY		GENERATOR: PNRUSERSETTINGSNO_ GEN
PNRUSERSETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
PNRUSERSETTINGS	USERPROFILE_LINKNO	INTEGER	4	N	FOREIGN	USERPROFILE.USERPROFILENO	
PREFIX	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PREFIX	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PREFIX	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PREFIX	PREFIXNO	INTEGER	4	N	PRIMARY		GENERATOR: PREFIXNO_GEN
PREFIX	PREFIXSTR	VARCHAR	15	Y			Dr., Miss, Ms., Mr., Mr. and Mrs., Mrs., Pastor, Rev.

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PREFIX	SYNCMODDATETIME	TIMESTAMP	8	Y			
PRIVLABLESEGCODES	PRIVLABELNO	INTEGER	4	N	PRIMARY	PROFILE.PRIVLABEL_LINKNO1, PROFILE.PRIVLABEL_LINKNO2, PROFILE.SEG_LINKNO1, PROFILE.SEG_LINKNO2	
PRIVLABLESEGCODES	SEGNAME	VARCHAR	80	Y			
PRIVLABLESEGCODES	SEGNOTES	BLOB	8	Y			
PRIVLABLESEGCODES	SEGNUMBER	INTEGER	4	N	PRIMARY	PROFILE.PRIVLABEL_LINKNO1, PROFILE.PRIVLABEL_LINKNO2, PROFILE.SEG_LINKNO1, PROFILE.SEG_LINKNO2	
PRIVLABLESETTINGS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PRIVLABLESETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PRIVLABLESETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PRIVLABLESETTINGS	HOMEPAGELABEL	VARCHAR	40	Y			
PRIVLABLESETTINGS	HOMEPAGEURL	VARCHAR	128	Y			
PRIVLABLESETTINGS	PRIVATELABEL_LINKNO	INTEGER	4	N			
PRIVLABLESETTINGS	PRIVLABLESETTINGSNO	INTEGER	4	N	PRIMARY		
PRIVLABLESETTINGS	SENDLOGINPARAMS	CHAR	1	Y			
PRIVLABLESETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFAGENTRATEBYTT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFAGENTRATEBYTT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFAGENTRATEBYTT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFAGENTRATEBYTT	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PROFAGENTRATEBYTT	INSIDEAMT	DOUBLE	8	Y			
PROFAGENTRATEBYTT	INSIDERATE	DOUBLE	8	Y			
PROFAGENTRATEBYTT	OUTSIDEAMT	DOUBLE	8	Y			
PROFAGENTRATEBYTT	OUTSIDERATE	DOUBLE	8	Y			
PROFAGENTRATEBYTT	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PROFAGENTRATEBYTT	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFAGENTRATEBYTT	TRAVELTYPE_LINKNO	INTEGER	4	N	PRIMARY	TRAVELTYPE.TRAVELTYPENO	1 thru 50
PROFILE	ADDITIONALNAME	VARCHAR	80	Y			
PROFILE	ADDITIONALNOTES	VARCHAR	128	Y			
PROFILE	ADDRESS1	VARCHAR	80	Y			
PROFILE	ADDRESS2	VARCHAR	80	Y			
PROFILE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFILE	AGENCYREMARKS	BLOB	8	Y			
PROFILE	AIRLINENO	INTEGER	4	Y	INDEX		
PROFILE	ALTINTERFACEID	VARCHAR	20	Y	INDEX		
PROFILE	APTSUITE	VARCHAR	10	Y			
PROFILE	BANKACCOUNTNO	VARCHAR	25	Y			
PROFILE	BANKACCOUNTNOENCRYPT	BLOB	8	Y			
PROFILE	BANKROUTINGNO	VARCHAR	9	Y			
PROFILE	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
PROFILE	BUSINESSTYPE	VARCHAR	50	Y			
PROFILE	CB_NOTES	BLOB	8	Y			
PROFILE	CBNOTESBLOBTYPE_LINKNO	INTEGER	4	N	FOREIGN	BLOBTYPE.BLOBTYPENO	
PROFILE	CBPLOOKUPITEM_LINKNO	INTEGER	4	Y	FOREIGN	CBPLOOKUPITEM.CBPLOOKUPITEMNO	
PROFILE	CHECKREMARKS	VARCHAR	128	Y			
PROFILE	CITY	VARCHAR	80	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PROFILE	COUNTRY	VARCHAR	30	Y			
PROFILE	COURTESYTITLE	VARCHAR	15	Y			
PROFILE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFILE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFILE	CREATEBY	VARCHAR	20	Y			
PROFILE	CREATIONDATE	TIMESTAMP	8	N			
PROFILE	CREDITLIMIT	DOUBLE	8	Y			
PROFILE	FIRSTNAME	VARCHAR	50	Y			
PROFILE	GL_LINKNO	INTEGER	4	Y		GL.GLNO	
PROFILE	GL2_LINKNO	INTEGER	4	Y	FOREIGN	GL.GLNO	
PROFILE	GL2RATE	INTEGER	4	Y			
PROFILE	GLBRANCH_LINKNO	INTEGER	4	Y	FOREIGN	GLBRANCH.GLBRANCHNO	
PROFILE	INTERFACEID	VARCHAR	10	Y	INDEX		GENERATOR: INTERFACEID_GEN
PROFILE	ISACTIVE	CHAR	1	N			
PROFILE	LASTNAME	VARCHAR	50	Y			
PROFILE	MIDDLEINIT	CHAR	50	Y			
PROFILE	MISC1	VARCHAR	20	Y			
PROFILE	MISC2	VARCHAR	20	Y			
PROFILE	MISCECOVALUE	VARCHAR	12	Y			
PROFILE	MODIFYBY	VARCHAR	20	N			
PROFILE	MODIFYDATETIME	TIMESTAMP	8	N			
PROFILE	NAME	VARCHAR	150	Y			
PROFILE	NAMEUPPER	VARCHAR	150	Y	INDEX		
PROFILE	NOTES	VARCHAR	128	Y			
PROFILE	OTHER	VARCHAR	128	Y			
PROFILE	OUTSIDERATE	DOUBLE	8	Y			
PROFILE	PAYEENAME	VARCHAR	128	Y			
PROFILE	PREFERREDVENDOR	CHARNOYES	1	Y	INDEX		
PROFILE	PRIMARYAGENT_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
PROFILE	PRIVLABEL_LINKNO1	INTEGER	4	Y	FOREIGN	PRIVLABELSEGCODES.PRIVLABELNO, PRIVLABELSEGCODES.SEGNUMBER	
PROFILE	PRIVLABEL_LINKNO2	INTEGER	4	Y	FOREIGN	PRIVLABELSEGCODES.PRIVLABELNO, PRIVLABELSEGCODES.SEGNUMBER	
PROFILE	PROFILEID	VARCHAR	80	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
						ACTIVITY.PROFILE_LINKNO, ADDRESS.PROFILE_LINKNO, ADDRINSTANCE.PROFILE_LINKNO, AGENTADJUSTMENT.PROFILE_LINKNO, AGENTBKG.AGENT_LINKNO, ARCADJUSTMENT.INSIDEAGENT_LINKNO, ARCADJUSTMENT.OUTSIDEAGENT_LINKNO, ATTACHMENT.PROFILE_LINKNO, BOOKING.VENDOR_LINKNO, BROCHURE.PROFILE_LINKNO, CBPPROFCROSSREF.PROFILE_LINKNO, CC.PROFILE_LINKNO, CCPROCESSORS.PROFILE_LINKNO, CLIENTAGENT.AGENT_LINKNO, CLIENTAGENT.CLIENT_LINKNO, COMMUNICATION.PROFILE_LINKNO, EMAILREQUEST.PROFILE_LINKNO, INVENTORY.SERVICEPROVIDER_LINKNO, INVENTORY.VENDOR_LINKNO, INVOICE.CLIENT_LINKNO, ITININVREMARKS.PROFILE_LINKNO, MARKETING.PROFILE_LINKNO, NEWPROFDEFAULT.AGENT_LINKNO, PASPREFVENDOR.VENDOR_LINKNO, PAYABLE.PROFILE_LINKNO, PAYMENT.PROFILE_LINKNO, PAYMENTRECONHEADER.PAYORPROFILE_LINKNO, PNRENTY.PROFILE_LINKNO, PROFAGENTRATEBYTT.PROFILE_LINKNO, PROFILE.PRIMARYAGENT_LINKNO, PROFILECROSSREF.PROFILE_LINKNO, PROFILEMARKETING.PROFILE_LINKNO, PROFILEPASSENGER.PROFILE_LINKNO, PROFILETRVL.CAT.PROFILE_LINKNO, PROFMOREFIELD.PROFILE_LINKNO, PROFPROVLINK.PROFILE_LINKNO, RESCARD.CREATEAGENT_LINKNO, RESCARD.PROFILE_LINKNO, RESCARDRESERVATION.VENDOR_LINKNO, SPECIALDATE.PROFILE_LINKNO, USERPROFILE.CBPDEFAGENTPROFILE_LINKNO, VENDORLIVECONNECT.PROFILE_LINKNO	
PROFILE	PROFILENO	INTEGER	4	N	PRIMARY		GENERATOR: PROFILENO_GENERATOR
PROFILE	PROFILETYPE_LINKCODE	CHAR	1	N	INDEX	PROFILETYPE.PROFILETYPECODE	A, C, I, O, V
PROFILE	RATE1	DOUBLE	8	Y			
PROFILE	REFERREDBY	VARCHAR	30	Y			
PROFILE	SALUTATION	VARCHAR	82	Y			
PROFILE	SEG_LINKNO1	INTEGER	4	Y	FOREIGN	PRIVLABELSEGCODES.PRIVLABELNO, PRIVLABELSEGCODES.SEGNUMBER	
PROFILE	SEG_LINKNO2	INTEGER	4	Y	FOREIGN	PRIVLABELSEGCODES.PRIVLABELNO, PRIVLABELSEGCODES.SEGNUMBER	
PROFILE	SERVICEPROVIDERONLY	VARCHAR	1	Y	INDEX		
PROFILE	SPUNIQUEID	VARCHAR	30	Y			
PROFILE	STATE	VARCHAR	3	Y			
PROFILE	STMTREMARKS	VARCHAR	128	Y			
PROFILE	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFILE	TITLE	VARCHAR	15	Y			
PROFILE	TRAVELPREF	VARCHAR	128	Y			
PROFILE	UNAPPLIEDBALANCE	DOUBLE	8	N			
PROFILE	VENDORID	VARCHAR	10	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PROFILE	WEBID	VARCHAR	128	Y			
PROFILE	WEBPASSWORD	VARCHAR	128	Y			
PROFILE	ZIP	VARCHAR	12	Y			
PROFILE_AIRLINE	ADDITIONALNOTES	VARCHAR	128	Y			
PROFILE_AIRLINE	ADDRESS1	VARCHAR	80	Y			
PROFILE_AIRLINE	ADDRESS2	VARCHAR	80	Y			
PROFILE_AIRLINE	AIRLINENO	INTEGER	4	Y	INDEX		
PROFILE_AIRLINE	BUSINESSTYPE	VARCHAR	50	Y			
PROFILE_AIRLINE	CITY	VARCHAR	80	Y			
PROFILE_AIRLINE	COUNTRY	VARCHAR	30	Y			
PROFILE_AIRLINE	COURTESYTITLE	VARCHAR	15	Y			
PROFILE_AIRLINE	CREATIONDATE	TIMESTAMP	8	N			
PROFILE_AIRLINE	EMAIL	VARCHAR	50	Y			
PROFILE_AIRLINE	FAX	VARCHAR	50	Y			
PROFILE_AIRLINE	FIRSTNAME	VARCHAR	50	Y			
PROFILE_AIRLINE	INTERFACEID	VARCHAR	10	Y	INDEX		GENERATOR: INTERFACEID_GEN
PROFILE_AIRLINE	LASTNAME	VARCHAR	50	Y			
PROFILE_AIRLINE	MIDDLEINIT	CHAR	50	Y			
PROFILE_AIRLINE	MODIFYBY	VARCHAR	10	N			
PROFILE_AIRLINE	MODIFYDATETIME	TIMESTAMP	8	N			
PROFILE_AIRLINE	NAME	VARCHAR	150	Y	INDEX		
PROFILE_AIRLINE	NAMEUPPER	VARCHAR	150	Y			
PROFILE_AIRLINE	NOTES	VARCHAR	128	Y			
PROFILE_AIRLINE	OTHER	VARCHAR	128	Y			
PROFILE_AIRLINE	PHONE1	VARCHAR	50	Y			
PROFILE_AIRLINE	PHONE2	VARCHAR	50	Y			
PROFILE_AIRLINE	PREFERREDVENDOR	CHAR	1	Y			
PROFILE_AIRLINE	PROFILEGROUP	VARCHAR	128	Y			
PROFILE_AIRLINE	PROFILENO	INTEGER	4	N	PRIMARY		GENERATOR: PROFILENO_GENERATOR
PROFILE_AIRLINE	RATE1	DOUBLE	8	Y			
PROFILE_AIRLINE	STATE	CHAR	3	Y			
PROFILE_AIRLINE	STMTREMARKS	VARCHAR	128	Y			
PROFILE_AIRLINE	TITLE	VARCHAR	15	Y			
PROFILE_AIRLINE	ZIP	VARCHAR	12	Y			
PROFILEADDRVIEW	ADDITIONALNOTES	VARCHAR	128	Y			
PROFILEADDRVIEW	ADDRESS1	VARCHAR	80	Y			
PROFILEADDRVIEW	ADDRESS2	VARCHAR	80	Y			
PROFILEADDRVIEW	BUSINESSTYPE	VARCHAR	50	Y			
PROFILEADDRVIEW	CITY	VARCHAR	80	Y			
PROFILEADDRVIEW	COUNTRY	VARCHAR	80	Y			
PROFILEADDRVIEW	COURTESYTITLE	VARCHAR	15	Y			
PROFILEADDRVIEW	CREATIONDATE	TIMESTAMP	8	Y			
PROFILEADDRVIEW	CREDITLIMIT	DOUBLE	8	Y			
PROFILEADDRVIEW	EMAIL	VARCHAR	200	Y			
PROFILEADDRVIEW	FAX	VARCHAR	200	Y			
PROFILEADDRVIEW	FIRSTNAME	VARCHAR	30	Y			
PROFILEADDRVIEW	INTERFACEID	VARCHAR	10	Y			GENERATOR: INTERFACEID_GEN

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PROFILEADDRVIEW	LASTNAME	VARCHAR	50	Y			
PROFILEADDRVIEW	MIDDLEINIT	CHAR	40	Y			
PROFILEADDRVIEW	NAME	VARCHAR	80	Y			
PROFILEADDRVIEW	NAMEUPPER	VARCHAR	80	Y			
PROFILEADDRVIEW	NOTES	VARCHAR	128	Y			
PROFILEADDRVIEW	OTHER	VARCHAR	128	Y			
PROFILEADDRVIEW	PHONE	VARCHAR	200	Y			
PROFILEADDRVIEW	PROFILENO	INTEGER	4	Y			GENERATOR: PROFILENO_GENERATOR
PROFILEADDRVIEW	PROFILETYPE_LINKCODE	CHAR	1	Y		PROFILETYPE.PROFILETYPECODE	A, C, I, O, V
PROFILEADDRVIEW	STATE	VARCHAR	30	Y			
PROFILEADDRVIEW	STMTREMARKS	VARCHAR	128	Y			
PROFILEADDRVIEW	TITLE	VARCHAR	15	Y			
PROFILEADDRVIEW	TRAVELPREF	VARCHAR	128	Y			
PROFILEADDRVIEW	UNAPPLIEDBALANCE	DOUBLE	8	Y			
PROFILEADDRVIEW	ZIP	VARCHAR	12	Y			
PROFILECROSSREF	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFILECROSSREF	LOGINNAME	VARCHAR	20	N	PRIMARY		
PROFILECROSSREF	PASSENGER_LINKNO	INTEGER	4	N	PRIMARY	PASSENGER.PASSENGERNO	
PROFILECROSSREF	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PROFILECROSSREF	PROFILETYPE_LINKCODE	CHAR	1	N		PROFILETYPE.PROFILETYPECODE	
PROFILEMARKETING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFILEMARKETING	CODE_LINKNO	INTEGER	4	N	PRIMARY	MARKETINGCODE.CODENO	
PROFILEMARKETING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFILEMARKETING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFILEMARKETING	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PROFILEMARKETING	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PROFILEMARKETING	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFILEMARKETING	CHECKED	CHARNOYES	1	Y			
PROFILEPASSENGER	AGENCY_LINKNO	INTEGER	4	N			
PROFILEPASSENGER	CREATE_DBGUIDNO	INTEGER	4	N	INDEX		
PROFILEPASSENGER	CREATE_RECNO1	INTEGER	4	N	INDEX		
PROFILEPASSENGER	CREATE_RECNO2	INTEGER	4	N	INDEX		
PROFILEPASSENGER	DEPT	VARCHAR	40	Y			
PROFILEPASSENGER	ISPRIMARY	CHAR	1	Y			
PROFILEPASSENGER	PASSENGER_LINKNO	INTEGER	4	N	PRIMARY		
PROFILEPASSENGER	PROFILE_LINKNO	INTEGER	4	N	PRIMARY		
PROFILEPASSENGER	RELATIONSHIP	VARCHAR	50	Y			
PROFILEPASSENGER	SORTNO	INTEGER	4	Y			
PROFILEPASSENGER	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFILETRVLCAT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFILETRVLCAT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFILETRVLCAT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFILETRVLCAT	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PROFILETRVLCAT	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PROFILETRVLCAT	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFILETRVLCAT	TRAVELCATEGORY_LINKNO	SMALLINT	2	N	PRIMARY	TRAVELCATEGORY.TRAVELCATEGOR YNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PROFILETYPE	PROFILETYPE	VARCHAR	20	N			Agent, Corporate, Leisure, Other, Vendor
PROFILETYPE	PROFILETYPECODE	CHAR	1	N	PRIMARY	PROFILECROSSREF.PROFILETYPE_LIN KCODE	A, C, I, O, V
PROFILEVIEW	FIRSTANDLAST	VARCHAR	81	N			
PROFILEVIEW	FIRSTANDLASTUPPER	VARCHAR	81	N			
PROFILEVIEW	LASTANDFIRST	VARCHAR	81	N			
PROFILEVIEW	LASTANDFIRSTUPPER	VARCHAR	81	N			
PROFMANDATORY	ADDR1	VARCHAR	1	Y			
PROFMANDATORY	ADDR2	VARCHAR	1	Y			
PROFMANDATORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFMANDATORY	AGENTREMARKS	VARCHAR	1	Y			
PROFMANDATORY	APPTYPE_LINKNO	INTEGER	4	Y	FOREIGN	APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
PROFMANDATORY	APTSUITE	VARCHAR	1	Y			
PROFMANDATORY	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
PROFMANDATORY	BRANCHNO	VARCHAR	1	Y			
PROFMANDATORY	CITY	VARCHAR	1	Y			
PROFMANDATORY	COUNTRY	VARCHAR	1	Y			
PROFMANDATORY	COURTTITLE	VARCHAR	1	Y			
PROFMANDATORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFMANDATORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFMANDATORY	FIRSTNAME	VARCHAR	1	Y			
PROFMANDATORY	INTERFACEID	VARCHAR	1	Y			GENERATOR: INTERFACEID_GEN
PROFMANDATORY	LASTNAME	VARCHAR	1	Y			
PROFMANDATORY	LIVECONNECT	VARCHAR	1	Y			
PROFMANDATORY	MIDINIT	VARCHAR	1	Y			
PROFMANDATORY	MISC1	VARCHAR	1	Y			
PROFMANDATORY	MISC2	VARCHAR	1	Y			
PROFMANDATORY	PASSBDAY	VARCHAR	1	Y			
PROFMANDATORY	PASSBMONTH	VARCHAR	1	Y			
PROFMANDATORY	PASSBYEAR	VARCHAR	1	Y			
PROFMANDATORY	PASSCITIZENSHIP	VARCHAR	1	Y			
PROFMANDATORY	PASSCTITLE	VARCHAR	1	Y			
PROFMANDATORY	PASSEMERGNCMISC	VARCHAR	1	Y			
PROFMANDATORY	PASSEMERGNcname	VARCHAR	1	Y			
PROFMANDATORY	PASSEMERGNCPHONE	VARCHAR	1	Y			
PROFMANDATORY	PASSFIRSTNAME	VARCHAR	1	Y			
PROFMANDATORY	PASSGENDER	VARCHAR	1	Y			
PROFMANDATORY	PASSKNOWNTRAVNO	VARCHAR	1	Y			
PROFMANDATORY	PASSLASTNAME	VARCHAR	1	Y			
PROFMANDATORY	PASSMIDDLENAME	VARCHAR	1	Y			
PROFMANDATORY	PASSPRIMPASSEXPd	VARCHAR	1	Y			
PROFMANDATORY	PASSPRIMPASSISSUECITY	VARCHAR	1	Y			
PROFMANDATORY	PASSPRIMPASSISSUED	VARCHAR	1	Y			
PROFMANDATORY	PASSPRIMPASSPNO	VARCHAR	1	Y			
PROFMANDATORY	PASSREDRESSNO	VARCHAR	1	Y			
PROFMANDATORY	PASSRELATIONSHIP	VARCHAR	1	Y			
PROFMANDATORY	PASSSALNICKNAME	VARCHAR	1	Y			
PROFMANDATORY	PREFERRED	VARCHAR	1	Y			
PROFMANDATORY	PRIMAGENT	VARCHAR	1	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
PROFMANDATORY	PRIMEMAILADDR	VARCHAR	1	Y			
PROFMANDATORY	PRIMFAXDESC	VARCHAR	1	Y			
PROFMANDATORY	PRIMFAXNO	VARCHAR	1	Y			
PROFMANDATORY	PRIMPHONEDESC	VARCHAR	1	Y			
PROFMANDATORY	PRIMPHONENO	VARCHAR	1	Y			
PROFMANDATORY	PRIMWEBADDR	VARCHAR	1	Y			
PROFMANDATORY	PROFILEID	VARCHAR	1	Y			
PROFMANDATORY	PROFILETYPE_LINKCODE	VARCHAR	1	Y			
PROFMANDATORY	PROFMANDATORYNO	INTEGER	4	N	PRIMARY	MARKMANDATORY.PROFMANDATORY_LINKNO, MOREFIELDMANDATORY.PROFMANDATORY_LINKNO	GENERATOR: PROFMANDATORYNO_GEN
PROFMANDATORY	PROFNAME	VARCHAR	1	Y			
PROFMANDATORY	REFERREDBY	VARCHAR	1	Y			
PROFMANDATORY	REMARKS	VARCHAR	1	Y			
PROFMANDATORY	SALUTATION	VARCHAR	1	Y			
PROFMANDATORY	SPECIALDATE1	VARCHAR	1	Y			
PROFMANDATORY	SPECIALDATE2	VARCHAR	1	Y			
PROFMANDATORY	STATE	VARCHAR	1	Y			
PROFMANDATORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFMANDATORY	TRAVCAT	VARCHAR	1	Y			
PROFMANDATORY	TRAVELERID	VARCHAR	1	Y			
PROFMANDATORY	VENDORID	VARCHAR	1	Y			
PROFMANDATORY	WEBID	VARCHAR	1	Y			
PROFMANDATORY	WEBPASS	VARCHAR	1	Y			
PROFMANDATORY	ZIPCODE	VARCHAR	1	Y			
PROFMANDATORY	PASSEMERGNCEMAIL	VARCHAR	1	Y			
PROFMANDATORY	EMERGNCRELATIONSHIP	VARCHAR	1	Y			
PROFMOREFIELD	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFMOREFIELD	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFMOREFIELD	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFMOREFIELD	FIELDVALUE	VARCHAR	80	Y	INDEX		
PROFMOREFIELD	MOREFIELDCAT_LINKNO	INTEGER	4	N	FOREIGN	MOREFIELDCAT.MOREFIELDCATNO	
PROFMOREFIELD	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
PROFMOREFIELD	PROFMOREFIELDNO	INTEGER	4	N	PRIMARY		GENERATOR: PROFMOREFIELDNO_GEN
PROFMOREFIELD	SYNCMODDATETIME	TIMESTAMP	8	Y			
PROFPROVLINK	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
PROFPROVLINK	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
PROFPROVLINK	CREATE_RECNO1	INTEGER	4	Y	INDEX		
PROFPROVLINK	CREATE_RECNO2	INTEGER	4	Y	INDEX		
PROFPROVLINK	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	
PROFPROVLINK	PROVIDER_LINKNO	INTEGER	4	N	PRIMARY	RESCARDPROVIDER.PROVIDERNO	
PROFPROVLINK	SYNCMODDATETIME	TIMESTAMP	8	Y			
RAIL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RAIL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RAIL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RAIL	RAILCODE	VARCHAR	4	Y			
RAIL	RAILNAME	VARCHAR	80	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RAIL	RAILNO	INTEGER	4	N	PRIMARY		GENERATOR: RAILNO_GEN
RAIL	SYNCMODDATETIME	TIMESTAMP	8	Y			
RAILTYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RAILTYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RAILTYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RAILTYPE	RAILTYPE	INTEGER	4	N	PRIMARY		GENERATOR: RAILTYPE_GEN
RAILTYPE	RAILTYPESTR	VARCHAR	15	Y			
RAILTYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			
REFERREDBY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
REFERREDBY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
REFERREDBY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
REFERREDBY	REFERREDBYNO	INTEGER	4	N	PRIMARY		GENERATOR: REFERREDBYNO_GEN
REFERREDBY	REFERREDBYSTR	VARCHAR	30	Y			Client, Direct Mail, Internet, Newspaper, Signage, Walk- in, Word of Mouth, Yellow Pages
REFERREDBY	SYNCMODDATETIME	TIMESTAMP	8	Y			
REGION	REGIONNO	INTEGER	4	N	PRIMARY	DESTBYREGION.REGION_LINKNO, INVENTORY.REGION_LINKNO, RESCARD.REGION_LINKNO	
REGION	REGIONSTR	VARCHAR	40	Y			
REGIONTAXRATE	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
REGIONTAXRATE	COUNTRYCODE	CHAR	2	N	UNIQUE		
REGIONTAXRATE	CREATE_DBGUIDNO	INTEGER	4	Y			
REGIONTAXRATE	CREATE_RECNO1	INTEGER	4	Y			
REGIONTAXRATE	RATE	DOUBLE	8	N			
REGIONTAXRATE	REGIONCODE	VARCHAR	15	N	UNIQUE		
REGIONTAXRATE	REGIONTAXRATENO	INTEGER	4	N	PRIMARY		GENERATOR: REGIONTAXRATENO_GEN
REGIONTAXRATE	SYNCMODDATETIME	TIMESTAMP	8	Y			
REGIONTAXRATE	TAXCODE	VARCHAR	5	N	UNIQUE		
RELATIONSHIP	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RELATIONSHIP	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RELATIONSHIP	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RELATIONSHIP	RELATIONSHIPNO	INTEGER	4	N	PRIMARY		GENERATOR: RELATIONSHIPNO_GEN
RELATIONSHIP	RELATIONSHIPSTR	VARCHAR	50	Y			Daughter, Friend, Primary, Son, Spouse
RELATIONSHIP	SYNCMODDATETIME	TIMESTAMP	8	Y			
REMINDERREGARDING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
REMINDERREGARDING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
REMINDERREGARDING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
REMINDERREGARDING	REMINDERREGARDINGNO	INTEGER	4	N	PRIMARY		GENERATOR: REMINDERREGARDINGNO_GEN

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
REMINDERREGARDING	REMINDERREGARDINGSTR	VARCHAR	50	Y			Bi-Annual Touch Base, Check for Documents, Check for Payment, Send Gift, Trip Inquiry Follow-up, Welcome Home
REMINDERREGARDING	SYNCMODDATETIME	TIMESTAMP	8	Y			
REMINDERTYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
REMINDERTYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
REMINDERTYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
REMINDERTYPE	REMINDERTYPENO	INTEGER	4	N	PRIMARY		GENERATOR: REMINDERTYPENO_GEN
REMINDERTYPE	REMINDERTYPESTR	VARCHAR	20	Y			Appointment, Mail/FAX, Phone Call, Task
REMINDERTYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			
REPORTHEADERFOOTER	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
REPORTHEADERFOOTER	APPTYPE_LINKNO	INTEGER	4	N		APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
REPORTHEADERFOOTER	BOTTOMMARGIN	DOUBLE	8	Y			
REPORTHEADERFOOTER	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
REPORTHEADERFOOTER	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
REPORTHEADERFOOTER	CREATE_RECNO1	INTEGER	4	Y	INDEX		
REPORTHEADERFOOTER	DESCRIPTION	VARCHAR	80	Y			
REPORTHEADERFOOTER	DOCTEMP_LINKNO	INTEGER	4	Y	FOREIGN	DOCTEMPLATES.DOCTEMPLATENO	
REPORTHEADERFOOTER	FIRSTPAGEONLY	CHAR	1	Y			
REPORTHEADERFOOTER	FOOTER	BLOB	8	Y			
REPORTHEADERFOOTER	FOOTERPAGEIND	INTEGER	4	Y			
REPORTHEADERFOOTER	HEADER	BLOB	8	Y			
REPORTHEADERFOOTER	HEADERFOOTERNO	INTEGER	4	N	PRIMARY		GENERATOR: HEADERFOOTERNO_GEN
REPORTHEADERFOOTER	HEADERPAGEIND	INTEGER	4	Y			
REPORTHEADERFOOTER	ISDEFAULT	CHAR	1	Y			
REPORTHEADERFOOTER	LEFTMARGIN	DOUBLE	8	Y			
REPORTHEADERFOOTER	REPORTFOOTER	BLOB	8	Y			
REPORTHEADERFOOTER	REPORTHEADER	BLOB	8	Y			
REPORTHEADERFOOTER	RIGHTMARGIN	DOUBLE	8	Y			
REPORTHEADERFOOTER	SETUPIND	INTEGER	4	N			
REPORTHEADERFOOTER	SYNCMODDATETIME	TIMESTAMP	8	Y			
REPORTHEADERFOOTER	TOPMARGIN	DOUBLE	8	Y			
RESCARD	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARD	AGENTREMARKS	BLOB	8	Y			
RESCARD	ALLOWTRACKFOREIGNCURR	CHAR	1	Y			
RESCARD	BILLTOADDRESS	VARCHAR	256	Y			
RESCARD	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
RESCARD	CLIENTFEEDBACK	BLOB	8	Y			
RESCARD	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARD	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARD	CREATEAGENT_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
RESCARD	CREATEDATE	TIMESTAMP	8	Y	INDEX		
RESCARD	DATECHANGEFLAG	INTEGER	4	N			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARD	DESTINATIONBYREGION	VARCHAR	30	Y			
RESCARD	GROUPNAME	VARCHAR	128	Y			
RESCARD	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
RESCARD	REGION_LINKNO	INTEGER	4	Y	FOREIGN	REGION.REGIONNO	
						ACTIVITY.RESCARD_LINKNO, ATTACHMENT.RESCARD_LINKNO, RESCARDDESTINATION. RESCARD_LINKNO, RESCARDMOREFIELD.RESCARD_LINK NO, RESCARDPASSENGERS.RESCARD_LIN KNO, RESCARDRESERVATION.RESCARD_LI NKNO	GENERATOR: RESCARDNO_GENERATO R
RESCARD	RESCARDNO	INTEGER	4	N	PRIMARY		
RESCARD	RESCYCLE	VARCHAR	30	Y	INDEX		
RESCARD	SHIPTOADDRESS	VARCHAR	256	Y			
RESCARD	STATUS	SMALLINT	2	Y	INDEX		0, 1, 2
RESCARD	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARD	TRIPENDDATE	TIMESTAMP	8	Y	INDEX		
RESCARD	TRIPLOCATOR	VARCHAR	20	Y			
RESCARD	TRIPSOURCE	VARCHAR	30	Y			
RESCARD	TRIPSTARTDATE	TIMESTAMP	8	Y	INDEX		
RESCARD	TRIPTITLE	VARCHAR	30	Y			
RESCARD	USEPROFBILLTO	CHAR	1	Y			
RESCARD	USEPROFSHIPTO	CHAR	1	Y			
RESCARDAMOUNT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
							GENERATOR: AMOUNTNO_GENERATO R
RESCARDAMOUNT	AMOUNTNO	INTEGER	4	N	PRIMARY		
RESCARDAMOUNT	BASE	DOUBLE	8	Y			
RESCARDAMOUNT	COMMISSION	DOUBLE	8	Y			
RESCARDAMOUNT	COMMPERCENT	INTEGER	4	Y			
RESCARDAMOUNT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDAMOUNT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDAMOUNT	DESCRIPTION	VARCHAR	100	Y			
RESCARDAMOUNT	PASSENGER	VARCHAR	40	Y			
RESCARDAMOUNT	PLUSMINUS	VARCHAR	1	Y			
RESCARDAMOUNT	PRINTREMONINV	CHAR	1	Y			
RESCARDAMOUNT	QTY	INTEGER	4	Y			
RESCARDAMOUNT	REMARKS	VARCHAR	500	Y			
RESCARDAMOUNT	RESERVATION_LINKNO	INTEGER	4	N	FOREIGN	RESCARDRESERVATION.RESERVATIO NNO	
RESCARDAMOUNT	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDAMOUNT	TAX	DOUBLE	8	Y			
RESCARDAMOUNT	TAXPERCENT	INTEGER	4	Y			
RESCARDAMOUNT	TRAVELCATEGORY_LINKNO	SMALLINT	2	Y			
RESCARDAMOUNT	SORTNO	INTEGER		N			
RESCARDDESTINATION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDDESTINATION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDDESTINATION	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDDESTINATION	DESTINATION	VARCHAR	80	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDDESTINATION	RESCARD_LINKNO	INTEGER	4	N	FOREIGN	RESCARD.RESCARDNO	
RESCARDDESTINATION	RESCARDDESTINATIONNO	INTEGER	4	N	PRIMARY		GENERATOR: RESCARDDESTINATIONNO_GEN
RESCARDDESTINATION	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDMOREFIELD	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDMOREFIELD	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDMOREFIELD	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDMOREFIELD	FIELDVALUE	VARCHAR	80	Y			
RESCARDMOREFIELD	PRINTONINVOICE	CHAR	1	Y			
RESCARDMOREFIELD	RESCARD_LINKNO	INTEGER	4	N	FOREIGN	RESCARD.RESCARDNO	
RESCARDMOREFIELD	RESCARDMOREFIELDSCAT_LINKNO	INTEGER	4	N	FOREIGN	RESCARDMOREFIELDSCAT.RESCARDMOREFIELDSCATNO	
RESCARDMOREFIELD	RESCARDMOREFIELDNO	INTEGER	4	N	PRIMARY		GENERATOR: RESCARDMOREFIELDNO_GEN
RESCARDMOREFIELD	RESERVATION_LINKNO	INTEGER	4	Y	FOREIGN	RESCARDRESERVATION.RESERVATIONNO	
RESCARDMOREFIELD	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDMOREFIELDSCAT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDMOREFIELDSCAT	CATEGORY	VARCHAR	20	Y			
RESCARDMOREFIELDSCAT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDMOREFIELDSCAT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDMOREFIELDSCAT	FORMATTYPE	INTEGER	4	N			
RESCARDMOREFIELDSCAT	MAXLENGTH	INTEGER	4	N			
RESCARDMOREFIELDSCAT	PROFMOREFIELDSCAT_LINKNO	INTEGER	4	Y	FOREIGN	MOREFIELDSCAT.MOREFIELDSCATNO	
RESCARDMOREFIELDSCAT	RESCARDMOREFIELDSCATNO	INTEGER	4	N	PRIMARY	NEWRESMOREFIELDDEFAULT.RESCARDMOREFIELDSCAT_LINKNO, RESCARDMOREFIELD.RESCARDMOREFIELDSCAT_LINKNO, RESCARDMOREFIELDITEM.RESCARDMOREFIELDSCAT_LINKNO, RESMANDATORYMF.RESCARDMOREFIELDSCAT_LINKNO	GENERATOR: RESCARDMOREFIELDSCATNO_GEN
RESCARDMOREFIELDSCAT	SORTNO	INTEGER	4	Y			
RESCARDMOREFIELDSCAT	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDMOREFIELDSCAT	UDIDNO	INTEGER	4	Y			
RESCARDMOREFIELDSCAT	ISACTIVE	CHARNOYES	1	Y			
RESCARDMOREFIELDITEM	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDMOREFIELDITEM	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDMOREFIELDITEM	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDMOREFIELDITEM	ITEMVALUE	VARCHAR	80	Y			
RESCARDMOREFIELDITEM	RESCARDMOREFIELDSCAT_LINKNO	INTEGER	4	N	FOREIGN	RESCARDMOREFIELDSCAT.RESCARDMOREFIELDSCATNO	
RESCARDMOREFIELDITEM	RESCARDMOREFIELDITEMNO	INTEGER	4	N	PRIMARY		GENERATOR: RESCARDMOREFIELDITEMNO_GEN
RESCARDMOREFIELDITEM	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDPASSENGERS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDPASSENGERS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDPASSENGERS	CREATE_RECNO1	INTEGER	4	Y	INDEX		

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDPASSENGERS	MIDDLENAME	VARCHAR	50	Y			
RESCARDPASSENGERS	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
RESCARDPASSENGERS	PASSFIRSTNAME	VARCHAR	50	Y			
RESCARDPASSENGERS	PASSLASTNAME	VARCHAR	50	Y			
RESCARDPASSENGERS	PASSNAME	VARCHAR	150	Y			
RESCARDPASSENGERS	PASSTYPE	VARCHAR	10	Y			
RESCARDPASSENGERS	PRIMARYPASSENGER	VARCHAR	1	Y			
RESCARDPASSENGERS	RESCARD_LINKNO	INTEGER	4	N	FOREIGN	RESCARD.RESCARDNO	
RESCARDPASSENGERS	RESCARDPASSENGERNO	INTEGER	4	N	PRIMARY	RESRVTPASSENGERS.RESCARDPASSENGER_LINKNO, RESROVPASSENGERS.RESCARDPASSENGER_LINKNO	GENERATOR: RESCARDPASSENGERNO_GENERATOR
RESCARDPASSENGERS	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDPROVIDER	ADDRCOUNTRY	VARCHAR	20	Y			
RESCARDPROVIDER	ADDRLINE1	VARCHAR	50	Y			
RESCARDPROVIDER	ADDRPHONE	VARCHAR	40	Y			
RESCARDPROVIDER	ADDRZIP	VARCHAR	12	Y			
RESCARDPROVIDER	AGENTREMARKS	BLOB	8	Y			
RESCARDPROVIDER	AIRCRAFTLOCATOR	VARCHAR	12	Y			
RESCARDPROVIDER	AIRCRAFTTYPE	VARCHAR	15	Y			
RESCARDPROVIDER	ARRIVECITYCODE	VARCHAR	3	Y			
RESCARDPROVIDER	ARRIVECITYNAME	VARCHAR	80	Y			
RESCARDPROVIDER	BASE	DOUBLE	8	Y			
RESCARDPROVIDER	BEDDING	VARCHAR	128	Y			
RESCARDPROVIDER	CABINROOM	VARCHAR	20	Y			
RESCARDPROVIDER	CATEGORY	VARCHAR	40	Y			
RESCARDPROVIDER	CHECKINTERMINAL	VARCHAR	20	Y			
RESCARDPROVIDER	CHECKINTIME	TIMESTAMP	8	Y			
RESCARDPROVIDER	CHECKOUTTERMINAL	VARCHAR	20	Y			
RESCARDPROVIDER	CLIENTFEEDBACK	BLOB	8	Y			
RESCARDPROVIDER	COMMISSION	DOUBLE	8	Y			
RESCARDPROVIDER	COMMPERCENT	INTEGER	4	Y			
RESCARDPROVIDER	CONNECTINGFLIGHT	VARCHAR	1	Y			
RESCARDPROVIDER	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDPROVIDER	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDPROVIDER	DATECHANGEFLAG	INTEGER	4	N			
RESCARDPROVIDER	DEDUCTIBLES	INTEGER	4	Y			
RESCARDPROVIDER	DEPARTCITYCODE	VARCHAR	3	Y			
RESCARDPROVIDER	DEPARTCITYNAME	VARCHAR	80	Y			
RESCARDPROVIDER	DESCRIPTION	VARCHAR	256	Y			
RESCARDPROVIDER	DINING	VARCHAR	30	Y			
RESCARDPROVIDER	ENDDATE	TIMESTAMP	8	Y	INDEX		
RESCARDPROVIDER	ENDTIME	TIMESTAMP	8	Y			
RESCARDPROVIDER	FLIGHTLENGTH	VARCHAR	6	Y			
RESCARDPROVIDER	FLIGHTNO	VARCHAR	10	Y			
RESCARDPROVIDER	MAXCOVEREGE	INTEGER	4	Y			
RESCARDPROVIDER	MEALSERVICE	VARCHAR	35	Y			
RESCARDPROVIDER	MISCELLANEOUS	VARCHAR	128	Y			
RESCARDPROVIDER	NOOFSTOPS	INTEGER	4	Y			
RESCARDPROVIDER	PRINTPROVADDR	CHAR	1	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDPROVIDER	PROVIDERNO	INTEGER	4	N	PRIMARY	RESCARDSEGMENT.PROVIDER_LINKNO, RESPROVPASSENGERS.PROVIDER_LINKNO	GENERATOR: PROVIDERNO_GENERATOR
RESCARDPROVIDER	PROVIDERTYPE	SMALLINT	2	Y	INDEX		
RESCARDPROVIDER	RESERVATION_LINKNO	INTEGER	4	N	FOREIGN	RESCARDRESERVATION.RESERVATIONNO	
RESCARDPROVIDER	SEGMENTMILEAGE	INTEGER	4	Y			
RESCARDPROVIDER	SERVICEPROVIDERCODE	VARCHAR	8	Y			
RESCARDPROVIDER	SERVICEPROVIDERNAME	VARCHAR	80	Y	INDEX		
RESCARDPROVIDER	SHIPDECK	VARCHAR	20	Y			
RESCARDPROVIDER	SMOKING	VARCHAR	1	Y			
RESCARDPROVIDER	SORTITINBYDATE	CHAR	1	Y			
RESCARDPROVIDER	SORTNO	INTEGER	4	Y			
RESCARDPROVIDER	STARTDATE	TIMESTAMP	8	Y	INDEX		
RESCARDPROVIDER	STARTTIME	TIMESTAMP	8	Y			
RESCARDPROVIDER	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDPROVIDER	TAX	DOUBLE	8	Y			
RESCARDPROVIDER	TAXPERCENT	INTEGER	4	Y			
RESCARDPROVIDER	TICKETDESIG	VARCHAR	25	Y			
RESCARDPROVIDER	TRAVELCATEGORY_LINKNO	INTEGER		N		YNO	
RESCARDRESERVATION	ADJUSTMENTAMT	DOUBLE	8	Y			
RESCARDRESERVATION	ADJUSTMENTRATE	DOUBLE	8	Y			
RESCARDRESERVATION	ADJUSTMENTTYPE	INTEGER	4	Y			
RESCARDRESERVATION	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDRESERVATION	AGENCYCONVRATE	DOUBLE	8	Y			
RESCARDRESERVATION	AGENTREMARKS	BLOB	8	Y			
RESCARDRESERVATION	ALLOWMULTICURRENCY	CHAR	1	Y			
RESCARDRESERVATION	CALCTOTALADJUSTMENT	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALAFTERADJUST	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALBASE	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALCOMM	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALFARE	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALGST	DOUBLE	8	Y			
RESCARDRESERVATION	CALCTOTALTAX	DOUBLE	8	Y			
RESCARDRESERVATION	CCDATAMASKED	CHAR	1	Y			
RESCARDRESERVATION	CHARGEDAS	INTEGER	4	Y			
RESCARDRESERVATION	CLIENTBASEAMT	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTCOMMAMT	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTCOMMRATE	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTCONVRATE	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTCURRENCY	CHAR	3	Y			
RESCARDRESERVATION	CLIENTGSTAMT	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTGSTRATE	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTQSTAMT	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTQSTRATE	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTTAXAMT	DOUBLE	8	Y			
RESCARDRESERVATION	CLIENTTAXRATE	DOUBLE	8	Y			
RESCARDRESERVATION	COMMGSTAMT	DOUBLE	8	Y			
RESCARDRESERVATION	COMMGSTRATE	DOUBLE	8	Y			
RESCARDRESERVATION	COMMQSTAMT	DOUBLE	8	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDRESERVATION	COMMQSTRATE	DOUBLE	8	Y			
RESCARDRESERVATION	CONFIRMATIONNUMBER	VARCHAR	20	Y	INDEX		
RESCARDRESERVATION	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDRESERVATION	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDRESERVATION	DATECHANGEFLAG	INTEGER	4	N			
RESCARDRESERVATION	DEPOSITDUEDATE	TIMESTAMP	8	Y			
RESCARDRESERVATION	DURATION	INTEGER	4	Y			
RESCARDRESERVATION	ENDDATE	TIMESTAMP	8	Y			
RESCARDRESERVATION	FARECODE	VARCHAR	6	Y			
RESCARDRESERVATION	FINALPYMNTDUEDATE	TIMESTAMP	8	Y			
RESCARDRESERVATION	GROUPLD	VARCHAR	128	Y			
RESCARDRESERVATION	GROUPLRTECODE	VARCHAR	128	Y			
RESCARDRESERVATION	HIGHFARE	DOUBLE	8	Y			
RESCARDRESERVATION	HOMEHOST_LINKNO	INTEGER	4	Y	FOREIGN	HOMEHOST.HOMEHOSTNO	
RESCARDRESERVATION	INCLUDEGST	VARCHAR	1	Y			
RESCARDRESERVATION	INTER_LINKCODE	VARCHAR	1	Y			
RESCARDRESERVATION	INVENTORYINSTANCE_LINKNO	INTEGER	4	Y	FOREIGN	INVENTORYINSTANCE.INVENTORYINSTANCENO	
RESCARDRESERVATION	INVOICEOUTFCBP	CHAR	1	Y			
RESCARDRESERVATION	INVOICEREMARKS	BLOB	8	Y			
RESCARDRESERVATION	ISSUEDTHROUGHARC	VARCHAR	1	Y			
RESCARDRESERVATION	ITEMIZEPRINTOPTN	INTEGER	4	Y			
RESCARDRESERVATION	LASTMODIFIEDDATE	TIMESTAMP	8	Y			
RESCARDRESERVATION	LIVECONNECT_LINKNO	INTEGER	4	Y	FOREIGN	LIVECONNECTPROVIDER.LIVECONNECTNO	
RESCARDRESERVATION	LIVECONNECTCREATED	CHAR	1	Y			
RESCARDRESERVATION	LOWFARE	DOUBLE	8	Y			
RESCARDRESERVATION	NOOFPAX	INTEGER	4	Y			
RESCARDRESERVATION	NOOFUNITS	INTEGER	4	Y			
RESCARDRESERVATION	PAY1CHECKCCNO	VARCHAR	35	Y			
RESCARDRESERVATION	PAY1CHECKCCNOENCRYPT	BLOB	8	Y			
RESCARDRESERVATION	PAY1PAYMETHOD_LINKNO	SMALLINT	2	Y			
RESCARDRESERVATION	PAY1TAMT	DOUBLE	8	Y			
RESCARDRESERVATION	PLUSAPPTAXES	CHAR	1	Y			
RESCARDRESERVATION	PRINTINDICATOR	VARCHAR	1	Y			
RESCARDRESERVATION	PROMOID	VARCHAR	20	Y	INDEX		
RESCARDRESERVATION	RECORDLOCATOR	VARCHAR	20	Y	INDEX		
RESCARDRESERVATION	RESCARD_LINKNO	INTEGER	4	N	FOREIGN	RESCARD.RESCARDNO	
RESCARDRESERVATION	RESCONFSTATUS_LINKNO	INTEGER	4	N	FOREIGN	RESCONFSTATUS.RESCONFSTATUSNO	
RESCARDRESERVATION	RESDATE	TIMESTAMP	8	Y	INDEX		
RESCARDRESERVATION	RESERVATIONNO	INTEGER	4	N	PRIMARY	BOOKING.RESERVATION_LINKNO, RESCARDAMOUNT.RESERVATION_LINKNO, RESCARDMOREFIELD.RESERVATION_LINKNO, RESCARDPROVIDER.RESERVATION_LINKNO, RESRVTPASSENGERS.RESERVATION_LINKNO	GENERATOR: RESERVATIONNO_GENERATOR
RESCARDRESERVATION	RESTYPE	SMALLINT	2	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDRESERVATION	SORTNO	INTEGER	4	Y			
RESCARDRESERVATION	SOURCEOFBOOKING	VARCHAR	25	Y			
RESCARDRESERVATION	STARTDATE	TIMESTAMP	8	Y			
RESCARDRESERVATION	STATUS	VARCHAR	20	Y			
RESCARDRESERVATION	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCARDRESERVATION	TAX1AMT	DOUBLE	8	Y			
RESCARDRESERVATION	TAX1RATE	DOUBLE	8	Y			
RESCARDRESERVATION	TAX2AMT	DOUBLE	8	Y			
RESCARDRESERVATION	TAX2RATE	DOUBLE	8	Y			
RESCARDRESERVATION	TAX3AMT	DOUBLE	8	Y			
RESCARDRESERVATION	TAX3RATE	DOUBLE	8	Y			
RESCARDRESERVATION	TAX4AMT	DOUBLE	8	Y			
RESCARDRESERVATION	TAX4RATE	DOUBLE	8	Y			
RESCARDRESERVATION	TOTALBASE	DOUBLE	8	Y	INDEX		
RESCARDRESERVATION	TOTALCOMMISSION	DOUBLE	8	Y			
RESCARDRESERVATION	TOTALCOMMPERCENT	DOUBLE	8	Y			
RESCARDRESERVATION	TOTALTAX	DOUBLE	8	Y	INDEX		
RESCARDRESERVATION	TOTALTAXPERCENT	DOUBLE	8	Y			
RESCARDRESERVATION	VALIDAL	VARCHAR	3	Y			
RESCARDRESERVATION	VENDOR_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	
RESCARDRESERVATION	VENDORBASEAMT	DOUBLE	8	Y			
RESCARDRESERVATION	VENDORCOMMAMT	DOUBLE	8	Y			
RESCARDRESERVATION	VENDORCOMMRATE	DOUBLE	8	Y			
RESCARDRESERVATION	VENDORCURRENCY	CHAR	3	Y			
RESCARDRESERVATION	VENDORTAXAMT	DOUBLE	8	Y			
RESCARDRESERVATION	VENDORTAXRATE	DOUBLE	8	Y			
RESCARDRESERVATION	TRAVELCATEGORY_LINKNO	INTEGER		N		YNO	
RESCARDSEGMENT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCARDSEGMENT	AIRCLASS	VARCHAR	10	Y			
RESCARDSEGMENT	AIRFAREBASIS	VARCHAR	20	Y			
RESCARDSEGMENT	AIRFLIGHTNUMBER	VARCHAR	10	Y			
RESCARDSEGMENT	AIRISCONNECTION	VARCHAR	1	Y			
RESCARDSEGMENT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCARDSEGMENT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCARDSEGMENT	DESCRIPTION	VARCHAR	256	Y			
RESCARDSEGMENT	ENDCITY	VARCHAR	3	Y			
RESCARDSEGMENT	ENDCITYNAME	VARCHAR	80	Y			
RESCARDSEGMENT	ENDDATETIME	TIMESTAMP	8	Y			
RESCARDSEGMENT	PROVIDER_LINKNO	INTEGER	4	N	FOREIGN	RESCARDPROVIDER.PROVIDERNO	
RESCARDSEGMENT	RESCARDSEGMENTNO	INTEGER	4	N	PRIMARY		GENERATOR: RESCARDSEGMENTNO_G ENERATOR
RESCARDSEGMENT	SEATNUMBER	VARCHAR	8	Y			
RESCARDSEGMENT	SEGMENTFARE	INTEGER	4	Y			
RESCARDSEGMENT	SEGMENTNO	INTEGER	4	Y			GENERATOR: SEGMENTNO_GENERATO R
RESCARDSEGMENT	SORTNO	INTEGER	4	Y			
RESCARDSEGMENT	STARTCITY	VARCHAR	3	Y			
RESCARDSEGMENT	STARTCITYNAME	VARCHAR	80	Y			
RESCARDSEGMENT	STARTDATETIME	TIMESTAMP	8	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESCARDSEGMENT	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESCONFSTATUS	RESCONDSTATUS	VARCHAR	20	Y			Cancelled, Confirmed, Quoted
RESCONFSTATUS	RESCONFSTATUSNO	INTEGER	4	N	PRIMARY	RESCARDRESERVATION.RESCONFSTATUS_LINKNO	
RESCYCLE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESCYCLE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESCYCLE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESCYCLE	RESCYCLENNO	INTEGER	4	N	PRIMARY		GENERATOR: RESCYCLENNO_GEN
RESCYCLE	RESCYCLESTR	VARCHAR	80	Y			Booked, Lead, Paid in Full, Returned from Trip, Under Deposit
RESCYCLE	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESITEMAMTDESC	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESITEMAMTDESC	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESITEMAMTDESC	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESITEMAMTDESC	RESITEMAMTDESCNO	INTEGER	4	N	PRIMARY		GENERATOR: RESITEMAMTDESCNO_GEN
RESITEMAMTDESC	RESITEMAMTDESCSTR	VARCHAR	100	Y			
RESITEMAMTDESC	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESMANDATORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESMANDATORY	AGENTREMARKS	VARCHAR	1	Y			
RESMANDATORY	APPTYPE_LINKNO	INTEGER	4	N	PRIMARY	APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
RESMANDATORY	CLIENTBILLTO	VARCHAR	1	Y			
RESMANDATORY	CLIENTFEEDBACK	VARCHAR	1	Y			
RESMANDATORY	CLIENTSHIPTO	VARCHAR	1	Y			
RESMANDATORY	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESMANDATORY	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESMANDATORY	GROUPNAME	VARCHAR	1	Y			
RESMANDATORY	HOSTCODE	VARCHAR	1	Y			
RESMANDATORY	LOCATORNO	VARCHAR	1	Y			
RESMANDATORY	NEWREGION	VARCHAR	1	Y			
RESMANDATORY	REGION	VARCHAR	1	Y			
RESMANDATORY	RESBOOKINGMETHOD	VARCHAR	1	Y			
RESMANDATORY	RESCONFNO	VARCHAR	1	Y			
RESMANDATORY	RESCYCLE	VARCHAR	1	Y			
RESMANDATORY	RESDEPOSITAMT	VARCHAR	1	Y			
RESMANDATORY	RESDEPOSITDUEDT	VARCHAR	1	Y			
RESMANDATORY	RESFINALDUEDT	VARCHAR	1	Y			
RESMANDATORY	RESPASSENGERS	VARCHAR	1	Y			
RESMANDATORY	SOURCEBOOKING	VARCHAR	1	Y			
RESMANDATORY	SPENDDT	VARCHAR	1	Y			
RESMANDATORY	SPSTARTDT	VARCHAR	1	Y			
RESMANDATORY	SPUNIQUESP	VARCHAR	1	Y			
RESMANDATORY	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESMANDATORY	TRIPNAME	VARCHAR	1	Y			
RESMANDATORY	TRIPREMINDER	VARCHAR	1	Y			
RESMANDATORYMF	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESMANDATORYMF	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESMANDATORYMF	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESMANDATORYMF	MANDATORYFLD	CHAR	1	Y			
RESMANDATORYMF	REQUIRERESEXIST	CHAR	1	Y			
RESMANDATORYMF	RESCARDMOREFIELD CAT_LIN KNO	INTEGER	4	N	FOREIGN	RESCARDMOREFIELD CAT.RESCARDM OREFIELD CATNO	
RESMANDATORYMF	RESMANDATORYMFNO	INTEGER	4	N	PRIMARY	RESMANDATORYMFTVL.RESMANDATO RYMF_LINKNO	
RESMANDATORYMF	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESMANDATORYMFTVL	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESMANDATORYMFTVL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESMANDATORYMFTVL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESMANDATORYMFTVL	RESMANDATORYMF_LINKNO	INTEGER	4	N	FOREIGN	RESMANDATORYMF.RESMANDATORY MFNO	
RESMANDATORYMFTVL	RESMANDATORYMFTVLNO	INTEGER	4	N	PRIMARY		
RESMANDATORYMFTVL	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESMANDATORYMFTVL	TRAVELCATEGORY_LINKNO	INTEGER	4	N	FOREIGN	TRAVELCATEGORY.TRAVELCATEGOR YNO	
RESPROVPASSENGERS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESPROVPASSENGERS	CLASSOFSERVICE	VARCHAR	20	Y			
RESPROVPASSENGERS	CLASSOFSVCCODE	VARCHAR	2	Y			
RESPROVPASSENGERS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESPROVPASSENGERS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESPROVPASSENGERS	FAREBASIS	VARCHAR	20	Y			
RESPROVPASSENGERS	PROVIDER_LINKNO	INTEGER	4	N	FOREIGN	RESCARDPROVIDER.PROVIDERNO	
RESPROVPASSENGERS	PROVPASSENGERNO	INTEGER	4	N	PRIMARY		GENERATOR: PROVPASSENGERNO_GE NERATOR
RESPROVPASSENGERS	RESCARDPASSENGER_LINKNO	INTEGER	4	N	FOREIGN	RESCARDPASSENGERS.RESCARDPAS SENGERNO	
RESPROVPASSENGERS	SEATNO	VARCHAR	4	Y			
RESPROVPASSENGERS	SEATTYPE	VARCHAR	20	Y			
RESPROVPASSENGERS	SEGMENTFARE	INTEGER	4	Y			
RESPROVPASSENGERS	SEGMENTINFO	BLOB	8	Y			
RESPROVPASSENGERS	SORTNO	INTEGER	4	Y			
RESPROVPASSENGERS	STATUS	VARCHAR	20	Y			
RESPROVPASSENGERS	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESREMARKSTYPE	RESREMARKSTYPE	VARCHAR	40	Y			
RESREMARKSTYPE	RESREMARKSTYPENO	INTEGER	4	N	PRIMARY		
RESRVTPASSENGERS	ADJUSTMENTAMT	DOUBLE	8	Y			
RESRVTPASSENGERS	ADJUSTMENTRATE	DOUBLE	8	Y			
RESRVTPASSENGERS	ADJUSTMENTTYPE	INTEGER	4	Y			
RESRVTPASSENGERS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESRVTPASSENGERS	BASE	DOUBLE	8	Y			
RESRVTPASSENGERS	CLIENTGSTAMT	DOUBLE	8	Y			
RESRVTPASSENGERS	CLIENTGSTRATE	DOUBLE	8	Y			
RESRVTPASSENGERS	COMMGSTAMT	DOUBLE	8	Y			
RESRVTPASSENGERS	COMMGSTRATE	DOUBLE	8	Y			
RESRVTPASSENGERS	COMMISSION	DOUBLE	8	Y			
RESRVTPASSENGERS	COMMPERCENT	DOUBLE	8	Y			
RESRVTPASSENGERS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESRVTPASSENGERS	CREATE_RECNO1	INTEGER	4	Y	INDEX		

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
RESRVTPASSENGERS	ENDTICKETNUMBER	VARCHAR	15	Y			
RESRVTPASSENGERS	ETICKETIND	CHAR	1	Y			
RESRVTPASSENGERS	FARECODE	VARCHAR	6	Y			
RESRVTPASSENGERS	FARELATTER	VARCHAR	500	Y			
RESRVTPASSENGERS	FAREREMARKS	VARCHAR	500	Y			
RESRVTPASSENGERS	HIGHFARE	DOUBLE	8	Y			
RESRVTPASSENGERS	INCLUDEGST	VARCHAR	1	Y			
RESRVTPASSENGERS	INVENTORYINSTANCE_LINKNO	INTEGER	4	Y	FOREIGN	INVENTORYINSTANCE.INVENTORYINSTANCENO	
RESRVTPASSENGERS	LOWFARE	DOUBLE	8	Y			
RESRVTPASSENGERS	RESCARDPASSENGER_LINKNO	INTEGER	4	N	FOREIGN	RESCARDPASSENGERS.RESCARDPASSENGERNO	
RESRVTPASSENGERS	RESERVATION_LINKNO	INTEGER	4	N	FOREIGN	RESCARDRESERVATION.RESERVATIONNO	
RESRVTPASSENGERS	RESRVTPASSENGERNO	INTEGER	4	N	PRIMARY		GENERATOR: RESRVTPASSENGERNO _GENERATOR
RESRVTPASSENGERS	SORTNO	INTEGER	4	Y			
RESRVTPASSENGERS	STARTTICKETNUMBER	VARCHAR	15	Y			
RESRVTPASSENGERS	SYNCMODDATETIME	TIMESTAMP	8	Y			
RESRVTPASSENGERS	TAX	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX1AMT	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX1RATE	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX2AMT	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX2RATE	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX3AMT	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX3RATE	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX4AMT	DOUBLE	8	Y			
RESRVTPASSENGERS	TAX4RATE	DOUBLE	8	Y			
RESRVTPASSENGERS	TAXPERCENT	DOUBLE	8	Y			
RESRVTPASSENGERS	VENDORBASE	DOUBLE	8	Y			
RESRVTPASSENGERS	VENDORCOMM	DOUBLE	8	Y			
RESRVTPASSENGERS	VENDORCOMMRATE	DOUBLE	8	Y			
RESRVTPASSENGERS	VENDORTAX	DOUBLE	8	Y			
RESRVTPASSENGERS	VENDORTAXRATE	DOUBLE	8	Y			
RESSOURCEOFBOOKING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESSOURCEOFBOOKING	RESSOURCEOFBOOKINGNO	INTEGER	4	N	PRIMARY		GENERATOR: RESSOURCEOFBOOKING NO_GEN
RESSOURCEOFBOOKING	RESSOURCEOFBOOKINGSTR	VARCHAR	25	Y			
RESSTATUS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
RESSTATUS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
RESSTATUS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
RESSTATUS	RESSTATUSNO	INTEGER	4	N	PRIMARY		GENERATOR: RESSTATUSNO_GEN
RESSTATUS	RESSTATUSSTR	VARCHAR	20	Y			
RESSTATUS	SYNCMODDATETIME	TIMESTAMP	8	Y			
SEATYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SEATYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SEATYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SEATTYPE	SEATYPENO	INTEGER	4	N	PRIMARY		GENERATOR: SEATYPENO_GEN
SEATTYPE	SEATYPESTR	VARCHAR	20	Y			
SEATTYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			
SEGMENTS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SEGMENTS	AIRLINE	VARCHAR	3	Y			
SEGMENTS	ARRIVECITY	VARCHAR	3	Y	INDEX		
SEGMENTS	ARRIVECITYNAME	VARCHAR	30	Y			
SEGMENTS	ARRIVEDATETIME	TIMESTAMP	8	Y	INDEX		
SEGMENTS	BOOKING_LINKNO	INTEGER	4	N	FOREIGN	BOOKING.BOOKINGNO	
SEGMENTS	CLASSOFSVC	CHAR	2	Y			
SEGMENTS	CONNECTION	CHAR	1	Y			
SEGMENTS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SEGMENTS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SEGMENTS	DEPARTCITY	VARCHAR	3	Y	INDEX		
SEGMENTS	DEPARTCITYNAME	VARCHAR	30	Y			
SEGMENTS	DEPARTDATETIME	TIMESTAMP	8	Y	INDEX		
SEGMENTS	FARE	DOUBLE	8	N			
SEGMENTS	FAREBASIS	VARCHAR	15	Y			
SEGMENTS	FLIGHTNO	VARCHAR	4	Y			
SEGMENTS	INDEXNO	SMALLINT	2	N			
SEGMENTS	INVOICE_LINKNO	INTEGER	4	N	FOREIGN	INVOICE.INVOICENO	
SEGMENTS	MILEAGE	INTEGER	4	N			
SEGMENTS	SEGMENTNO	INTEGER	4	N	PRIMARY	CITYPAIR.MINSEGMENTNO, CITYPAIR.MAXSEGMENTNO	GENERATOR: SEGMENTNO_GENERATOR
SEGMENTS	SYNCMODDATETIME	TIMESTAMP	8	Y			
SEGMENTS	TICKETDESIG	VARCHAR	25	Y			
SEGMENTSTATUS	STATUSNO	INTEGER	4	N	PRIMARY		GENERATOR: STATUSNO_GEN
SEGMENTSTATUS	STATUSSTR	VARCHAR	20	Y			
SOCMEDSUBTYPE	DESCRIPTION	VARCHAR	20	Y			Facebook, Google+, LinkedIn, Twitter
SOCMEDSUBTYPE	SOCMEDSUBTYPENO	INTEGER	4	N	PRIMARY	COMMUNICATION.SOCMEDSUBTYPE_L INKNO	1, 2, 3, 4
SOURCEOFBOOKING	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SOURCEOFBOOKING	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SOURCEOFBOOKING	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SOURCEOFBOOKING	SOURCEOFBOOKINGNO	INTEGER	4	N	PRIMARY		GENERATOR: SOURCEOFBOOKINGNO_ GEN
SOURCEOFBOOKING	SOURCEOFBOOKINGSTR	VARCHAR	25	Y			
SOURCEOFBOOKING	SYNCMODDATETIME	TIMESTAMP	8	Y			
SPECIALDATE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SPECIALDATE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SPECIALDATE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SPECIALDATE	DESCRIPTION	VARCHAR	40	Y			
SPECIALDATE	MONTHDAY	VARCHAR	4	Y	INDEX		
SPECIALDATE	PASSENGER_LINKNO	INTEGER	4	Y	FOREIGN	PASSENGER.PASSENGERNO	
SPECIALDATE	PROFILE_LINKNO	INTEGER	4	N	FOREIGN	PROFILE.PROFILENO	

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SPECIALDATE	SORTNO	INTEGER	4	Y			
SPECIALDATE	SPECIALDATENO	INTEGER	4	N	PRIMARY		GENERATOR: SPECIALDATENO_GEN
SPECIALDATE	SPECIALDATETYPE_LINKNO	INTEGER	4	Y	FOREIGN	SPECIALDATETYPE.SPECIALDATETYP ENO	1, 2, 3, 4, 5
SPECIALDATE	SYNCMODDATETIME	TIMESTAMP	8	Y			
SPECIALDATE	YEARMONTHDAY	VARCHAR	8	Y	INDEX		
SPECIALDATETYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SPECIALDATETYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SPECIALDATETYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SPECIALDATETYPE	DESCRIPTION	VARCHAR	40	Y			Birthday, Holiday Travel, Regular Vacation Time, Wedding Anniversary
SPECIALDATETYPE	SPECIALDATETYPENO	INTEGER	4	N	PRIMARY	SPECIALDATE.SPECIALDATETYPE_LINK EN	GENERATOR: SPECIALDATETYPENO_G EN
SPECIALDATETYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			
SUBMITTO	SUBMITTO	VARCHAR	20	N			ARC, CommTrack, Supplier, Voucher
SUBMITTO	SUBMITTOCODE	CHAR	1	N	PRIMARY		A, C, S, V
SYNCCHANGELOG	AGENCY_LINKNO	INTEGER	4	N	PRIMARY	AGENCY.AGENCYNO	
SYNCCHANGELOG	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	CREATE_RECNO2	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	CREATE_RECNO3	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	LOCAL_RECNO1	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	LOCAL_RECNO2	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	LOCAL_RECNO3	INTEGER	4	Y	INDEX		
SYNCCHANGELOG	LOGACTION	CHAR	1	N			
SYNCCHANGELOG	LOGINNAME	VARCHAR	20	N			
SYNCCHANGELOG	PROCESSED	INTEGER	4	N	INDEX		
SYNCCHANGELOG	SOURCE_DBGUIDNO	INTEGER	4	Y			
SYNCCHANGELOG	SYNCCHANGELOGNO	INTEGER	4	N	PRIMARY		GENERATOR: SYNCCHANGELOGNO_GE N
SYNCCHANGELOG	SYNCMODDATETIME	TIMESTAMP	8	Y			
SYNCCHANGELOG	SYNCTABLEID_LINKNO	INTEGER	4	N	INDEX		
SYNCDBGUID	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
SYNCDBGUID	ALLOWSYNCCC	CHAR	1	N			
SYNCDBGUID	CCENCRYPTKEYOK	INTEGER	4	N			
SYNCDBGUID	CONTACTEMAIL	VARCHAR	128	Y			
SYNCDBGUID	CONTACTNAME	VARCHAR	40	Y			
SYNCDBGUID	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
SYNCDBGUID	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SYNCDBGUID	DBGUID	VARCHAR	128	N	UNIQUE		
SYNCDBGUID	DBTITLE	VARCHAR	40	N			
SYNCDBGUID	EXPORTOPTIONS	BLOB	8	Y			
SYNCDBGUID	HEADERINFO	BLOB	8	Y			
SYNCDBGUID	IMPORTOPTIONS	BLOB	8	Y			
SYNCDBGUID	INITCHECKSUM	VARCHAR	30	Y			
SYNCDBGUID	ISACTIVE	CHAR	1	N			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SYNCDBGUID	ISCBO	CHAR	1	N			
SYNCDBGUID	ISPRIMARY	CHAR	1	N			
SYNCDBGUID	LASTSERIALNO	VARCHAR	20	Y			
SYNCDBGUID	MARKMAP	BLOB	8	Y			
SYNCDBGUID	MOREFIELDMAP	BLOB	8	Y			
						INVENTORYINSTANCE.SYNCDBGUID_L INKNO, SYNCEXPHISTORY.REMOTE_SYNCDB GUID_LINKNO, SYNCIMPHISTORY.REMOTE_SYNCDBG UID_LINKNO, SYNCUNRESOLVEDLOG.CREATE_SYN CDBGUID_LINKNO	GENERATOR: SYNCDBGUIDNO_GEN
SYNCDBGUID	SYNCDBGUIDNO	INTEGER	4	N	PRIMARY		
SYNCDBGUID	SYNCMODDATETIME	TIMESTAMP	8	Y			
SYNCDELETELOG	AGENCY_LINKNO	INTEGER	4	N	INDEX	AGENCY.AGENCYNO	
SYNCDELETELOG	CREATE_DBGUIDNO	INTEGER	4	N	INDEX		
SYNCDELETELOG	CREATE_RECNO1	INTEGER	4	N	INDEX		
SYNCDELETELOG	CREATE_RECNO2	INTEGER	4	N	INDEX		
SYNCDELETELOG	CREATE_RECNO3	INTEGER	4	N	INDEX		
SYNCDELETELOG	DELDATE	TIMESTAMP	8	Y			
SYNCDELETELOG	LOGINNAME	VARCHAR	20	Y			
							GENERATOR: SYNCDELETELOGNO_G E
SYNCDELETELOG	SYNCDELETELOGNO	INTEGER	4	N	PRIMARY		
SYNCDELETELOG	SYNCTABLEID_LINKNO	INTEGER	4	N	INDEX		
SYNCEXPHISTORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SYNCEXPHISTORY	EXPDATE	TIMESTAMP	8	N			
SYNCEXPHISTORY	EXPORTED_DELETES	INTEGER	4	Y			
SYNCEXPHISTORY	EXPORTED_INSERTS	INTEGER	4	Y			
SYNCEXPHISTORY	EXPORTED_MODIFIES	INTEGER	4	Y			
SYNCEXPHISTORY	EXPORTED_UNDELETES	INTEGER	4	Y			
SYNCEXPHISTORY	EXPTYPE	CHAR	1	N			
SYNCEXPHISTORY	LOCAL_BEGIN_SYNCCHANGELO GNO	INTEGER	4	N			
SYNCEXPHISTORY	LOCAL_END_SYNCCHANGELO GNO	INTEGER	4	N			
SYNCEXPHISTORY	REMOTE_SYNCDBGUID_LINKN O	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	
							GENERATOR: SYNCEXPHISTORYNO_G E
SYNCEXPHISTORY	SYNCEXPHISTORYNO	INTEGER	4	N	PRIMARY		
SYNCEXPUNDELETE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	DELETED
SYNCEXPUNDELETE	CREATE_DBGUIDNO	INTEGER	4	Y	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCEXPUNDELETE	CREATE_RECNO1	INTEGER	4	Y			DELETED
SYNCEXPUNDELETE	CREATE_RECNO2	INTEGER	4	Y			DELETED
SYNCEXPUNDELETE	CREATE_RECNO3	INTEGER	4	Y			DELETED
SYNCEXPUNDELETE	SYNCDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCEXPUNDELETE	SYNCEXPUNDELETENO	INTEGER	4	N	PRIMARY		DELETED
SYNCEXPUNDELETE	SYNCTABLEID_LINKNO	INTEGER	4	N	FOREIGN	SYNCTABLEID.SYNCTABLEIDNO	DELETED

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SYNCIMPHISTORY	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
SYNCIMPHISTORY	IMPDATETIME	TIMESTAMP	8	N			
SYNCIMPHISTORY	IMPTYPE	CHAR	1	N			
SYNCIMPHISTORY	LOCAL_DELETES	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_IGNORES	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_INSERTS	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_MODIFIES	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_RESOLVES	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_UNDELETES	INTEGER	4	Y			
SYNCIMPHISTORY	LOCAL_UNRESOLVES	INTEGER	4	Y			
SYNCIMPHISTORY	REMOTE_BEGIN_SYNCCHANG ELOGNO	INTEGER	4	N	UNIQUE		
SYNCIMPHISTORY	REMOTE_END_SYNCCHANGEL OGNO	INTEGER	4	N			
SYNCIMPHISTORY	REMOTE_SYNCDBGUID_LINKN O	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	
SYNCIMPHISTORY	SYNCIMPHISTORYNO	INTEGER	4	N	PRIMARY		GENERATOR: SYNCIMPHISTORYNO_GE N
SYNCQUEUEDPROFRESTO RE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	DELETED
SYNCQUEUEDPROFRESTO RE	CREATE_RECNO1	INTEGER	4	Y			DELETED
SYNCQUEUEDPROFRESTO RE	CREATE_RECNO2	INTEGER	4	Y			DELETED
SYNCQUEUEDPROFRESTO RE	CREATE_RECNO3	INTEGER	4	Y			DELETED
SYNCQUEUEDPROFRESTO RE	DATECREATED	TIMESTAMP	8	N			DELETED
SYNCQUEUEDPROFRESTO RE	DATEMODIFIED	TIMESTAMP	8	N			DELETED
SYNCQUEUEDPROFRESTO RE	REQDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCQUEUEDPROFRESTO RE	STATUS	INTEGER	4	N			DELETED
SYNCQUEUEDPROFRESTO RE	SYNCCHANGELOGNO	INTEGER	4	N			DELETED
SYNCQUEUEDPROFRESTO RE	SYNCDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCQUEUEDPROFRESTO RE	SYNCQUEUEDPROFRESTOREN	INTEGER	4	N	PRIMARY		DELETED
SYNCQUEUEDPROFRESTO RE	SYNCTABLEID_LINKNO	INTEGER	4	N			DELETED
SYNCQUEUEDPROFRESTO RE	TARGETDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCREQUEST	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	DELETED
SYNCREQUEST	PROCESSEDDATE	TIMESTAMP	8	Y			DELETED
SYNCREQUEST	REQFROMGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SYNCREQUEST	REQTOGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCREQUEST	REQUESTCHANGELOGNO	INTEGER	4	Y			DELETED
SYNCREQUEST	REQUESTDATA	BLOB	8	Y			DELETED
SYNCREQUEST	REQUESTEDDATE	TIMESTAMP	8	N			DELETED
SYNCREQUEST	STATUS	VARCHAR	1	N			DELETED
SYNCREQUEST	SYNCREQUESTNO	INTEGER	4	N	PRIMARY		DELETED
SYNCREQUUNDELETE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	DELETED
SYNCREQUUNDELETE	CREATE_DBGUIDNO	INTEGER	4	Y	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCREQUUNDELETE	CREATE_RECNO1	INTEGER	4	Y			DELETED
SYNCREQUUNDELETE	CREATE_RECNO2	INTEGER	4	Y			DELETED
SYNCREQUUNDELETE	CREATE_RECNO3	INTEGER	4	Y			DELETED
SYNCREQUUNDELETE	DIRECTION	INTEGER	4	N			DELETED
SYNCREQUUNDELETE	REQDATETIME	TIMESTAMP	8	N			DELETED
SYNCREQUUNDELETE	REQFROMGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCREQUUNDELETE	REQNOTES	VARCHAR	128	Y			DELETED
SYNCREQUUNDELETE	REQSTATUS	INTEGER	4	N			DELETED
SYNCREQUUNDELETE	SYNCDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	DELETED
SYNCREQUUNDELETE	SYNCREQUUNDELETENO	INTEGER	4	N	PRIMARY		DELETED
SYNCREQUUNDELETE	SYNCTABLEID_LINKNO	INTEGER	4	N	FOREIGN	SYNCTABLEID.SYNCTABLEIDNO	DELETED
SYNCREQUUNDELETE	SYNCUNRESOLVEDLOG_LINKNO	INTEGER	4	Y	FOREIGN	SYNCUNRESOLVEDLOG.SYNCUNRESOLVEDLOGNO	DELETED
SYNCTABLEID	ENABLED	CHAR	1	Y			
SYNCTABLEID	GENERATORNAME	VARCHAR	40	Y			
SYNCTABLEID	IGNOREENCRYPTFIELDS	VARCHAR	2048	Y			
SYNCTABLEID	IGNOREFIELDS	VARCHAR	2048	Y			
SYNCTABLEID	SYNCTABLEIDNO	INTEGER	4	N	PRIMARY	SYNCREQUUNDELETE.SYNCTABLEID_LINKNO, SYNCEXPUNDELETE.SYNCTABLEID_LINKNO	
SYNCTABLEID	TABLENAME	VARCHAR	30	N	UNIQUE		
SYNCUNRESOLVEDLOG	ACTIONSOURCE_GUID_LINKNO	INTEGER	4	N			
SYNCUNRESOLVEDLOG	AGENCY_LINKNO	INTEGER	4	N	INDEX	AGENCY.AGENCYNO	
SYNCUNRESOLVEDLOG	CBPVERSIONNO	VARCHAR	20	Y			
SYNCUNRESOLVEDLOG	CREATE_RECNO1	INTEGER	4	Y	INDEX		
SYNCUNRESOLVEDLOG	CREATE_RECNO2	INTEGER	4	Y	INDEX		
SYNCUNRESOLVEDLOG	CREATE_RECNO3	INTEGER	4	Y	INDEX		
SYNCUNRESOLVEDLOG	CREATE_SYNCDBGUID_LINKNO	INTEGER	4	N	FOREIGN	SYNCDBGUID.SYNCDBGUIDNO	
SYNCUNRESOLVEDLOG	DATAHEADER	BLOB	8	Y			
SYNCUNRESOLVEDLOG	DATECREATED	TIMESTAMP	8	Y			
SYNCUNRESOLVEDLOG	DATEMODIFIED	TIMESTAMP	8	Y			
SYNCUNRESOLVEDLOG	ERRORMSG	VARCHAR	128	Y			
SYNCUNRESOLVEDLOG	FROMGUID_LINKNO	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	FROMSYNCCHANGELOGNO	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKGUIDNO1	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKGUIDNO2	INTEGER	4	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
SYNCUNRESOLVEDLOG	LINKGUIDNO3	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKNO1	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKNO2	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKNO3	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKTABLEID1	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKTABLEID2	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LINKTABLEID3	INTEGER	4	Y			
SYNCUNRESOLVEDLOG	LOGACTION	CHAR	1	N			
SYNCUNRESOLVEDLOG	STATUS	CHAR	1	Y			
SYNCUNRESOLVEDLOG	SYNCMODDATETIME	TIMESTAMP	8	Y			
SYNCUNRESOLVEDLOG	SYNCTABLEID_LINKNO	INTEGER	4	N	INDEX		
SYNCUNRESOLVEDLOG	SYNCUNRESOLVEDLOGNO	INTEGER	4	N	PRIMARY	SYNCREQUDELETE.SYNCUNRESOLVEDLOG_LINKNO	GENERATOR: SYNCUNRESOLVEDLOGNO_GEN
SYNCUNRESOLVEDLOG	TBOVERSIONNO	VARCHAR	20	Y			
SYNCUNRESOLVEDLOG	UNRESOLVEDDATA	BLOB	8	Y			
SYNCUNRESOLVEDLOG	UNRESOLVEDDATETIME	TIMESTAMP	8	Y			
SYNCVERTABLE	DATECREATED	TIMESTAMP	8	Y			
SYNCVERTABLE	ISACTIVE	CHAR	1	N			
SYNCVERTABLE	SYNCVERNO	INTEGER	4	N	PRIMARY		
SYNCVERTABLE	VERDATE	TIMESTAMP	8	N			
TABLEVERSION	ACTIVEVERSION	CHAR	1	N			
TABLEVERSION	CBBMINVERSION	VARCHAR	20	Y			
TABLEVERSION	CBBTABLEVERSIONNO	VARCHAR	20	Y			
TABLEVERSION	CBPCOMMITNO	INTEGER	4	Y			
TABLEVERSION	CBPMINORVERSIONNO	INTEGER	4	Y			
TABLEVERSION	CBPMINVERSION	VARCHAR	20	Y			
TABLEVERSION	CBPTABLEVERSIONNO	VARCHAR	20	Y			
TABLEVERSION	CBPVERSIONDATE	TIMESTAMP	8	Y			
TABLEVERSION	MINVERSION	VARCHAR	20	N			
TABLEVERSION	TABLEVERSIONNO	VARCHAR	20	N			
TABLEVERSION	TBOMINORVERSIONNO	INTEGER	4	Y			
TABLEVERSION	VERSIONDATE	TIMESTAMP	8	N			
TABLEVERSION	VERSIONRECORDNO	INTEGER	4	N	PRIMARY		
TAXDETAIL	AGENCY_LINKNO	INTEGER	4	N	PRIMARY	AGENCY.AGENCYNO	
TAXDETAIL	AMOUNT	DOUBLE	8	N			
TAXDETAIL	BOOKING_LINKNO	INTEGER	4	N	FOREIGN	BOOKING.BOOKINGNO	
TAXDETAIL	CODE	CHAR	3	N			
TAXDETAIL	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
TAXDETAIL	CREATE_RECNO1	INTEGER	4	Y	INDEX		
TAXDETAIL	RECNO	INTEGER	4	N	PRIMARY	GENERATOR: TAXDETAIL_GEN	
TAXDETAIL	SYNCMODDATETIME	TIMESTAMP	8	Y			
TICKETNUMBERS	ENDINGTICKETNO	DOUBLE	8	N	PRIMARY		
TICKETNUMBERS	STARTINGTICKETNO	DOUBLE	8	N	PRIMARY		
TICKETTYPE	TICKETTYPE	VARCHAR	40	N			Credit Memo, Debit Memo, Ex-Add-Coll, Ex-Refund, Normal, TAAD
TICKETTYPE	TICKETTYPENO	SMALLINT	2	N	PRIMARY		1, 2, 3, 4, 5, 6
TRAMS_GLOBAL	AGENCY_LINKNO	INTEGER	4	N	PRIMARY	AGENCY.AGENCYNO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
TRAMS_GLOBAL	CREATE_DBGUIDNO	INTEGER	4	Y			
TRAMS_GLOBAL	EOPDATE	TIMESTAMP	8	Y			
TRAMS_GLOBAL	SYNCMODDATETIME	TIMESTAMP	8	Y			
TRAMS_GLOBAL	YEARENDDATE	TIMESTAMP	8	Y			
TRAMS_SETTINGS	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
TRAMS_SETTINGS	APPTYPE_LINKNO	INTEGER	4	Y			
TRAMS_SETTINGS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
TRAMS_SETTINGS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
TRAMS_SETTINGS	FIELDNAME	VARCHAR	40	N	UNIQUE		
TRAMS_SETTINGS	FIELDNO	INTEGER	4	N	PRIMARY		
TRAMS_SETTINGS	FIELDSTRVALUE	VARCHAR	2048	Y			
TRAMS_SETTINGS	SYNCMODDATETIME	TIMESTAMP	8	Y			
TRAVELCATEGORY	DEFAULTTRAVELTYPE_LINKNO	INTEGER	4	Y			
TRAVELCATEGORY	TRAVELCATEGORY	VARCHAR	40	N			Air , Car, Cruise, Hotel, Insurance, Other , Rail, Serv Fee, Tour, Transportation, Excursions, River Cruise
TRAVELCATEGORY	TRAVELCATEGORYNO	SMALLINT	2	N	PRIMARY	LIVECONNECTPROVIDER.TRAVELCAT_LINKNO, RESMANDATORYMFTVL.TRAVELCATEGORY_LINKNO, TRAVELTYPE.TRAVELCATEGORY_LINKNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
TRAVELTYPE	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
TRAVELTYPE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
TRAVELTYPE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
TRAVELTYPE	DEFAULTSUBMITTO	CHAR	1	Y			
TRAVELTYPE	INSIDEAGENTAMT	DOUBLE	8	Y			
TRAVELTYPE	INSIDEAGENTRATE	DOUBLE	8	Y			
TRAVELTYPE	ISDEFAULT	CHAR	1	Y			
TRAVELTYPE	OUTSIDEAGENTAMT	DOUBLE	8	Y			
TRAVELTYPE	OUTSIDEAGENTRATE	DOUBLE	8	Y			
TRAVELTYPE	PRINTIND	VARCHAR	1	Y			
TRAVELTYPE	SORTNO	INTEGER	4	N			
TRAVELTYPE	SYNCMODDATETIME	TIMESTAMP	8	Y			
TRAVELTYPE	TRAVELCATEGORY_LINKNO	SMALLINT	2	N		TRAVELCATEGORY.TRAVELCATEGORYNO	1, 2, 3, 4, 5, 6, 7, 8, 9, 10

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
URLS	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
URLS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
URLS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
URLS	LOGINNAME	VARCHAR	20	Y	INDEX		
URLS	REMARKS	BLOB	8	Y			
URLS	SORTNO	INTEGER	4	Y			
URLS	SYNCMODDATETIME	TIMESTAMP	8	Y			
URLS	TITLE	VARCHAR	40	Y	INDEX		
URLS	URLNO	INTEGER	4	N	PRIMARY		GENERATOR: URLNO_GEN
USERLIVECONNECT	ACCOUNTNUMBER	VARCHAR	20	Y			
USERLIVECONNECT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
USERLIVECONNECT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
USERLIVECONNECT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
USERLIVECONNECT	LCPASSWORD	VARCHAR	80	Y			
USERLIVECONNECT	LIVECONNECT_LINKNO	INTEGER	4	N	FOREIGN	LIVECONNECTPROVIDER.LIVECONNECTNO	
USERLIVECONNECT	MISC	VARCHAR	80	Y			
USERLIVECONNECT	SYNCMODDATETIME	TIMESTAMP	8	Y			
USERLIVECONNECT	USERLIVECONNECTNO	INTEGER	4	N	PRIMARY		GENERATOR: USERLIVECONNECTNO_GEN
USERLIVECONNECT	USERNAME	VARCHAR	80	Y			
USERLIVECONNECT	USERPROFILE_LINKNO	INTEGER	4	Y	FOREIGN	USERPROFILE.USERPROFILENO	
USERLIVECONNECT	ACCOUNTNUMBER_ENCRYPT	BLOB		Y			
USERLIVECONNECT	USERNAME_ENCRYPT	BLOB		Y			
USERLIVECONNECT	PASSWORD_ENCRYPT	BLOB		Y			
USERPROFILE	AGENCY_LINKNO	INTEGER	4	N	UNIQUE	AGENCY.AGENCYNO	
USERPROFILE	AGENTEMAIL	VARCHAR	128	Y			
USERPROFILE	ALLOWBANK	VARCHAR	2048	Y			
USERPROFILE	ALLOWBANKGROUP	INTEGER	4	Y	FOREIGN	GROUPS.GROUPNO	
USERPROFILE	ALLOWBRANCH	VARCHAR	2048	Y			
USERPROFILE	ALLOWBRANCHGROUP	INTEGER	4	Y	FOREIGN	GROUPS.GROUPNO	
USERPROFILE	ALLOWGLBRANCH	VARCHAR	2048	Y			
USERPROFILE	ALLOWGLBRANCHGROUP	INTEGER	4	Y	FOREIGN	GROUPS.GROUPNO	
USERPROFILE	AREACODE	VARCHAR	5	Y			
USERPROFILE	AUTHORIZATION	SMALLINT	2	Y			
USERPROFILE	BANKPERMISSIONS	SMALLINT	2	N			
USERPROFILE	BRANCHACCESS	BLOB	8	Y			
USERPROFILE	BRANCHPERMISSIONS	SMALLINT	2	N			
USERPROFILE	CBOENABLED	CHAR	1	N			
USERPROFILE	CBPDEFACQUERY	INTEGER	4	Y	FOREIGN	VIEWS.VIEWSNO	
USERPROFILE	CBPDEFACVIEW	SMALLINT	2	Y			
USERPROFILE	CBPDEFAGENTPROFILE_LINKNO	INTEGER	4	Y	FOREIGN	PROFILE.PROFILENO	
USERPROFILE	CBPDEFAGTPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFACMPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFINDPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFINVENQUERY	INTEGER	4	Y	FOREIGN	VIEWS.VIEWSNO	
USERPROFILE	CBPDEFMANAGER	SMALLINT	2	Y			

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
USERPROFILE	CBPDEFOTHPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFPRODQUERY	INTEGER	4	Y	FOREIGN	VIEWS.VIEWSNO	
USERPROFILE	CBPDEFPROFQUERY	INTEGER	4	Y	FOREIGN	VIEWS.VIEWSNO	
USERPROFILE	CBPDEFPROVPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFRESCARDQUERY	INTEGER	4	Y	FOREIGN	VIEWS.VIEWSNO	
USERPROFILE	CBPDEFVENPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPDEFVENPROVPROFTAB	SMALLINT	2	Y			
USERPROFILE	CBPENABLED	VARCHAR	1	Y			
USERPROFILE	CBPFLAGS	BLOB	8	Y			
USERPROFILE	CBPGROUPSECURITY_LINKNO	INTEGER	4	Y	FOREIGN	GROUPSECURITY.GROUPSECURITYNO	
USERPROFILE	CBPREMTOEMAILCAL	INTEGER	4	Y			
USERPROFILE	COUNTRYCODE	VARCHAR	5	Y			
USERPROFILE	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
USERPROFILE	CREATE_RECNO1	INTEGER	4	Y	INDEX		
USERPROFILE	DEFAULTEMAILSIGNATURE	INTEGER	4	Y	FOREIGN	EMAILSIGNATURES.SIGNATURENO	
USERPROFILE	DEFEMAILCLIENT	VARCHAR	4	Y			
USERPROFILE	DEFEMAILDESC	VARCHAR	50	Y			
USERPROFILE	DEFFAXDESC	VARCHAR	50	Y			
USERPROFILE	DEFPHONEDESC	VARCHAR	50	Y			
USERPROFILE	DEFSMTPMODE	INTEGER	4	Y			
USERPROFILE	DEFSOCIALMEDIADDESC	VARCHAR	50	Y			
USERPROFILE	DEFWEBDESC	VARCHAR	50	Y			
USERPROFILE	DISABLEMENUITEMS	VARCHAR	512	Y			
USERPROFILE	ENABLESINGLESIGNON	INTEGER	4	N			
USERPROFILE	GLPERMISSIONS	SMALLINT	2	N			
USERPROFILE	HANDOFFSETTING	BLOB	8	Y			
USERPROFILE	HOSTAGENTID	VARCHAR	6	Y			
USERPROFILE	INVOICEPERMISSIONS	SMALLINT	2	N			
USERPROFILE	LASTPSWDHASH1	VARCHAR	128	Y			
USERPROFILE	LASTPSWDHASH2	VARCHAR	128	Y			
USERPROFILE	LASTPSWDHASH3	VARCHAR	128	Y			
USERPROFILE	LASTPSWDHASH4	VARCHAR	128	Y			
USERPROFILE	LOCKEDDATE	TIMESTAMP	8	Y			
USERPROFILE	LOGINNAME	VARCHAR	20	N	UNIQUE		
USERPROFILE	LOGINPASSWORD	VARCHAR	128	Y			
USERPROFILE	PAYMENTPERMISSIONS	SMALLINT	2	N			
USERPROFILE	PCC	VARCHAR	4	Y			
USERPROFILE	PRIVLABWEBACCTNO	VARCHAR	20	Y			
USERPROFILE	PRIVLABWEBAGENCYCD	VARCHAR	80	Y			
USERPROFILE	PRIVLABWEBPASSWORD	VARCHAR	80	Y			
USERPROFILE	PRIVLABWEBUSERNAME	VARCHAR	80	Y			
USERPROFILE	PROFILEPERMISSIONS	SMALLINT	2	N			
USERPROFILE	PSWDLASTMOD	TIMESTAMP	8	Y			
USERPROFILE	SMTACCOUNTLOGIN	VARCHAR	80	Y			

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
USERPROFILE	SMTMPACCTNTPASSWORD	VARCHAR	80	Y			
USERPROFILE	SMTPHOSTADDR	VARCHAR	128	Y			
USERPROFILE	SMTPLOGINTYPE	VARCHAR	1	Y			
USERPROFILE	SMTPPORT	VARCHAR	8	Y			
USERPROFILE	SMTPSECCONN	SMALLINT	2	Y			
USERPROFILE	SYNCMODDATETIME	TIMESTAMP	8	Y			
USERPROFILE	TFWENABLED	CHAR	1	Y			
USERPROFILE	TITLE	VARCHAR	30	Y			
USERPROFILE	USERNAME	VARCHAR	50	Y			
USERPROFILE	USERPROFEMAIL	VARCHAR	128	Y			
USERPROFILE	USERPROFILENO	INTEGER	4	N	PRIMARY	BATCH.CREATEBY_LINKNO, EMAILJOB.CREATEBY_LINKNO, PNRUSERSETTINGS.USERPROFILE_LI NKNO, USERLIVECONNECT.USERPROFILE_LI NKNO, USERSECURITYITEM.USERPROFILE_LI NKNO	GENERATOR: USERPROFILENO_GEN
USERPROFILE	SMTMP_USERNAME_ENCRYPT	BLOB		Y			
USERPROFILE	SMTMP_PASSWORD_ENCRYPT	BLOB		Y			
USERPROFILE	CURRENTPASSWORDHASH	VARCHAR	256	Y			
USERPROFILE	OLDPASSWORDHASH1	VARCHAR	256	Y			
USERPROFILE	OLDPASSWORDHASH2	VARCHAR	256	Y			
USERPROFILE	OLDPASSWORDHASH3	VARCHAR	256	Y			
USERPROFILE	OLDPASSWORDHASH4	VARCHAR	256	Y			
USERSECURITYAGENTS	USERPROFILE_LINKNO	INTEGER		N			
USERSECURITYAGENTS	PROFILE_LINKNO	INTEGER		N			
USERSECURITYAGENTS	AGENCY_LINKNO	INTEGER		N			
USERSECURITYAGENTS	CREATE_DBGUIDNO	INTEGER		Y			
USERSECURITYAGENTS	CREATE_RECNO1	INTEGER		Y			
USERSECURITYAGENTS	CREATE_RECNO2	INTEGER		Y			
USERSECURITYAGENTS	SYNCMODDATETIME	TIMESTAMP		Y			
USERSECURITYITEM	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
USERSECURITYITEM	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
USERSECURITYITEM	CREATE_RECNO1	INTEGER	4	Y	INDEX		
USERSECURITYITEM	CREATE_RECNO2	INTEGER	4	Y	INDEX		
USERSECURITYITEM	CREATE_RECNO3	INTEGER	4	Y	INDEX		
USERSECURITYITEM	FIELDINTVALUE	INTEGER	4	Y			
USERSECURITYITEM	FIELDNO1	INTEGER	4	N	PRIMARY		
USERSECURITYITEM	FIELDNO2	INTEGER	4	N	PRIMARY		
USERSECURITYITEM	SYNCMODDATETIME	TIMESTAMP	8	Y			
USERSECURITYITEM	USERPROFILE_LINKNO	INTEGER	4	N	PRIMARY		
VENDORLIVECONNECT	ACCOUNTNUMBER	VARCHAR	20	Y			
VENDORLIVECONNECT	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
VENDORLIVECONNECT	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
VENDORLIVECONNECT	CREATE_RECNO1	INTEGER	4	Y	INDEX		
VENDORLIVECONNECT	CREATE_RECNO2	INTEGER	4	Y	INDEX		
VENDORLIVECONNECT	LCPASSWORD	VARCHAR	80	Y			
VENDORLIVECONNECT	LIVECONNECT_LINKNO	INTEGER	4	N	PRIMARY	LIVECONNECTPROVIDER.LIVECONN TNO	
VENDORLIVECONNECT	PROFILE_LINKNO	INTEGER	4	N	PRIMARY	PROFILE.PROFILENO	

TRAMS Data Directory (TBO/ CB+)

Table	Field	Type	Length	Allow Nulls	Index	Joins	Values
VENDORLIVECONNECT	SYNCMODDATETIME	TIMESTAMP	8	Y			
VENDORLIVECONNECT	USERNAME	VARCHAR	80	Y			
VENDORLIVECONNECT	VENDORCODE	VARCHAR	128	Y			
VIEWS	AGENCY_LINKNO	INTEGER	4	N	FOREIGN	AGENCY.AGENCYNO	
VIEWS	APPTYPE_LINKNO	INTEGER	4	Y	FOREIGN	APPTYPES.APPTYPENO	1, 2000, 2001, 3000, 4000
VIEWS	BRANCH_LINKNO	INTEGER	4	Y	FOREIGN	BRANCH.BRANCHNO	
VIEWS	COLUMNNGROUP_LINKNO	INTEGER	4	Y	FOREIGN	COLUMNNGROUP.COLUMNNGROUPNO	
VIEWS	CREATE_DBGUIDNO	INTEGER	4	Y	INDEX		
VIEWS	CREATE_RECNO1	INTEGER	4	Y	INDEX		
VIEWS	LOGINNAME	VARCHAR	20	Y	INDEX		
VIEWS	SORTNO	INTEGER	4	Y			
VIEWS	SYNCMODDATETIME	TIMESTAMP	8	Y			
VIEWS	TITLE	VARCHAR	40	N			
VIEWS	TYPEID	INTEGER	4	Y			
VIEWS	VIEWNO	INTEGER	4	N	PRIMARY	DIALOG.VIEW_LINKNODIALOG.VIEW_LINKNO, USERPROFILE.CBPDEFPROFQUERY, USERPROFILE.CBPDEFACCTQUERY, USERPROFILE.CBPDEFRESCARDQUERY, USERPROFILE.CBPDEFPRODQUERY, USERPROFILE.CBPDEFINVENQUERY	GENERATOR: VIEWNO_GENERATOR

Description
Default=0
Default=0
[UPPERCASE]
Default=0
Default=0

Description
Default=0
'B' is booking agent, 'T' is ticketing agent, and <Null> means the agent booking has not been assigned an agent action.
Default=0
Sequential per BOOKINGNO
Default=0

Description
Default=0
Default=F
Default=F
Default=F
Default=F
Default=F
Default=0
Default=F
Default=F
Default=F
Default=F
Default=F
Default=F
Default=F
Default=F
Default=F
Default=F
Default=0
[UPPERCASE]

Description
Default=0
Default=0
Default=0
Default=0
Default=0
Default=0
Default=N
Expiration Date

Description
Default=0
Default=0
Default=0
7" Row
8.5" Column
Default=\$
Default=0
[UPPERCASE]

Description
Default=A
Default=0
[UPPERCASE]
[UPPERCASE]
Default=0
From arrival segments
Sequential per BOOKINGNO
Default=0
Default=0

Description
Default=0
Default=0
Default=0
Default=N
Default=0
Default=0

